Gazette of India

साप्ताहिक/WEEKLY प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

संत 301

नई दिल्ली, शनिवार, जुलाई 26—अगस्त 1, 2003 (श्रावण 4, 1925)

NEW DELHI, SATURDAY, JULY 26-AUGUST 1, 2003 (SRAVANA 4, 1925) No. 301

इस भाग में भिन्न गृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके। (Separate paging is given to this Part in order that it may be filed as a separate compilation)

भाग III—खण्ड 2 [PART III—SECTION 2]

[पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्ट्रों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस] [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE PATENTS AND DESIGNS Kolkata, the 26th July 2003

ADDRESSES AND JURISDICTION OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Kolkata and Branch Offices at Mumbai, Delhi and Chennai having Territorial Jurisdiction on a Zonal basis as shown

1. Patent Office Branch, Todi Estates, Illrd Floor, Sun Mill Compound, Lower Parel (West), MUMBAI-400013. The States of Gujarat, Maharashtra, Madhya Pradesh, Goa and the Union Territories of Daman and Diu & Dadra and Nagar Haveli. Telegraphic Address "PATOFFICE" Phone Nos. (022) 2492 4058, 2496 1370, 2490 3684. Fax No. (022) 2495 0622. E-Mail: patmum@ vsnl. net.

2. Patent Office Branch, W-5, West Patel Nagar, New Delhi-110 008.

> The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan, Uttar Pradesh and Delhi and the Union Territory of Chandigarh.

Telegraphic Address "PATENTOFIC" Phone Nos. (011) 2587 1255, 2587 1256, 2587 1257, 2587 1258. Fax No. (011) 2587 1256. E-Mail: delhipatent @ vsnl. net.

3. Patent Office Branch, Guna Complex, 6th Floor, Annex-II, 443, Annasalai, Teynampet, Chennai-600 018.

The States of Andhra Pradesh, Kamataka, Kerala, Tamilnadu and Pondicherry and the Union Territories of Laccadive, Minicoy and Aminidivi Islands.

Telegraphic Address "PATENTOFFIC" Phone Nos. (044) 2431 4324/4325/4326. Fax Nos. (044) 2431 4750/4751. E-Mail: patentchennai @ vsnl, net

4. Patent Office (Head Office), Nizam Palace, 2nd M.S.O. Building, 5th; 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Kolkata-700 020.

Rest of India.

Telegraphic Address "PATENTS" Phone Nos. (033) 2247 4401/4402/4403.

Fax Nos. (033) 2247 3851, 2240 1353. E-Mail: patentin @ vsnl. com. patindia@giascl01.vsnl.net.in Website: http://ipindia.nic.in

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 and the Patents (Amendment) Act, 2002 or by the Patents Rules, 2003 will be received only at the appropriate offices of the Patent Office.

Fees: The fees may either be paid in cash or may be sent by Bank Draft or Cheques payable to the Controller of Patents drawn on a scheduled Bank at the place where the appropriate office is situated.

पेटेंट कार्यालय

एकस्व तथा अभिकल्प

कोलकातां, दिनांक 26 जुलाई 2003

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कोलकाता में अवस्थित है तथा. मुम्बई, दिल्ली एवं चेनई में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जोन के आधार पर निम्न रूप में प्रदर्शित हैं:---

!. पेटेंट कार्यालय गाखा, टोडी इस्टेट, तीसप तल, सन मिल कम्पाउड, लोअर परेल (वेस्ट), मुम्बई – 400 013 ।

> गुजरात, महाराष्ट्र, मध्य प्रदेश तथा गोआ राज्य क्षेत्र एवं संघ शासित क्षेत्र दमन तथा दीव एवं दादर और नगर इवेली।

तार पता : ''पेटोफिस''

फोन : (022) 2492 4058, 2496 1370, 2490 3684.

फैक्स : (022) 2495 0622. ई. मेल : patmum@vsnl.net

पेटेंट कार्यालय श्राखा,
 डब्ल्यू-5, बेस्ट पटेल नगर,
 नई दिल्ली - 110 008।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर, पंजाब, राजस्थान, उत्तर प्रदेश तथा दिल्ली राज्य क्षेत्रों एवं संघ शासित क्षेत्र चंडीगढ़।

तार पता : ''पेटेंटेफिक''

फोन : (011) 2 87 1255, 2587 1256, 2587 1257,

2587 12\$8.

फैक्स : (011) 2587 1256. ई.-मेल : delhipatent@vsnl.net पेटेंट कार्यालय शाखा, गुणा कम्प्लेक्स, छठा तल, एनेक्स-II, 443, अन्नासलाई, तेनामपेट, चेन्नई - 600 018।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु तथा पाण्डिचेरी राज्य क्षेत्र एवं संघ शासित क्षेत्र लक्षद्वीप, मिनिकाय तथा एमिनिदिवि द्वीप। तार पता – ''पेटेंटोफिक''

फोन: (044) 2431 4324/4325/4326. फैक्स: (044) 2431 4750/4751. ई.-मेल: patentchennai@vsnl.net

 पेटेंट कार्यालय (प्रधान कार्यालय), निजाम पैलेस, द्वितीय बहुतलीय कार्यालय भवन, 5वां, 6ठा व 7वां तल, 234/4, आचार्य जगदीश बोस मार्ग, कोलकाता - 700 020 ।

भारत का अवशेष क्षेत्र।

तार पता - "पेटेंट्स"

फोन : (033) 2247 4401/4402/4403.

फैक्स : (033) 2247 3851, 2240 1353.

ई.-मेल: patentin@vsnl.com

patindia@giascl/01.vsnl.net.in

वेब साइट : http://ipindia.nic. in

पेटेंट अधिनियम, 1970 तथा पेटेंट (संशोधन) अधिनियम, 2002 अथवा पेटेंट नियम, 2003 द्वारा अपेक्षित सभी आवेदन, सूचनाएं, विवरण या अन्य दस्तावेज या कोई फीस पेटेंट कार्यालय के केवल समुचित कार्यालय में ही ग्रहण किए जाएंगे।

शुल्क : शुल्कों की अदायगी या तो नकद की जाएगी अथवा जहां उपयुक्त कार्यालय अवस्थित हैं, उस स्थान के अनुसूचित बैंक से नियंत्रक, पेटेंट को भुगतान योग्य बैंक ड्राफ्ट अथवा चैक द्वारा की जा सकती है।

SPECIAL NOTICE

All the Patent application filed up to 31st October, 2001 other than those (a) for which secrecy directions have been imposed and continued under Section 35, (b) applications alongwith provisional specification deemed to have been abandoned under Section 9(1) and (c) applications which have been withdrawn before 18 months from the date of filing on date of priority as the case may shall be deemed to have been published under Section 11A of The Patents (Amendment) Act, 2002. The particulars of the application together with provisional and/or complete specification and abstract may be inspected at the appropriate office.

In pursuance of the amendment of Section 53 of the Patents Act, 1970 by the Patents (Amendment) Act, 2002 and in pursuance of the sub-section (1) of Section 53 of the Act, the term of every patent irrespective of drug/food which has not expired and has not ceased to have effect on the 20th May, 2003 shall be "twenty years" from the date of filing of the application for patent.

SPECIAL NOTICE

In view of the new provision made in the Patents (Amendments) Act, 2002 under section 11B, the section is reproduced underneath for public information

"SECTION 11 B" : Request for examination . -

- 1) No application for a patent shall be required to be examined unless the applicant or any other interested person makes a request in the prescribed manner for such examination within forty-eight months from the date of filing of the application for patent.
- 2) In case of an application filed before the commencement of the Patents (Amendment) Act, 2002, a request in the prescribed manner for examination shall be made by the applicant or any other interested person within a period of twelve months from the date of such commencement or within forty-eight months from the date of the application, whichever is later
- 3) In case of an application in respect of a claim for a patent covered under sub-section (2) of section 5, a request in the prescribed manner for examination shall be made by the applicant or any other interested person within a period of twelve months from 31st day of December, 2004 or within forty-eight months from the date of the application, whichever is later
- 4) In case the applicant or any other interested person does not make a request for examination of the application for a patent within the period as specified under sub-section (1) or sub-section (2) or sub-section (3), the application shall be treated as withdrawn by the applicant:

Provided that -

- the applicant may, at any time after the filing of the application but before the grant of the patent, withdraw the application made by him; and
- in a case where a secrecy direction has been issued under section 35, the request for examination may be made within forty-eight months from the date of revocation of the secrecy direction.]

GOVERNMENT OF INDIA

PATENT OFFICE CHENNAI BRANCH,

National Phase Applications for Patent under PCT filed in the Month of December, 2002

Dated: 02.12.2002 IN/PCT/2002/01976/CHE Nationalphase App.No. Dated: 10.05.2001 PCT/EP01/04902 Corres.PCT App.No Dated: 11/05/2000 No. 00109968.8 Priority Document No. Methanol casale S.A., Switzerland Name of the Applicant Reactor for exothermic or endothermic heterogeneous reactions Title of Invention Nationalphase App.No IN/PCT/2002/01977/CHE Dated: 02.12.2002 Dated: 31.05.2001 Corres.PCT App.No PCT/US01/17551 Dated: 05/06/2000 Nos. 09/587, 608; 09/599, 633; 09/765, 819 Priority Document No. Borden Chemical Inc., USA Name of the Applicant Glyoxal - phenolic condensates with enhanced fluorescence Title of Invention Dated: 02.12.2002 IN/PCT/2002/01978/CHE Nationalphase App. No Dated: 26.05.2001 PCT/EP01/06029 Corres. PCT App. No. Dated: 06/06/2000 Priority Document No.: No. 00112116.9 Aventis pharma deutschland, Germany Name of the Applicant Factor VIIa inhibitory (Thio) urea derivatives, their preparation and their Title of Invention use Dated: 02.12.2002 IN/PCT/2002/01979/CHE Nationalphase App.No Dated: 30.04.2001 PCT/EP01/04836 Corres.PCT App.No Dated: 03/05/2000 No. 10021191.7 Priority Document No. Basf Aktiengesellschaft, Germany Name of the Applicant Method for producing a polymer, using caprolactam Title of Invention Dated: 02,12,2002

5. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention IN/PCT/2002/01980/CHE Dated: 02.12.2002 PCT/EP01/04837 Dated: 30.04.2001 No. 10021192.5 Dated: 03/05/2000

Basf Aktiengesellschaft, Germany

Method for producing caprolactam on the basis of 6 - aminocapronitrile

and subsequent purification by crystallization-

6. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention IN/PCT/2002/01981/CHE Dated : 02.12.2002
PCT/EP01/04834 Dated : 30.04.2001
No. 10021199.2 Dated : 03/05/2000

Basf Aktiengesellschaft, Germany

Method for producing caprolactam from 6 - aminocapronitrile

7.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01982/CHE PCT/EP01/04833 No. 10021201.8 Basf Aktiengesellschaft, Germany Method for producing cyclic lactams	Dated : 02.12.2002 Dated : 30.04.2001 Dated : 03/05/2000
8.	Nationalphase App.No Corres.PCT App.No Pnority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01983/CHE PCT/EP01/04841 No. 10021193.3 Basf Aktiengesellschaft, Germany Method for producing cyclic lactams	Dated : 02.12.2002 Dated : 30.04.2001 Dated : 03/05/2000
9.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01984/CHE PCT/EP01/06267 No. 00810493 7 SICPA Holding S.A., Switzerland UV curable composition	Dated; 02.12.2002 Dated; 01.06.2001 Dated: 07/06/2000
10.	National phase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01985/CHE PCT/EP01/06028 No. 100 28 304.7 SMS Demag AG, Germany Method and device for local processing measurement data obtained from a consensors	
11.	National phase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01986/CHE PCT/US01/13998 No. 60/213, 410 Theravance , Inc., USA Glycopeptide phosphonate derivatives	Dated : 02.12.2002 Dated : 01.05.2001 Dated : 22/06/2000
12.	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/01987/CHE PCT/JP02/03325 No. 2001 - 107004 Sumika fine chemicals co., ltd., Japan Process for producing 2, 6 - dihalogeno	Dated : 03.12.2002 Dated : 03.04.2002 Dated : 05/04/2001

Dated: 03.12.2002 IN/PCT/2002/01988/CHE Nationalphase App.No Dated: 27.03.2002 PCT/DE02/01117 Corres.PCT App.No Dated: 05/04/2001 No. 101 17 181.1 Priority Document No. Georgsmarienhutte GmbH, Germany Name of the Applicant Method and device for preventing slag from flowing along when tapping Title of Invention: a molten metal Dated: 03.12.2002 IN/PCT/2002/01989/CHE 14. Nationalphase App.No Dated: 26.05.2001 PCT/EP01/06030 Corres.PCT App. No. Dated: 09/06/2000 Nos. 100 28 175.3; 101 16 768.7 Priority Document No. Aventis pharma deutschland GmbH, Germany Name of the Applicant Acylphenylurea derivatives, a process for their preparation and their use Title of Invention as pharmaceuticals Dated: 03.12.2002 IN/PCT/2002/01990/CHE Nationalphase App.No Dated: 03.05.2001 PCT/EP01/04982 Corres.PCT App.No Dated: 11/05/2000 No. 00810402.8 Priority Document No. Ciba speciality chemicals holding inc., Switzerland Name of the Applicant Process for staining of wood with aqueous wood stains Title of Invention Dated: 03.12.2002 IN/PCT/2002/01991/CHE Nationalphase App.No Dated: 10.05.2001 PCT/GB01/02040 Corres.PCT App.No Dated: 10/05/2000 No. 0011169.0 Priority Document No. Reckitt benckiser healthcare (UK) Limited, United kingdom Name of the Applicant Irradiation of ispaghula Title of Invention Dated: 03.12.2002 IN/PCT/2002/01992/CHE 17. Nationalphase App.No. Dated: 27.04.2001 PCT/AU01/00481 Corres.PCT App.No Dated: 11/05/2000 Priority Document No. No. PQ 7445 Franklin scott, Western Australia Name of the Applicant Biomass burner Title of Invention Dated: 03.12.2002 IN/PCT/2002/01993/CHE 18. Nationalphase App.No Dated: 01.05.2001 PCT/EP01/04868 Corres.PCT App.No Dated: 06/06/2000 No. 00201986.7 Priority Document No. Akzo Nobel N.V., Netherlands Name of the Applicant 16, 17 - Carbocyclic condensed steroid compounds having selective Title of Invention estrogenic activity

19. Nationalphase App. No Colres.PCT App.No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01994/CHE PCT/US01/17786 No. 09/590, 408

Dated: 03.12.2002 Dated: 01.06.2001 Dated: 08/06/2000

Clearstack combustion corporation, USA

Low nitrogen oxides emissions using three stages of fuel oxidation and

in - situ furnace flue gas recirculation

20. Nationalphase App. No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01995/CHE PCT/US01/17908 No. 09/590, 404

Dated: 03.12.2002 Dated: 01.06.2001 Dated: 08/06/2000

Clearstack combustion corporation, USA

Potassium hydroxide flue gas injection technique to reduce acid gas emissions and improve electrostatic precipitator performance

21. Nationalphase App. No. Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01996/CHE PCT/EP01/04643 No. 09/571, 395

Dated: 03.12.2002 -Dated: 25.04.2001 Dated: 15/05/2000

Pharmacia Italia S.p.a. & others, Italy

Stabilized aqueous suspensions for parenteral use

22. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01997/CHE PCT/IB02/01011 No. 01201260.5

Dated: 03.12.2002 Dated: 27.03.2002 Dated: 05/04/2001

Koninklijke philips electronics N.V., Netherlands

Time - scale modification of signals applying techniques specific to

determined signal types

23. Nationalphase App.No Corres.PCT App.No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01998/CHE PCT/US01/17950 Nos. 09/591, 105; 09/785, 554

Dated: 04.12.2002 Dated: 05.06.2001 Dated: 09/06/2000

Calyx therapeutics, Inc., USA

Novel hetrocyclic analogs of diphenylethylene compounds

24 Nationalphase App. No. Corres. PCT App. No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/01999/CHE PCT/JP01/04887 No. 2000 - 176844 Shionogi & Co., Ltd, Japan

Dated: 04.12.2002 Dated: 11.06.2001 Dated: 13/06/2000

Medicinal compositions containing propenone derivatives

Dated: 04.12.2002 IN/PCT/2002/02000/CHE Nationalphase App. No Dated: 30.04.2001 PCT/GB01/01881 Corres.PCT App.No Dated: 12/05/2000 No. 0011506.3 Priority Document No. Pethania, Allarakhu & others, Great Britain Name of the Applicant Colour management Title of Invention Dated: 04.12.2002 IN/PCT/2002/02001/CHE 26. Nationalphase App. No Dated: 30.05.2001 PCT/EP01/06128 Corres.PCT App.No Dated: 31/05/2000 Nos. 100 26 786.6; 100 54 649.8 Priority Document No. Basell polyolefine GmbH, Germany Name of the Applicant Preparation of transition metal compounds and their use for Title of Invention polymerization of olefins Dated: 04.12.2002 IN/PCT/2002/02002/CHE 27. Nationalphase App.No Dated: 13.06.2001 PCT/EP01/06664 Corres.PCT App.No Dated: 13/06/2000 No. 100 28 432.9 Priority Document No. Basell polyolefine GmbH, Germany Name of the Applicant Catalyst solid supported on calcined hydrotalcite for olefin Title of Invention polymerization Dated: 04.12.2002 IN/PCT/2002/02003/CHE 28. Nationalphase App.No Dated: 10.05.2001 PCT/DK01/00333 Corres.PCT App.No Dated: 12/05/2000 No. PA 200000783 Priority Document No. H. Lundbeck A/S, Denmark Name of the Applicant Method for the preparation of citalopram Title of Invention Dated: 04.12.2002 IN/PCT/2002/02004/CHE Dated: 25.05.2001 Nationalphase App.No PCT/EP01/05994 Corres.PCT App.No Dated: 07/06/2000 No. 0013839.6 Ciba speciality chemicals water treatments limited, Switzerland Priority Document No. Name of the Applicant Water swellable compositions Title of Invention Dated: 04.12.2002 IN/PCT/2002/02005/CHE 30. Nationalphase App. No Dated: 07.06.2001 PCT/EP01/06430 Dated: 09/06/2000 Corres.PCT App.No No. 1151/00 Priority Document No. Syngenta participations AG, Switzerland Name of the Applicant

Substituted pyridine herbicides

Title of Invention

31. Natio Ialphase App. Corres.PCT App.No Priority Document N Name of the Applica Titie of Invention	PCT/NO01/00221	Dated: 05.12.2002 Dated: 29.05.2001 Dated: 07/06/2000 aluminium and a method for for recovering electricity
32. Nationalphase App.i Corres.PCT App.No Priority Document N Name of the Applica Title of Invention	PCT/FR01/01752	Dated : 05.12.2002 Dated : 07.06.2001 Dated : 08/06/2000 Cities of the PDF 417 bar code
Nationalphase App.No Corres PCT App.No Priority Document No Name of the Applical Title of Invention	PCT/JP02/07300 D. No. 241387/2001	Dated : 05.12.2002 Dated : 18.07.2002 Dated : 08/08/2001 an an in visible - light range
34. Nationalphase App.No Corres.PCT App.No Priority Document No Name of the Applican Title of Invention	PCT/JP02/07301 Nos 241386/2001 18400 (mag)	Dated : 05.12.2002 Dated : 18.07.2002 Dated : 08/08/2001 In in visible - light range
35 National phase App. No Corres. PCT App. No Pricrity Document No. Name of the Applicant Title of Invention	PCT/DE02/01237	Dated : 05.12.2002 Dated : 05.04.2002 Dated : 06/04/2001 mmon rail fuel injection system
36. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Irvention	IN/PCT/2002/02011/CHE PCT/EP01/06359 No. 00304809 7	Dated : 05.12.2002 Dated : 01.06.2001 Dated : 06/06/2000
37. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02012/CHE PCT/US01/18494 No. 09/590, 777; 60/210, 581 Powderject vaccines, Inc., USA Powder compositions	Dated : 05.12.2002 Dated : 08.06.2001 Dated : 08/06/2000

Dated: 05.12.2002 IN/PCT/2002/02013/CHE 38. Nationalphase App. No. Dated: 09.06.2000 Corres. PCT App. No. PCT/SG00/00083 Dated: nil Priority Document No. Name of the Applicant TEO, Seng, kee, Bahby, Singapore Title of Invention An alphabet character input device IN/PCT/2002/02014/CHE Dated: 05.12.2002 Nationalphase App.No Corres.PCT App.No. PCT/US01/17562 Dated: 30.05.2001 Dated: 06/06/2000 No: 60/209, 739 Priority Document No. Name of the Applicant Dow global technologies Inc., USA Title of Invention. Epoxy based reinorcing patches with improved adhesion to oily metal surfaces Dated: 05.12.2002 IN/PCT/2002/02015/CHE 40. Nationalphase App.No Dated: 22.05.2001 Corres.PCT App.No PCT/SE01/01155 Dated: 22/05/2000 No. 0001899 - 4 Priority Document No. Name of the Applicant Biovitrum AB, Sweden Title of Invention Inhibitors of 11 - beta - hydroxy steroid dehydrogenase type I Dated: 05.12.2002 IN/PCT/2002/02016/CHE 41. Nationalphase App.No. PCT/SE01/01156 Dated: 22.05.2001 Corres.PCT App. No. Dated: 22/05/2000 Priority Document No. No. 0001899 - 4 Biovitrum AB, Sweden Name of the Applicant Inhibitors of 11 - beta - hydroxy steroid dehydrogenase type ! Title of Invention Dated: 05.12.2002 IN/PCT/2002/02017/CHE 42. Nationalphase App. No Dated: 22.05.2001 PCT/SE01/01157 Corres.PCT App.No Dated: 22/05/2000 No. 0001899 - 4 Priority Document No. Name of the Applicant Biovitrum AB, Sweden Inhibitors of 11 - beta - hydroxy steroid dehydrogenase type I Title of Invention Dated: 05.12.2002 IN/PCT/2002/02018/CHE 43. Nationalphase App.No Dated: 07.06.2001 PCT/FR01/01759 Corres.PCT App.No Dated: 09/06/2000 No. 00/07396 Priority Document No. Aventis pharma S.A., France Name of the Applicant 4, 5 - dihydro - thiazo - 2 - ylamine derivatives and their use as no Title of Invention synthase inhibitors Dated: 05.12.2002 IN/PCT/2002/02019/CHE 44. Nationalphase App.No. Dated: 07.06.2001 Corres.PCT App.No PCT/FR01/01760 Dated: 09/06/2000 No. 00/07397 Priority Document No. Aventis pharma S.A., France Name of the Applicant 2 - Aminothiazoline derivatives and their use as no - synthase inhibitors Title of Invention

45	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02020/CHE PCT/US01/14881 No. 60/203, 039 Advanced Navigation & Positioning Corporation Transponder landing system	Dated: 09.12.2002 Dated: 01.01.1900 Dated: 09/05/2000 n, & others, U.S.A.
46 .	Nationalphase App. No Corres.PCT App. No Priority Document No. Name of the Applicant	IN/PCT/2002/02021/CHE PCT/US01/14883 No. 60/203, 039 M/S. Advanced Nagivation & Positioning Corpo	Dated: 09.12.2002 Dated: 01.01.1900 Dated: 09/05/2000
	Title of Invention	Vehicle surveillance system	raion, & others, , U.S.A.
47.	Nationalphase App.No Corres PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02022/CHE PCT/EP01/06535 Nos. 0014313.1, 0019997.6 Ole - Bendt Rasmussen, Netherlands Cross - laminate of films and method of manufa	Dated : 09.12.2002 Dated : 08.06.2001 Dated : 12/06/2000 cturing
48.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02023/CHE PCT/FI01/00455 No. 20001120 Clothing plus OY, Finland Wearable projector and intelligent clothing	Dated: 09,12.2002 Dated: 11.05.2001 Dated: 11/05/2000
49 .	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02024/CHE PCT/EP01/04809 No. 00110404.1 SIPCA Holding S.A., Switzerland Method, device and security system, all for authorized	Dated : 09.12.2002 Dated : 28.04.2001 Dated : 16/05/2000 enticating a marking
50.	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	PCT/US01/40857	Dated : 09.12.2002 Dated : 06.06.2001 Dated : 12/06/2000 ss and apparatus

Dated: 09.12.2002 IN/PCT/2002/02026/CHE Nationalphase App.No Dated: 12.06.2001 PCT/JP01/04935 Corres.PCT App.No Dated: 16/06/2000 No. 2000 - 181625 Priority Document No. Research institute of innovative technology for the earth, Japan Name of the Applicant Process for producing ethanol by using recombinant coryneform Title of Invention bacterium Dated: 09.12.2002 52. Nationalphase App. No. IN/PCT/2002/02027/CHE Dated: 30.05.2001 PCT/EP01/06152 Corres.PCT App.No Dated: 16/06/2000 No. 100 28 958.4 Priority Document No. SAB WABCO BSI Verkehrstechnik Products GmbH, Germany Name of the Applicant Breake disk for a disk brake Title of Invention Dated: 09.12.2002 IN/PCT/2002/02028/CHE Nationalphase App.No Dated: 08.04.2002 PCT/IB02/01250 Corres.PCT App.No Dated: 10/04/2001 No. 0104862 Priority Document No. Koninklíjke philips electronics N.V., Netherlands Name of the Applicant Method and device for post - processing digital images Title of Invention Dated: 10.12.2002 IN/PCT/2002/02029/CHE 54. Nationalphase App. No. Dated: 11.06.2001 PCT/EP01/06565 Corres.PCT App.No Dated: 13/06/2000 Nos. 60/211, 262; 60/231, 632 Priority Document No. Basf aktiengesellschaft, Germany Name of the Applicant Fungicidal 5 - phenyl substituted 2 - (Cyanoamino) pyrimidines Title of Invention Dated: 10.12.2002 IN/PCT/2002/02030/CHE Nationalphase App.No Dated: 11.05.2001 PCT/SE01/01026 Corres.PCT App.No. Dated: 15/06/2000 No. 0002250 - 9 Priority Document No. Uddeholm tooling aktiebolag, Sweden Name of the Applicant Steel alloy, plastic moulding tool and tough - hardened blank for plastic Title of Invention moulding tools Dated: 10.12.2002 IN/PCT/2002/02031/CHE Nationalphase App.No Dated: 08.06.2001 PCT/EP01/06541 Corres.PCT App.No Dated: 14/06/2000 No. 00112577.2 Priority Document No. F. Hoffmann - La Roche AG, Switzerland Name of the Applicant Beta - amino acid nitrile derivatives Title of Invention Dated: 10.12.2002 IN/PCT/2002/02032/CHE Nationalphase App.No Dated: 17.05.2001 PCT/EP01/05702 Corres.PCT App.No. Dated: 18/05/2000 No. 09/573, 872 Priority Document No. Bayer bioscience N.V., Belgium Name of the Applicant Novel toxins Title of Invention

58	Nationalphase App.N Corres PCT App.No Priority Document No Name of the Applicar Title of Invention	PCT/US01/16109 D. No. 00112621 8	Dated : 10.12.2002 Dated : 17.05.2001 Dated : 14/06/2000
59.	Nationalphase App.No Corres.PCT App.No Priority Document No Name of the Applican Title of Invention	PCT/JP02/10789 No. 2000 - 394152	Dated : 10.12.2002 Dated : 10.12.2001 Dated : 26/12/2000
60.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	PCT/GB01/02563 No. 0014465.9	Dated : 10.12.2002 Dated : 11.06.2001 Dated : 14/06/2000 Ilimited, UK uit material
61.	National phase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	PCT/US01/19025 No. 60/211, 724	Dated : 11.12.2002 Dated : 13.06.2001 Dated : 15/06/2000
62.	National phase App:No Corres. PCT App:No Priority Document No. Name of the Applicant Title of Invention	PCT/FR01/01831 No. 00 07555	Dated : 11.12.2002 Dated : 13.06.2001 Dated : 14/06/2000 Combination in yeast, and
63.	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	. IN/PCT/2002/02038/CHE PCT/EP01/04468 No. 09/571, 355 Pharmacia italia S.p.A. & others, USA Aromatase inhibitors and monoclonal ar atitumours agents	Dated : 11.12.2002 Dated : 19.04.2001 Dated : 15/05/2000 nti - her2 antibodies as
64.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02039/CHE PCT/US01/19525 No. 06/212, 428 Kimberly clark wordwide inc., USA Novel photoinitiators and applications the	Dated: 11.12.2002 Dated: 19.06.2001 Dated: 19/06/2000

Dated: 11.12.2002 IN/PCT/2002/02040/CHE 65. Nationalphase App. No. Dated: 22.05.2001 PCT/SE01/01158 Corres.PCT App. No. Dated: 22/05/2000 No. 0001899 - 4 Priority Document No. Biovitrum AB, Sweden Name of the Applicant Inhibitors of 11 - beta - hydroxy steroid dehydrogenase type 1 Title of Invention Dated: 11.12.2002 IN/PCT/2002/02041/CHE 66. Nationalphase App. No. Dated: 16.05.2001 PCT/HR01/00027 Corres.PCT App.No Dated: 17/05/2000 No. P20000310A Priority Document No. Pliva farmaceutska industrija, dionicko drustvo, Croatia Name of the Applicant Thienodibenzoazulene compounds as tumor necrosis factor inhibitors Title of Invention Dated: 11.12.2002 IN/PCT/2002/02042/CHE 67. Nationalphase App.No. Dated: 25.09.2000 PCT/HR00/00033 Corres.PCT App.No. Dated: 19/05/2000 No. P20000328A Priority Document No. Pliva farmaceutska industrija, dionicko drustvo, Croatia Name of the Applicant Novel polymorph V of torasemide Title of Invention Dated: 11.12.2002 IN/PCT/2002/02043/CHE 68. Nationalphase App.No. Dated: 04.04.2002 PCT/IB02/01231 Corres.PCT App.No Dated: 12/04/2001 No. 01201346.2 Priority Document No. Koninklijke philips electronics N.V., Netherlands Name of the Applicant Watermark embedding Title of Invention Dated: 11.12.2002 IN/PCT/2002/02044/CHE Nationalphase App.No Dated: 01.01.1900 PCT/US01/14851 Corres.PCT App.No. Dated: 12/06/2000 No. 09/592, 118 Priority Document No. Reed, Gary J., 1015, South Soderquist Road, turlock, California 95380, Name of the Applicant Thread replacement system and device Title of Invention Dated: 12.12.2002 IN/PCT/2002/02045/CHE 70. Nationalphase App.No. Dated: 30.06.2000 PCT/AU00/00741 Corres.PCT App.No Dated: nil Priority Document No. nil Silver Brook Research Pty Ltd., Australia. Name of the Applicant Print cartridge with air filtering means. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02046/CHE 71. Nationalphase App.No. Dated: 30.06.2000 PCT/AU00/00742 Corres. PCT App. No Dated: nil nil Priority Document No. Silver Brook Research Pty Ltd., Australia. Name of the Applicant Ink Cartridge with ink reservoirs and pellets. Title of Invention

72. Nationalphase App. No. Corres. PCT App. No. Priority Document No. Name of the Applicant

Title of Invention -

IN/PCT/2002/02047/CHE PCT/AU00/00743

Silver Brook Research Pty Ltd., Australia. A capping mechanism for a print engine.

Dated: 12.12.2002 Dated: 30.06.2000

Dated: nil

73. Nationalphase App. No. Corres.PCT App. No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02048/CHE PCT/AU00/00744

Silver Brook Research Pty Ltd., Australia. An ink supply assembly for a print engine. Dated: 12.12.2002 Dated: 30.06,2000

Dated: nil

74. Nationalphase App. No. Corres.PCT App. No. Priority Document No. Name of the Applicant

Title of Invention

IN/PCT/2002/02049/CHE PCT/AU00/00745

Silver Brook Research Pty Ltd., Australia. A print engine including an air pump.

Dated: 12.12.2002 Dated: 30.06.2000 ·

Dated: nil

75. Nationalphase App. No Corres.PCT App. No Priority Document No. Name of the Applicant

Title of Invention

IN/PCT/2002/02050/CHE PCT/AU00/00746 nil

Silver Brook Research Pty Ltd., Australia. An ejector mechanism for a print engine.

Dated: 12.12.2002 Dated: 30.06.2000

Dated: nil

76. Nationalphase App. No. Corres.PCT App. No.

Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02051/CHE PCT/AU00/00747

nil

Silver Brook Research Pty Ltd., Australia. A separating device for a print engine.

Dated: 12.12.2002 Dated: 30.06.2000

Dated : nil

77. Nationalphase App.No Corres.PCT App.No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02052/CHE PCT/AU00/00748

Silver Brook Research Pty_Ltd., Australia. An ink feed arrangement for a print engine. Dated: 12.12.2002

Dated: 30.06,2000

Dated: nil

78. Nationalphase App. No. Corres PCT App. No Priority Document No.

Name of the Applicant Title of Invention

IN/PCT/2002/02053/CHE PCT/AU00/00749

Silver Brook Research Pty Ltd., Australia. Buckle resistant thermal bend actuators.

Dated: 12.12.2002 Dated: 30,06,2000

Dated: nil

Dated: 12.12.2002 IN/PCT/2002/02054/CHE Nationalphase App.No Dated: 30.06.2000 PCT/AU00/00750 Corres. PCT App. No Dated : nil Priority Document No. nil Silver Brook Research Pty Ltd., Australia. Name of the Applicant Ink jet fault tolerance using oversize drops. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02055/CHE Nationalphase App.No Dated: 30.06.2000 PCT/AU00/00751 Corres.PCT App.No Dated : nil Priority Document No. Silver Brook Research Pty Ltd., Australia. Name of the Applicant ink jet fault tolerance using extra ink dots. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02056/CHE 81. Nationalphase App.No Dated: 30.06.2000 PCT/AU00/00752 Corres.PCT App.No Dated: nil Priority Document No. nil Silver Brook Research Pty Ltd., Australia. Name of the Applicant Ink jet fault tolerance using adjacent nozzles. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02057/CHE Nationalphase App.No Dated: 30.06.2000 PCT/AU00/00754 Corres.PCT App.No Dated nil Priority Document No. Silver Brook Research Pty Ltd., Australia. Print engine/controller to work in multiples and a printhead driven by Name of the Applicant Title of Invention multiple print engine/controllers. Dated: 12.12.2002 IN/PCT/2002/02058/CHE 83. Nationalphase App. No Dated: 30.08.2000 PCT/AU00/00755 Corres.PCT App.No Dated : nil Priority Document No. Silver Brook Research Pty Ltd., Australia. Name of the Applicant Controlling the timing of printhead nozzle firing. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02059/CHE Nationalphase App.No Dated: 30.06.2000 PCT/AU00/00756 Corres.PCT App.No Dated: nil Priority Document No. nil Silver Brook Research Pty Ltd., Australia. Name of the Applicant Printing with a multi-segment printhead. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02060/CHE Dated: 30.06.2000 85. Nationalphase App.No PCT/AU00/00757 Corres.PCT App.No Dated : nil nil-Priority Document No. Silver Brook Research Pty Ltd., Australia.

Data package template with data embedding.

Name of the Applicant

Title of Invention

86. Nationalphase App.No
Corres.PCT App.No
Priority Document No.
Name of the Applicant
Title of Invention

IN/PCT/2002/02061/CHE PCT/DE02/01317 No. 101 18 884.6

Dated: 12.12.2002 Dated: 10.04.2002 Dated: 18/04/2001

Robert Bosch GmbH, Germany.

High pressure fuel pump for a fuel systam of a direct injection internal combustion engine, fuel system and internal combustion engine.

87. Nationalphase App. No
Corres PCT App. No
Priority Document No.
Name of the Applicant
Title of Invention

IN/PCT/2002/02062/CHE PCT/U\$01/18102 No. 09/594,388 Sachin Gupte, U.S.A.

Dated: 12.12.2002 Dated: 05.06.2001 Dated: 15/06/2000

Methods of potentiating organic nitrates having vasodilating activity and formulations for the same.

88. Nationalphase App.No
Corres. PCT App.No
Priority Document No.
Name of the Applicant
Title of Invention

IN/PCT/2002/02063/CHE
PCT/EP01/06748
No.00305173.7
Texaco Development corporation, USA.

Dated 12.12.2002 Dated 13.06.2001 Dated 19/06/2000

Heat - Fransfer fluid containing nano-particles and carboxylates.

National phase App.No
Corres. PCT App:No
Priority Document No.
Name of the Applicant
Title of Invention

IN/PCT/2002/02064/CHE PCT/SE01/01145 No. 0001893-7 Pharmacia AB, Sweden. Medical arrangement.

Dated : 12.12.2002 Dated : 22.05.2001 Dated : 22/05/2000

90. National phase App No
Corres PCT App No
Priority Document No.
Name of the Applicant
Title of Invention

IN/PCT/2002/02065/CHE PCT/SE01/01146 No. 0001894-5 Pharmacia AB, Sweden. Medical device

IN/PCT/2002/02066/CHE

Dated: 12.12.2002 Dated: 22.05.2001 Dated: 22/05/2000

91. National phase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention

PCT/US01/18947 No. 60/211,692 The Dow Chemical Company, U.S.A Asphalt emulsion based damping. Dated: 12.12.2002 Dated: 13.06.2001 Dated: 14/06/2000

Dated: 12.12.2002 IN/PCT/2002/02067/CHE 92. Nationalphase App No Dated: 15.06.2001 PCT/NZ01/00113 Corres.PCT App.No Dated: 15/06/2000. Priority Document No. No. 502796 Name of the Applicant Olli Vis A-Pekka Ritvos, Finland, Nucleotide and amino acid sequences of oocyte factors for altering Title of Invention ovarian follicular growth in vivo or in vitro. Dated: 12.12.2002 IN/PCT/2002/02068/CHE 93. Nationalphase App. No. Dated: 20.06, 2001 Corres.PCT App. No. PCT/EP01/07023 Dated: 20/06/2000 Priority Document No. No.00305209.9 Shell Internationale Research Maatschappij B.V., Netherlands. Name of the Applicant Title of Invention System for creating a conduit in a borehole formed in an earth formation. Dated: 12.12.2002 IN/PCT/2002/02069/CHE 94. Nationalphase App.No. Dated: 22.06.2001 PCT/US01/19979 Corres.PCT App.No. Dated: 22/06/2000 No. 60/213,420 Priority Document No. 3M innovative properties company, US Name of the Applicant Systems and methods for treating a mucosal surface. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02070/CHE Nationalphase App.No Dated: 08.06.2001 PCT/EP01/06506 Corres.PCT App. No. Dated: 21/06/2000 No.00113219.0 Priority Document No. Name of the Applicant F Hoffmann-La Roche AG, Switzerland. Benzothiazole derivatives. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02071/CHE 96. Nationalphase App. No. Dated: 09.04.2002 PCT/IB02/01280 Corres.PCT App. No Dated: 13/04/2001 No. 01890115.7 Priority Document No. Name of the Applicant "Koninklijke Philips Electronics N.V., Netherlands. Speaker verification in a spoken dialogue system. Title of Invention Dated: 12.12.2002 IN/PCT/2002/02072/CHE 97. Nationalphase App. No. Dated: 01.01.1900 PCT/US01/41074 Corres.PCT App.No Dated : 20/06/2000 No. 60/212499 Priority Document No. · 例如"原文"的"数"。第25年 Klauder, Louis T. Jr., U.S.A. Name of the Applicant Railroad curve transition spiral design method based on control of Title of Invention vehicle banking motion. Dated: 13.12.2002 IN/PCT/2002/02073/CHE Nationalphase App. No. Dated: 19.04.2002 PCT/JP02/03895 Corres.PCT App.No Dated: 20/04/2001 Nos. 2001 - 123344; 2001 - 125648; Priority Document No. Honda giken kabushiki kaisha, Japan Name of the Applicant Control system for plant Title of Invention

99.	Nationalphase App. No)
	Corres PCT App.No	
	Priority Decument-No.	
	Alama of the America	

IN/PCT/2002/02074/CHE PCT/EP01/06417 No: 100 29 169 4

Dated: 13.12.2002 Dated : 06 06 2001 Dated: 19/06/2001

Name of the Applicant Title of Invention

Bayer cropscience GmbH, Germany

Herbicidal compositions

100. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention .

IN/PCT/2002/02075/CHE PCT/GB01/02420 No. 0015027.6 PPG Industries ohio, Inc., USA Aqueous coating composition

Dated: 13.12.2002 Dated: 31.05.2001 Dated: 21/06/2000

101. Nationalphase App.No Corres.POT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02076/CHE PCT/SE01/00682 Nos. 00850116.5; 60/213, 517 Akzo Nobel N.V., Netherlands

Construction material

Dated: 13.12.2002 Dated: 28.03.2001 Dated: 22/06/2000

102. Nationalphase App.No. Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02077/CHE PCT/US01/20607 No. 09/606, 784 Qualcomm incorporated, USA

Dated: 13,12,2002 Dated: 27.06.2001 Dated: 28/06/2000

System; method, and apparatus for access channel traffic management

103. Nationalphase App.No. Corres.PCT App.No Priority Document No.

IN/PCT/2002/02078/CHE PCT/EP01/06041 Nos. 0001925 - 7: 0004830 - 6

Dated: 13.12.2002 Dated: 23.05.2001 Dated: 23/05/2000

Name of the Applicant: Title of Invention

Pharmacia Groningen B V, Netherlands Methods of obtaining ophthalmic lenses providing the eye with reduced

abernations

104. Nationalphise App.No IN/PCT/2002/02079/CHE Corres.PCT App. No Priority Document No.

PCT/EP01/06040 No. 0001934 - 9

Dated: 13.12.2002 Dated: 23.05.2001 Dated: 24/05/2000

Name of the Applicant Title of Invention

Pharmacia Groningen B V. Netherlands

Methods of pre - selecting a polymerizable fluid formed into an

intraocular lens

Dated: 13.12.2002 IN/PCT/2002/02080/CHE 105. Nationalphase App.No Dated: 15.06.2001 PCT/DK01/00418 Corres.PCT App.No Dated: 16/06/2000 Nos. PA 2000 00932; PA 2001 00372 Priority Document No. Novo Nordisk A/S, Denmark Name of the Applicant Injection device: Title of Invention Dated: 13.12.2002 IN/PCT/2002/02081/CHE 106. Nationalphase App.No. Dated: 15.06.2001 PCT/US01/19317 Corres.PCT App.No Dated: 15/06/2000 No. 09/594, 937 Priority Document No. OSCILC, USA Name of the Applicant A bridging device for mapping/ demapping ethernet packet data directly Title of Invention onto and from a somnet network Dated: 13.12.2002 IN/PCT/2002/02082/CHE 107. Nationalphase App.No Dated: 01.01.1900 PCT/US01/14850 Corres.PCT App. No Dated: 12/06/2000 No. 09/592, 087 Priority Document No. Mr. Khalidi, Tariq, USA Name of the Applicant Automated competitive bidding system and process Title of Invention Dated: 16.12.2002 IN/PCT/2002/02083/CHE 108. Nationalphase App. No Dated: 29.05.2001 PCT/FR01/01647 Corres.PCT App.No Deted: 30/05/2000 No. 00/06920 Priority Document No. Invensil, France Name of the Applicant Silicon powder for preparing alkyl - or aryl - halogenosilanes Title of Invention Dated: 16.12.2002 IN/PCT/2002/02084/CHE 109. Nationalphase App.No. Dated: 21.05.2001 PCT/EP01/057.96 Corres.PCT App.No Dated: 26/05/2000 No. 00810462.2 Priority Document No. Ciba speciality chemicals holding inc., Switzerland Name of the Applicant Process for preparing solutions of anionic organic compounds Title of Invention Dated: 16.12.2002 IN/PCT/2002/02085/CHE 110. Nationalphase App. No Dated: 20.06.2001 PCT/EP01/06933 Corres.PCT App.No Dated: 29/06/2000 No. 100 31 586.0 Priority Document No. Basell polyolefine GmbH, Germany Name of the Applicant Hydraulically controlled pressure - relief valve for high + pressure Title of Invention reactors Dated: 16.12.2002 IN/PCT/2002/02086/CHE 111. Nationalphase App.No Dated: 17.05.2001 PCT/IT01/00245 Corres.PCT App.No Dated: 19/05/2000 No. 00830362.0 Priority Document No. Deoflor S.p.A., Italy Name of the Applicant

A cleansing device for WC pans

Title of Invention

112. Nationalphase App.No Corres. FCT App. No Priority Document No. Name of the Applicant

Title of Invention

IN/PCT/2002/02087/CHE PCT/L01/00430

09/573, 528 Card guard scientific survival Itd., Israel

Photoacoustic material analysis

Dated : 16.12.2002 Dated: 15.05.2001 Dated: 17/05/2000

113. Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02088/CHE PCT/NO01/00217 No. 20002652 Magtech AS, Norway

Dated: 16.12.2002 Dated: 23.05.2001 Dated: 24/05/2000 Magnetic controlled current or voltage regulator and transformer

114. Nationalphase App.No Corres.POT App. No. Priority Document No. Name of the Applicant

IN/PCT/2002/02089/CHE PCT/US01/16566 No. 60/208, 017 Merck & Co., Inc., USA

Dated: 16.12.2002 Dated: 22.05.2001 Dated : 26/05/2000

Title of Invention

5 - chloro - 3 - (4 - methanesulfonylphenyl) - 6 - methyl - [2,3'] Bipyridinyl in pure crystalline form and process for synthesis

115. Nationalphase App. No. Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02090/CHE PCT/US01/16950 No. 60/208, 426 The Holland group, INC., USA Height control system and sensor therefor

Dated: 16.12.2002 Dated: 24.05,2001 Dated: 25/05/2000

116. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02091/CHE PCT/US01/19549 Nos. 09/597, 923; 09/884, 295 Maumee research & engineering, Inc., USA Furnace flue dust processing method

Dated: 16.12.2002 Dated: 19.06.2001 Dated: 19/06/2000

117. Nationalphase App.No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02092/CHE PCT/US01/19329 No. 60/211, 725 Orion's belt, Inc., USA Method of and system for determining connections between parties over a network

Dated: 16.12.2002. Dated: 15.06.2001 Dated: 15/06/2000

118. Nationalphase App. No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02093/CHE PCT/IB01/01016 No. MI2000A001359 Pedulla, Christian, pio & others, Italy Multiple mobile power socket

Dated: 16.12.2002 Dated: 11.06.2001 Dated: 16/06/2000

119.	Nationalphase App.No	IN/PCT/2002/02094/CHE	Dated: 17.12.2002
	Corres.PCT App.No	PCT/JP01/04379	Dated: 24.05.2001
	Priority Document No.	No. 2000 - 171345	Dated: 08/06/2000
	Name of the Applicant	Toyota jidosha kabushiki kaisha, Japan 🦠 🔻	' '
	Title of Invention	Fuel supply system for fuel cells and movable	body
	•		
120	Nationalphase App.No	IN/PCT/2002/02095/CHE	Dated: 17.12.2002
120.	Corres.PCT App.No	PCT/US00/13621	Dated: 17.05.2000
	Priority Document No.	nil	Dated : 17.03.2000
	Name of the Applicant	Tetron, Inc., USA	Dated . III
	Title of Invention	Method and apparatus for delivering metallurg metal	ically improved molten
121.	Nationalphase App.No	IN/PCT/2002/02096/CHE	Dated: 17.12.2002
	Corres.PCT App.No	PCT/IB02/01297	Dated : 09.04.2002
	Priority Document No.	No. 01201404.9	Dated: 18/04/2001
	Name of the Applicant	Koninklijke Philips electronics N.V., Netherland	
	Title of Invention	Audio coding	
		* * * * * * * * * * * * * * * * * * *	
	. *		
122.	Nationalphase App. No	IN/PCT/2002/02097/CHE	Dated: 17.12.2002
	Corres.PCT App.No	PCT/IB02/01281	Dated: 09.04.2002
	Priority Document No.	No. 01201405.6	Dated: 18/04/2001
	Name of the Applicant	Koninklijke Philips electronics N.V., Netherland	ls
	Title of Invention	Audio coding with partial encryption	
		41	
123	Nationalphase App.No	IN/PCT/2002/02098/CHE	Dated: 17.12.2002
,	Corres.PCT App.No	PCT/IB02/01311	Dated : 11.04.2002
	Priority Document No.	No. 01201393.4	Dated : 17/04/2001
	Name of the Applicant	Koninklijke Philips electronics N.V., Netherland	•
	Title of Invention	Method and apparatus of managing information	
			4
124.	Nationalphase App. No	IN/PCT/2002/02099/CHE	Dated: 18.12.2002
	Corres.PCT App.No	PCT/IL00/00357	Dated: 19.06.2000
	Priority Document No.	nil	Dated : nil
	Name of the Applicant	Safecard id system, Inc., Israel	3,7
	Title of Invention	Methods of creating a tamper resistant	
125.	Nationalphase App.No.	IN/PCT/2002/02100/CHE	Dated: 18.12.2002
	Corres.PCT App.No	PCT/US01/20498	Dated: 26.06.2001
	Priority Document No.	No. 09/603, 068	Dated: 26/06/2000
	Name of the Applicant	Westemgeco seismic holdings ltd., USA	
	Title of Invention	Optimal paths for marine data collection	

126.	Nationalphase App:No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02101/CHE PCT/JP01/04778 Nos. 2000 - 187515; 2000 - 187516 Keihin corporation, Japan Bypass invake control system	Dated: 18.12.2002 Dated: 06.06.2001 Dated: 19/06/2000
127.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02102/CHE PCT/EP01/05667 No. 00810460.6 Ciba speciality chemicals holding inc., Switze Process for the preparation of indole derivati process	
128.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02103/CHE PCT/US01/41052 No. 09/596, 955 Qualcomm incorporated, USA Improved diversity coverage	Dated: 18.12.2002 Dated: 18.06.2001 Dated: 19/06/2000
129.	National phase App. No Corres. PCT App. No Priority Document No.	IN/PCT/2002/02104/CHE PCT/EP01/06363 No. 0016173.7	Dated : 18.12.2002 Dated : 06.06.2001 Dated : 30/06/2000
	Name of the Applicant Title of Invention	Societe des produits nestle S A, Switzerland Confectionery product containing active ingre	
130.	Nationalphase App.No Corres. PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02105/CHE PCT/FI01/00414 No. 09/625, 199 Hormos medical corporation & others, Finlan Method for the treatment of climacteric disordafter the meriopause	
131.	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02106/CHE PCT/JP01/07764 Nos. 2001 - 126266; 2001 - 176134 Taiyo kagaku co., Itd., Japan Compositions for improving mental concentr	Dated:: 18.12.2002 Dated:: 07.09.2001 Dated:: 24/04/2001
132.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02107/CHE PCT/US01/19372 Nos. 60/215, 754; 09/790,676 Pepsico., Inc., USA Container with structural ribs	Dated: 18.12.2002 Dated: 19.06.2001 Dated: 30/06/2000

133. Nationalphase App.No. Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02108/CHE PCT/IB02/01316

Nos. 01201439.5; 02075518.7 (1943-1946) and

Koninklijke Philips electronics N.V., Netherlands Trick play for MR3 management and the

134. Nationalphase App. No Corres PCT App.No Priority Document No. Name of the Applicant Title of Invention

গুলাল প্রত্যাত হয় ইন্সালীকরে ইলাই

IN/PCT/2002/02109/CHE PCT/IB02/01327

No. 01201440.3 Koninklijke Philips electronics N.V., Netherlands Method and apparatus for editing data streams

TO IT LESSONERS - WOOD BOOM OF THE - ELECT

- query tyra way, be a tadak

Cytokine profetti famity

· PCT/DK01/00435

135. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention IN/PCT/2002/02110/CHE PCT/EP01/07135 EMEANT YEARDOUT OF ME No. 00113894.0

F. Hoffmann - La Roche AG, Switzerland CR Sulfonyl pyrrolidine derivatives useful for the treatment of neurological Zymogonetics Inc., USA

disorders

136. Nationalphase App.No Corres PCT App No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02111/CHE INFOT/2002/02118/CHE PCT/EP01/07850

No. 00115287.5

derivatives

POT/SECONO784 F. Hoffmann - La Roche AG, Switzerland ...

N - Oxides as NK1 receptor antagonist prodrugs of 4 phenyl - pyridine Container

137. Nationalphase App No Corres PCT App No C

Priority Document No. Name of the Applicant Title of Invention

138. Nationalphase App No Corres POT APP NO

Priority Document No. Name of the Applicant Title of Invention is within

139. Nationalphase App.No Corres.PCT App.No: Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02112/GMEST SCIENCESTORVAL PCT/EP01/07506

NOS PA 2000 00984. PA 2000, VOTEVIOO .ON F. Hoffmann - LatRoche AG, Switzerland VO C'ucagen antagonista' in: ebionite renendant

IN/PCT/2002/02113/GHEOS ESCUSCOSUTORIVI PCT/6301/02275 PCT/IB01/01090 No 00123927 No. 00/3277

Eskom, South Africa patient anadoala arubac Nuclear reactor of the pabble bed type with A system

IN/PCT/2002/02114/CHE PCT/IB01/01149 Nos. 2000/3277; 2000/4761 Eskom, South Africa Nuclear plant

Dated: 18.12.2002

Dated: 18.12.2002 A 1815

Dated: 11.04.2002

Dated: 20/04/2001

Dated: 12.04.2002 Dated: 20/04/2001

Dated: 19.12.2002

Dated: 22.06.2001

Dated: 30/06/2000 115 Corres PCT AUDINO

Dated: 19.12.2002 Dated: 09.07.2001

"Lame of the Applicant

is almovated shift

Dated: 14/07/2000 my Document No.

nollnewitter

Dated: 19:12.2002 Dated 30.06.2001 Dated 10/07/2000

Notice of the Applicant Fille of Invention

Dated: 21.06.2001 Dated 29/06/2000 Name of the Aupircant

Title of inventon

Dated: 19.12.2002 Dated: 27.06.2001 Dated: 29/06/2000 140. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02115/CHE PCT/EP01/07468 No. 0016138.0 Novartis AG, Switzerland Antibodies to human MCP - 1

Dated: 19.12.2002 Dated: 29,06,2001 Dated: 30/06/2000

141. Nationalphase App.No Corres PCT App.No Priority Document No. Name of the Applicant

IN/PCT/2002/02116/CHE PCT/EP01/07249 No. 0015876.6 Novartis AG, Switzerland

Dated: 19.12.2002 Dated: 26.06,2001 Dated: 28/06/2000

Title of Invention

9 - alpha - chlòro - 6 alpha - fluoro - 17 alpha - hydroxy - 16 - methyl - 17 - beta - methoxycarbonyl - androst - 1, 4 - dienes esterified in position 17 alpha by a cyclic acyl group

142. Nationalphase App.No Corres PCT App. No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02117/CHE PCT/US02/12887

Dated: 19.12.2002 Dated: 19.04.2002 Nos. 60/285, 408; 60/286, 482; 60/341, Dated: 20/04/2001 Zymogenetics Inc., USA

143. Nationalphase App.No Corres. PCT App. No. Priority Document No. . Name of the Applicant Title of Invention

IN/PCT/2002/02118/CHE PCT/SE02/00764 No. 0101440 - 6

Cytokine protein family

Dated: 19.12.2002 Dated: 19,04,2002 Dated: 25/04/2001 Ecolean research & development A/S, Denmark

Container

144. Nationalphase App.No Corres. PCT App. No. Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02119/CHE PCT/DK01/00435

Dated: 20.12.2002 Dated: 21.06.2001 Nos. PA 2000 00984; PA 2000 01734 Dated: 23/06/2000 Novo Nordisk A/S., Denmark Glucagon antagonists/ inverse agonists

145. Nationalphase App.No Corres PCT App. No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02120/CHE PCT/GB01/02275 No. 0012392.7 Secure electrans limited, Great Britain

Dated: 20.12.2002 Dated: 18.05.2001 Dated: 22/05/2000

A utility metering system incorporating a transaction authorisation system

Dated: 20.12.2002

Dated: 18.06.2001

Dated: 27/06/2000

146. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

147. Nationalphase App. No.

Corres. PCT App. No.

IN/PCT/2002/02121/CHE PCT/EP01/06834

No. 00113535.9
F. Hoffmann - La Roche AG, Switzerland
Method for preparing a composition

IN/PCT/2002/02122/CHE Dated: 20.12.2002 PCT/JP02/03942 Dated: 19.04.2002 No. 2001 - 128756 Dated: 26/04/2001

Priority Document No. No. 2001 - 128756 Date

Name of the Applicant Honda giken kogyo kabushiki kaisha, Japan

Title of Invention Repair parts ordering and receipt Inspection system

148. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention IN/PCT/2002/02123/CHE Dated : 20.12.2002 PCT/US01/19666 Dated : 20.06.2001 No. 09/598, 155 Dated : 21/06/2000 Flexsys america L.P., USA

Zéolite support loaded with a base material for use in the coupling of anillne and nitrobenzene

149. Nationalphase App.No
Corres PCT App.No
Priority Document No.
Name of the Applicant
Title of Invention

Process for the preparation of quinoline derivatives

150. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

 IN/PCT/2002/02125/CHE
 Dated: 20.12.2002

 PCT/US01/40671
 Dated: 04.05.2001

 No. 09/602, 231
 Dated: 23/06/2000

Chevron philips chemical company LP, USA
Process for the preparation of higher alkane sulfonyl halides

151. Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02126/CHE Dated: 20.12.2002
PCT/IL01/00455; PCT/IL00/ Dated: 01.01.1900
Nos. 140734; 140952; 141753; 142379
Surf communication solutions, ltd., Israel
Modern relay over packet based network

152.	Nationalphase App.No	IN/PCT/2002/02127/CHE		23.12.2002
	Corres.PCT App.No	PCT/CH01/00416		: 04.07.2001
	Priority Document No.	No. 100 31 781.2		÷04/07/2000
	Name of the Applicant	ABB Schweiz AG, Switzerland	/ -	Signature State of the State of
	Title of Invention	Semiconductor component an	d method for frabricating	it see
•				
153.	Nationalphase App. No	IN/PCT/2002/02128/CHE	Dated	: 23:12:2002
	Corres.PCT App.No	PCT/US01/19964	Dated	
	Priority Document No.	Nos. 06/213, 619; 09/887, 453		
	Name of the Applicant	AlL Research Inc., USA		
	Title of Invention	Heat exchange assembly		
		Trock exchange describing		
154.	Nationalphase App. No	1N/PCT/2002/02129/CHE	ranens dan et et Dated	23.12.2002
•	Corres.PCT App.No	PCT/GB01/02860	Dated	
	Priority Document No.		Dated	
	Name of the Applicant	•		
		Method of making particls for	e il sore language de la language de	suprophies and the
	THE OF INVENTION AND A SECOND			composition
		us Mas	· And Control Control	
155	National phone Ann Na	INVECTMENT OF A 20 VOLUE	Datad	. 00 40 0000
100.		IN/PCT/2002/02130/CHE		: 23.12.2002
	Corres.PCT App. No.		on the second of the design of	
	Priority Document No. 11	NO. 0015617.4	Eds. Grands in Dated	
	1	Vectura Limited, UK	CONTRACTOR	Paper Document N
	Title of Invention	Topical pharmaceutical formul	lations and methods of tr	eatment was a constant
		The rest of the second of the second	प्राप्ती करने पान अवस्तु हैं जो	roduscon a gr
1 56 .	Nationalphase App.No	IN/PCT/2002/02131/CHE		: 23.12.2 00 2
	Corres.PCT App No	PCT/IB02/01330	SISMOMORA JA Dated	: 12.04.2002
	Priority Document No	No. 01201498.1	- Na≎sarakana Dated	25/04/2001
	Name of the Applicant	Koninklijke Philips electronics	N.V.; Netherlands	A second second second second
	Title of Invention	Method and apparatus for cop	ying and processing aud	ioyişual _{an} ı
	Salate (The second second
				5 WAR 4 & 4 CO ST CO
157	Nationalphase App.No	IN/PCT/2002/02132/CHE	Dated	22 12 2002
137.	Corres.PCT App.No			: 23.12.2002
			Stated to participate of Dated	640.4864VQZ::::::::::::::::::::::::::::::::::::
	Phoney Opcument No.	Nos. 01201480.9; 02075706.6	A I A Z A I I	
		Koninklijke Philips electronics	N.V., Netnenangs	Fig. 19 Document 1
	Title of Invention	Mapping of consecutive region	is for information blocks	
			देव राज्य सम्बद्ध सम्बद्ध सम्बद्ध	notines allogation
		II.//20710000000000000000000000000000000000		
158.	Nationalphase App.No	IN/PCT/2002/02133/CHE		: 23.12.2002
	Corres.PCT App.No	PCT/IB02/01199	· ·	: 04.04.2002
	Priority Decument No.	No. 01201496.5		: 25/04/2001
	Name of the Applicant	Koninklijke Philips electronics		
	Title of Invention	Method and devices for storing	g and reading data on a s	storage medium
		andx storage medium		
	1			

159.	Nationalphase App No Corres.PCT App No Priority Document No. Name of the Applicant Title of Invention	PCT/1B02/01367	Dated : 23.12.2002 Dated : 18.04.2002 Dated : 24/04/2001
160.	Nationalphase App.No Corres PCT App.No Priority Document No. Name of the Applicant Title of Invention	PCT/IB02/01386	Dated : 23.12.2002 Dated : 18.04.2002 Dated : 24/04/2001
161.	Nationalphase App No Corres PCT App No Priority Document No. Name of the Applicant Title of Invention	PCT/IB02/01458	
162.	Nationalphase App. No Corres. PCT. App. No Priority Document No. Name of the Applicant Title of Invention	PCT/IB02/01371	Dated : 23.12.2002 Dated : 25.03.2002 Dated : 25/04/2001 al aperture objective
163.	Nationalphase App. No Corres. RCT App. No Pnority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02138/CHE PCT/IB02/01372 Nos. 01201507.9; 01203887.3 Koninklijke Philips electronics N.V., Netherlands Scanning device including a partly plastic high -	
164.	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02139/CHE PCT/IB02/01355 Nos. 0110125.2; 0122745.3 Koninklijke Philips electronics N.V., Netherlands Radio communication system	
165	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention		

BORE CANCELL AND SERVER CONTROL OF THE SERVER WHEN

166	Nationalphase App.No	IN/PCT/2002/02141/CHE	Dated: 24.12.2002
	Corres.PCT App.No	PCT/JP01/05584	Dated: 28.06.2001
	Priority Document No.	JAPAN. 2000-197378, 2000-346949	Dated : 29/06/2000
	Name of the Applicant Title of Invention	Japan absorbent technology institute, Japan Absorbent product	
167	Nationalphase App.No	IN/PCT/2002/02142/CHE	Defeat : 04 40 0000
	Corres.PCT App.No	PCT/EP01/05839	Dated : 24:12.2002
	Priority Document No.	US APPN. NO60/208,161 , 60/273	Dated : 22.05.2001 Dated : 31/05/2000
•	Name of the Applicant	Ciba speciality chemicals water treatments Ito	Findlend
	Title of Invention	Treatment of mineral materials	., Ligianu
168.	Nationalphase App.No	IN/PCT/2002/02143/CHE	Dated : 24.12.2002
	Corres.POT App.No	PCT/JP02/00869	Dated : 04.02.2002
	Priority Document No.	JAPAN.2001/29312, 2001/49820	Dated : 06/02/2001
	Name of the Applicant	Sumitomo chemical company ltd., Japan	
	Title of Invention	Novel sulfone derivatives and their production	process
169.	Nationalphase App.No	IN/PCT/2002/02144/CHE	Dated : 24.12.2002
	Corres.PCT App.No	PCT/EP01/07644	Dated: 04.07.2001
	Priority Document No.	GERMANY APPN.NO 200 11 435.2	Dated : 05/07/2000
	Name of the Applicant	Honeywell bremsbela G Gmbh, Germany	
	Title of Invention	Lining, in particular friction lining for disc brake	98
470	Alatin status and a status	(A) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	*
37Q.	Nationalphase App. No	IN/PCT/2002/02145/CHE	Dated : 24.12.2002
	Corres.PCT App.No	PCT/US01/16660	Dated: 22.05.2001
	Priority Document No. Name of the Applicant	US APPN. NO. 09/609, 016	Dated: 30/06/2000
	Title of Invention	Schreiber fooes Inc., USA	
	The of mornion	Food slice consisting of two of more food item making and packaging same	s, and processes for
171.	Nationalphase App.No	IN/PCT/2002/02146/CHE	Dated : 24.12.2002
	Corres.PCT App.No	PCT/US00/29476	Dated: 26.10.2000
	Priority Document No.	US APPN. NO. 09/608, 911	Dated: 30/06/2000
	Name of the Applicant	3M innovative properties company, USA	Dalou . 50/00/2000
	Title of Invention	Articulating earplug	
172.	Nationalphase App.No	IN/PCT/2002/02147/CHE	Dated: 24.12.2002
	Corres.PCT App.No	PCT/EP01/07005	Dated: 18.05.2001
	Priority Document No.	JAPANESE APPN.NO.154,685	Dated : 25/05/2000
	Name of the Applicant	Atofina, France	
	Title of Invention	Polyamide - type antibacterial powder paint co	mposition
			•

Priority Document No.

Name of the Applicant

Title of Invention

Dated: 24.12.2002 IN/PCT/2002/02148/CHE 173. Nationalphase App.No. Dated: 08.12.2000 PCT/US00/33255 Corres.PCT App.No Dated: 29/06/2000 Priority Document No. US APPN, NO.09/07,586 Sandia corporation, USA Name of the Applicant Formulations for neutralization of chemical and biological toxants Title of Invention Dated: 24.12.2002 IN/PCT/2002/02149/CHE 174. Nationalphase App.No. Dated: 30.05.2001 PCT/IB01/00942 Corres. PCT App. No. Dated: 01/06/2000 AFRICAN APPN. NO.2000/2746 Priority Document No. The tongaa - hulett group limited, South Africa Name of the Applicant Continuous vacuum pan Title of Invention. Dated: 24.12.2002 IN/PCT/2002/02150/CHE 175. Nationalphase App.No. Dated: 19.06.2001 PCT/EP01/06902 Corres.PCT App.No Dated: 28/06/2000 EUROPEAN APPN. NO.00830453.7 Priority Document No. Zambon group S.p.a., Italy Name of the Applicant Pprocess for the preparation of nitroalkenes Title of Invention Dated: 24.12.2002 IN/PCT/2002/02151/CHE 176. Nationalphase App. No. Dated: 25.06.2001 PCT/SE01/01441 Corres.PCT App.No Dated: 28/06/2000 SWEDISH APPN. NO. 0002448-9 Priority Document No. Name of the Applicant Hoganas AB, Sweden Method of production of surface densified powdermetal components Title of Invention Dated: 24.12.2002 IN/PCT/2002/02152/CHE 177. Nationalphase App.No. Dated: 23.05.2001 PCT/EP01/05911 Corres.PCT App.No Dated: 25/05/2000 GERMAN APPN. NO.100 25 727.5 Priority Document No. Başell poliolefine italia S.p.a.., Italy Name of the Applicant Highly flowable propylene block copolymers Title of Invention Dated: 24.12.2002 IN/PCT/2002/02153/CHE 178. Nationalphase App. No. Dated: 22.04.2002 PCT/IB02/01445 Corres.PCT App.No Dated: 26/04/2001 EUROPEAN APPN NO.01201531.9 Priority Document No. KonInklijke philips electronics N.V., The Netherlands Name of the Applicant Method and device for recording marks in an information leyer of an Title of Invention optical record carrier Dated: 24.12.2002 IN/PCT/2002/02154/CHE 179. Nationalphase App.No. Dated: 16.04.2002 PCT/IB02/01352 Corres.PCT App.No Dated: 26/04/2001 US APPN. NO.09/844,570

Koninklijke philips electronics N.V. The Netherlands

P2P network architecture for distributed storage

180. Nationalphase App.No. IN/PCT/2002/02155/CHE Dated: 26.12.2002 PCT/US01/19094 Corres. PCT App. No. Dated : 13.06.2001 Nos. 09/606, 858; 09/840, 009 1000 1000 Priority Document No. Dated: 28/06/2000 Name of the Applicant The University of IOWA Research Foundation, USA Novispirins: antimicrobial peptides 1000 1000 Title of Invention A Horas James Maria ત્રા અભુતાનું કરો છે. આ વસ્તા કુંદ્ર ભૂતા અને કોર્ય માટે હોય છે. તેનું કુંદ્ર છે BELLEVI WELLE IN/PCT/2002/02156/CHE 181. Nationalphase App.No. Dated: 26.12.2002 Dated: 27.06.2001 Corres.PCT App.No. PCT/EP01/07351 WOMEN'S TOP Priority Document No. No. 2000 1277/00 Dated: 28/06/2000 Name of the Applicant SMS Demag AG & others, Germany Title of Invention Refractory pouring spout and channel unit for the arrangment on an outlet of a vessel containing molten metal, especially a tundish of a strip casting installation NOTE OF THE BUILDING Marine Grade A Company IN/PCT/2002/02157/CHE 182. Nationalphase App. No Dated: 26.12.2002 Corres.PCT App.No. Dated: 28.06.2001 No. 100 30 638 1 Dated: 29/06/2000 Priority Document No. Basell polyclefine CrabH, Germanv Name of the Applicant Title of Invention Method for the selective production of racemic metallocene complexes March at the Wage Historia Single Committee of the NAMES OF STREET 40 4 44 ARARCK BOOK IN/PCT/2002/02158/CHE Dated: 26.12.2002 183. Nationalphase App. No PCT/JP02/03851 Dated: 18.04.2002 Corres PCT App. No. HORES MORE SERVICES No. 2001 - 122933 Dated: 20/04/2001 Priority Document No. Name of the Applicant Kabushiki kaisha ueno seiyaku oyo kenkyujo, Japan Title of Invention Granular product of parahydroxybenzoic acid or parahydroxybenzoic The State of the State of acid ester and process for preparing the same **1.**食物 医水体 医多级性 entropy of the second And I sight sheat to however her sit the chapter of the IN/PCT/2002/02159/CHE Dated: 26.12.2002 184. Nationalphase App. No Corres.PCT App.No PCT/EP01/07111 Dated: 22.06.2001 Dated: 28/06/2000 No. 00113670.4 Priority Document No. SIPCA Holding S.A., Switzerland Name of the Applicant Markow your ow Title of Invention Use of communication equipment and method for authenticating an item, COMMENSAGE SHOPE unit and system for authenticating items, and authenticating device THE COMPANIES OF THE PERSON OF THE STATE OF THE PARTY OF THE STATE OF 4. 6. 5. A. E. 17. A. 化环酰氯苯甲烷医甲醛化物 Dated: 27.12.2002 IN/PCT/2002/02160/CHE 185. Nationalphase App. No. Dated: 25.06.2001 Corres.PCT App.No PCT/EP01/07239 No. 0016245.3 Dated: 30/06/2000 Priority Document No.

Nokia corporation, Finland

on A receiver ଆଧାରଣ ଅଟିଲିଆ ଅଟେ ହେଉଛି ଅଟେ ଅବସ୍ଥାନ ଅନ୍ୟୁକ୍ତ ଓଡ଼ିଆ ଅନୁକ୍ରଣ ଅଟେ ଅନୁକ୍ର ଅନ୍ୟୁକ୍ତ ଅଟେ ଅଟେ

Spanial Section Value 1861, Note 1860, and a 1871

Name of the Applicant

Title of Invention

等4点 医4点 "Am AM"

CONTRACTOR FLANCES

A COMPANY OF LAND HIS WAY

Dated: 27.12.2002 IN/PCT/2002/02161/CHE Dated: 29.11.2000 186. Nationalphase App.No PCT/JP00/08394 Dated: 04/07/2000 Corres.PCT App.No No. 2000 - 201971 Priority Document No. Phild co., Itd., Japan Name of the Applicant Healthy fiber products Title of Invention Dated: 27.12.2002 IN/PCT/2002/02162/GHE Dated: 27.06.2001 187. Nationalphase App.No PCT/US01/20410 Corres.PCT App.No Dated: 20/10/2000 Nos. 00129863.1; 60/214, 554 Priority Document No. Paragon vision, USA Contact lens and methods of manufacture and fitting such lenses and Name of the Applicant Title of Invention computer program product Dated: 27.12.2002 IN/PCT/2002/02163/CHE 188. Nationalphase App.No Dated: 28.06.2001 PCT/EP01/07412 Dated: 03/07/2000 Corres.PCT App.No No. 100 31 393.0 Priority Document No. Basell polyolefine GribH, Germany Graft copolymer mixture with Improved properties and the use thereof as Name of the Applicant Title of Invention an adhesion promoter Dated: 27.12.2002 IN/PCT/2002/02164/CHE Dated: 30.11.2000 189. Nationalphase App.No PCT/IB00/01772 Dated: 02/06/2000 Corres.PCT App.No Nos. TO2000A000517; TO2000A000704 Priority Document No. Passone, Pierto, Italy Reinforcing rod for body and/or chassis elements of a motor vehicle Name of the Applicant Title of Invention Dated: 27,12,2002 IN/PCT/2002/02165/CHE Dated: 28.06.2001 190. Nationalphase App.No PCT/NL01/00483 Dated: 28/06/2000 Corres.PCT App.No No. 1015558 Stitching energieonderzoek centrum nederland, Netherlands Priority Document No. Name of the Applicant Blade of a wind turbine Title of Invention Dated: 30.12.2002

191. Nationalphase App.No Corres.PCT App. No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02166/CHE Dated: 05.05.2001 PCT/EP01/05103 Dated: 04/07/2000 No. 100 32 314.6

Aloys wobben, Germany Method for determining the angle of a rotor blade pertaining to a wind

energy installation

	1		[LAKI
1.	92. Nationalphase App.N Corres.PCT App.No Priority Document No Name of the Applicar Title of Invention	PCT/CH01/00408	Dated : 30.12.2002 Dated : 29.06.2001 Dated : 06/07/2000 textile body
19	3. Nationalphase App.N Corres.PCT App.No Priority Document No Name of the Applican Title of Invention	PCT/US00/32646	Dated : 30.12.2002 Dated : 01.12.2000 Dated : 06/07/2000
194	Nationalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention	PCT/DK01/00467	Dated: 30.12.2002 Dated: 04.07.2001 Dated: 04/07/2000
195.	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention.		Dated: 30.12.2002 Dated: 02.07.2001 Dated: 03/07/2000
	Nationalphase App. No Corres. PCT App. No Priority Document No. Name of the Applicant Title of Invention	IN/PCT/2002/02171/CHE PCT/US01/21143 No. 09/609, 385 Adhesives research, Inc., USA Ambifunctional perfluorinated polyerthers	Dated: 30.12.2002 Dated: 03.07.2001 Dated: 03/07/2000
,		IN/PCT/2002/02172/CHE PCT/US01/18042 No. 60/210, 203 Merck & Co., Inc., USA Process for the synthesis-of-(2P., 2= aipha - R Bis(Trifluoromethyl)phenyl) ethoxy] - 3 - (4 - fluoxazine	Dated: 31.12.2002 Dated: 04.06.2001 Dated: 08/06/2000 , 3A) - 2 - [1 - 3, 5 - Jorophenyl) - 1, 4 -

Dated: 31.12.2002

Dated: 30.06.2001

Dated: 07/07/2000

19g. Natioпalphase App.No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02173/CHE PCT/EP01/07508 No. 100 33 029.0

Aloys wobben, Germany Emergency power supply device

199. Nationalphase App.No. Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

Dated: 31,12,2002 IN/PCT/2002/02174/CHE Dated: 02.06.2001 PCT/EP01/06310 Dated: 05/06/2000 Nos. 100 27 328.9; 100 33 516.0

Basf Aktiengesellscaft, Germany

Method for separating ammonia from solutions containing caprolactam

and ammonia

200. Nationalphase App. No Corres.PCT App.No Priority Document No. Name of the Applicant Title of Invention

IN/PCT/2002/02175/CHE Dated: 31.12.2002 Dated: 29.04.2001 PCT/IB02/01545 Dated: 02/05/2001 No. 0120161.5

Koninklijke Philips electronics N.V., Netherlands

Inverse filtering method, synthesis filtering method, inverse filter device, synthesis filter device and devices comprising such filter devices

ALTERATION OF DATE UNDER SECTION-16

Patent No. 190414 1183/MAS/95 Ante-dated to 3rd July 1991.

Patent No. 190418 233/MAS/99 Ante-dated to 28th Sept. 1993.

Patent No. 190419 969/MAS/99 Ante-dated to 29th July 1994.

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of a patent on any of the applications concerned, may, at any time within four months from the date of this issue or within such further period not exceeding one month if applied for on Form 4 prescribed under the Patent Rules, 2003 before the expiry of the said period of four months, give notice to the Controller of Patents at the appropriate office on the prescribed Form 7 of such opposition. The written statement of opposition should be filed in duplicate along with evidence, if any, with said notice or within two months from the date of notice of opposition prescribed in Rule 57 as amended by the Patents Rules, 2003.

The Classification given below in respect of each specification are according to Indian Classification and International Classification Systems.

In the event of non-availability of printed specification, photocopies of the specification and drawings, if any, can be supplied by the Patent Office and its branch offices on payment of prescribed photocopy charges @ Rs. 4/- per page of such document.

अभिगृहित संपूर्ण विनिर्देश

एतद्द्वारा सूचना दी जाती है कि संबद्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध करने वाले व्यक्ति इसके निर्ममन की तिथि से 4 महीने के भीतर अथवा उक्त 4 महीने की अविध के समाप्ति के पूर्व यदि प्ररूप 4 में पेटेंट नियमावली, 2003 के तहत प्राविहित रूप में आवेदित हो, तो ऐसी अग्रिम अविध जो 1 महीने से अधिक न हो, के भीतर ऐसे विरोध की सूचना प्राविहित प्ररूप 7 पर उपयुक्त कार्यालय में नियंत्रक, एकस्व को दे सकते हैं। विरोध का लिखित कथन साक्ष्य के साथ संशोधित पेटेंट नियमावली, 2003 में यथा प्राविहित नियम 57 में विरोध की सूचना की तिथि से 2 महीने के भीतर फाईल किए जाने चाहिए।

प्रत्येक विनिर्देश के संदर्भ में नीचे दिये वर्गीकरण, भारतीय वर्गीकरण तथा अन्तर्राष्ट्रीय वर्गीकरण के अनुरूप हैं। ऐसी परिस्थित में जब विनिर्देश की टंकित प्रति उपलब्ध न हो, विनिर्देश तथा चित्र आरेख, यदि कोई हो, की फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय एवं उसके शाखा कार्यालयों से उक्त दस्तावेज के यथाविहित फोटोप्रति शुल्क रुपए 4/- प्रति पृष्ठ की अदायगी पर की जा सकती है।

27 A

190371

International Classification⁴

B 66 B 1/00

Fitle

" A Vehicle Mounted, Extendable-Span Redeployable

Bridge"

Applicant

The Chief Controller Research & Development, M/O Defence

of Technical Coordination Dte B-341, Sena Bhawan DHO

PO, New Delhi-1100II, India.

Inventors

SREENIVAS MULLANGI - INDIA

NARESH KUMAR - INDIA

VINAYAK NARAYAN RASHINKAR - INDIA

AMARJIT SINGH - INDIA

Application for Patent Number

189/del/1995

filed on

09/02/1995

Complete left after Provisional Specification filed on

::09/02/1995Complete filed on


19/03/1996

Appropriate office for opposition proceedings (Rule 4, Patenta Rules. 2003)
Patent Office, New Delhi Branch - 110 008.

(Claims

12.)

A vehicle mounted, extendable span, redeployable bridge comprising fully decked flat topped structure having a plurality of foldable segments 14. 15 & 16 secured with each other by means of sector member 6 and hinges pin 27 said structure adapted to be secured with a vehicle at one end of the first segment 14 through launching means, said structure being made of high strength and light weight metallic material such as high strength, we dable aluminium alloy.



Provisional Specification

No of Pages

06

Drawings Sheets

n ii

Complete Specification

No of Pages

20

Drawings Sheets

05

170 A

190372

International Classification⁷

C 11 D 1/00

Title

"A DETERGENT COMPOSITION"

Applicant

THE PROCTER & GAMBLE COMPANY,

a corporation organized and existing under the laws of the State of Ohio, United States of America, of One Procter & Gamble Plaza, Cincinnati, Ohio-45202,

United States of America,

Inventors

HARDY FREDERICK EDWARD

WILLEY ALAN DAVID BOTH U.K. CITIZEN

Application for Patent Number 409/Del/1995 filed on 10.03.1995.

٠:

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 008.

(08 Claims)

Detergent composition characterized by having 1% to 70% of a carbonate salt of an alcohol having the following structure:

Wherein X = an alkaline (earth) metal, alkyl, ethoxy alkyl, aralkyl or carboxylic acid and R = any (un) substituted acyclic or any (un) substituted mono or poly (hetero) cyclic organic group, the balance being conventional detergent components as herein described.

(COMPLETE SPECIFICATION 31 SHEETS

DRAWING SHEETS -0:)

145 A

190373

International Classification⁷

B41M 005/18

Title

"A COMPOSITION FOR PRODUCTION OF HEAT

SENSITIVE PAPER."

Applicant

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi - 110 001, INDIA,

an Indian body incorporated under the Registration of

Societies Act (XXI of 1860).

Inventors

CHOWDHURY NATH SAIKIA - INDIAN

ANIL CHANDRA GHOSH - INDIAN.

Application for Patent Number 438/Del/95 filed on 14th March 1995. Complete left after provisional on 15.9.95.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi - 110 008.

(4 Claims)

A composition for the production of heat sensitive paper which comprises Leuco-dye derivative 30-65 parts by weight, bisphenol A250-550 parts by weight, stearamide 70-125 parts by weight, Octadecanamide 50-100 parts by weight, polyvinyl alcohol 50-100 parts by weight, 4-benzyloxy phenol 15-30 parts by weight, copisil clay 25-100 parts by weight, magnesium stearate 70-150 parts by weight, hydroxy ethyl cellulose 25-60 parts by weight and water 2000-2500 parts by weight.

(Provisional specification 12 Pages Drawings Nil Sheets) (Complete Specification 15 Pages Drawings Nil Sheets)

110 008


Indian Classification	:-	85, 90	190374
International Classification4	:-	C 03 5 8/00, C 03 B 5/04, C 03 B 7/088	•
Title	÷	"A GLASS FEEDER DEVICE FOR DELIVE RUNNERS OF MOLTEN GLASS TO A SH	ERING A PLURALITY OF IEAR MECHANISM".
Applicant	:• . *	EMHART GLASS S.A., of Switzerland, of Cham, Switzerland,	gewerbestrasse 11. CH-6330
Inventors	; -	PAUL - BUFTTIKER - U.S.A.	
	:-	•	
Application for Patent Number	470/	del/1995 filed on 15/03/1995	

A glass feeder device for delivering a blurality of runners of molten glass to a shear mechanism which severs the runners into discrete gobs, the device comprising: - a spout bowl with a neck portion at the bottom thereof, said neck portion having a vertical discharge passage extending therethrough from an upper inlet opening to a lower outlet opening,-said upper inlet opening being circular,-said lower outlet opening being oblong defined by major and minor dimensions and said vertical discharge passage vertically transitioning from said circular upper inlet opening to said oblong lower outlet opening proceeding from said upper inlet opening to said lower outlet opening, - said circular upper inlet opening having a size, relative to said oblong lower outlet opening, so that the oblong lower outlet opening is located completely within said circular upper inlet opening, and - an onlice ring for receiving molten glass from said oblong lower outlet opening, said orifice ring having a

(Claims

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, New Delhi Branch -

03)



Complete Specification

Convention Application No. 08/210.134/USA/16 03.1994.

No of Pages.

07

Drawings Sheets

02

32 E

190375

International Classification⁷

B01J 45/00

Title

"AN IMPROVED PROCESS FOR THE PREPARATION OF CHELATING ION EXCHANGE RESINS FOR USE

IN HEAVY METAL RECOVERY."

Applicant

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi - 110 001, INDIA, an Indian body incorporated under the Registration of

Societies Act (XXI of 1860).

Inventors

ALAGPPILLAI VARADHARAJ - INDIAN SWATI AJITKUMAR LAHIRI - INDIAN RAMANATHAN MEYYAPPAN - INDIAN SETHURAMAN PITCHUMANI - INDIAN

Application for Patent Number 601/Del/95 filed on 31nd Mar. 1995.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003). Patent Office Branch, New Delhi – 110 008.

(12 Claims)

A process for the preparation of chelating ion exchange resin for use in heavy metal recovery which comprises I) preparing the copolymer resin with desired pendant group by suspension polymerization of the appropriate monomer such as herein described in the concentration ranges from 60 - 90wt%, along with a stabilizer and an initiator such as herein described at a temperature in the range of $60 - 85^{\circ}$ C under stirring for a period upto 7 hrs, ii) treating the resulting copolymer resin with an aquous solution containing sodium acetate and hydroxylamine hydrochloride then isolating the resin beads formed by filtration and washing followed by drying at a temperature of $100-110^{\circ}$ C for a period of 12-16 hours, after which the resin beads are soaked in benzene for 10-20 hours, iii) separated and refluxing the said resin beads in aqueous solution containing sodium acetate and hydroxylamine chloride in the ratio of Resin:Sodum acetate: Hydro: lamine hydrochloride as 1-3: 1-4: 1-5 wherein after treatment of copolymer resin is refluxed in a temperature range of $70-80^{\circ}$ C for a period of 24-30 hrs, dried in an air oven at a temperature of $110-110^{\circ}$ C for a period 10-20 hours to get the chelated ion exchange resin.

62

190376

International Classification⁷

C08B 1/00

Title

"METHOD FOR PRODUCTING LYOCELL FIBRES OF

REDUCED FIBRILLATION TENDENCY."

Applicant

TENCEL LIMITED, formerly known as COURTAULDS FIBRES (HOLDINGS) LIMITED, a British company, of 1 Holme Lane, Spondon, Derby, Derbyshire DE21 7BP, United Kingdom, formerly of 50 George Street, London

WIA 288, England.

Inventors

CHRISTOPHER DAVID POTTER - ENGLAND

PETER DOBSON-ENGLAND

Application for Patent Number 693/Del/ 95 filed on 17th April 95. Convention date 15.4.1995/ 9407496.0/ U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 008.

(12 Claims)

A method for producing a lyocell fibre of reduced fibrillation tendency, characterized in that (I) there is applied to a lyocell fibre in neverdried state an aqueous solution comprising dissolved therein an inorganic alkali of the kind such as herein described and a chemical reagent of the kind such as herein described bearing a plurality of acrylamido groups, the average number of acrylamido groups per molecule of the chemical reagent in the solution being at least 2.1, and (2) the fibre to which the chemical reagent has been applied is heated to cause reaction between the fibre and the chemical reagent and thereby produce the desired lyocell fibre having reduced fibrillation tendency.

(Complete Specification 29 Pages; Drawings Nil Sheets)

62 E

190377

International Classification

D 06 L 1/00

Title

"AN AUTOMATIC WASHER"

Applicant

WHIRLPOOL CORPORATION, 2000 North M-63

Benton Harbor, Michigan 49022-2692 United States of

America.

Inventors

ANTHONY MASON - USA •

BRENNER MARTIN SHARP -CANADA VICTOR WARREN CUTHBERT - USA

Application for Patent Number 781/Del/95 filed on 28.04.95.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi - 110 008.

(09 Claims)

An automatic washer comprising:

a tub having an interior, and an opening for accessing the said interior of said tub;

a cylindrical basket, being rotably mounted within the said tub for rotation about a horizontal axis said basket having an interior, a door accessing said interior of said basket and a basket opening having opposite front and rear edges;


said door of said basket is being provided for selectivity closing and opening said basket comprising;

- a first door flap hingedly mounted on said rear edge of the said basket opening and having an arc length substantially equal to the arc length of said basket opening and with a front edge portion opposite said hinged connection with said rear edge of said basket opening;
- a second door flap hingedly mounted opposite said first flap door on said front edge of said basket opening and having an arc length less tan 1/3 the arc length of said front door flap and with a front edge portion opposite said hinged connection with said front edge of said basket opening;

an enclosure surrounding said tub having a front surface opposing side surfaces and a top surface wherein said horizontal axis of said basket extends between said opposing side surfaces, said enclosure is having an access opening extending partially long said front surface and said top surface wherein said access opening includes a front edge disposed on said top surface, said front edge being positioned at a lower height than said rear edge such that said access opening extends along said top surface and partially down said front surface; and

a lid hingedly connected to said enclosure for selectivity closing and opening said access opening, said lid extending along said top surface and partically down said front surface in closed position

wherein the said washer has an overall depth and overall length of said access opening, and the ratio of said overall depth and length of said access opening is less than 1.5:1 and is greater than 1,3:1.



(COMPLETE SPECIFICATION -35- SHEETS

DRAWING SHEETS -12-)

107 F

190378

International Classification4

F 02 N 17/02

Title

"AUTOMATIC STARTER FOR ENGINE".

Applicant

Nippon Thermostat Co., Ltd. of 6-59-2, Nakazato, Kiyoseshi,

Tokyo, Japan.

Inventors

KAZUHITO - SHIBUYA - JAPAN

Application for Patent Number

906/del/1995

filed on


19/05/1995

Delhi Branch - 110 008.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, New - 110 008.

(Claims 04)

An automatic starter for an engine comprising: - a case body - a thermo-element housed in said case body and having a thermally expanding unit, - said thermally expanding unit expands and contracts with a change in the outer temperature and is provided on one side of said thermo-element, - a piston provided on the other side of the thermo-element which moves forward and backward with the expansion and contraction of said thermally expanding unit, - a heating means having an electric heating unit provided on the one side of the thermo-element to forcibly move the piston by heating up the heating unit with an electric current flown upon starting the engine to close a fuel-supply-inlet of an auxiliary fuel passageway provided along a gas mixture passageway which feeds the gas mixture to the engine, - a hollow provided in wall of said case body which divides the wall of said case body into a inner wall and an outer wall, and - a thermally insulating means provided in said hollow to prevent thermal conduction of the heat from said inner wall to said outer wall.



Complete Specification

No of Pages

11

Drawings Sheets

٥1

62 E

190379

International Classification4

D 06 L 1/00

Title

"AN AUTOMATIC WASHER"

Applicant

WHIRLPOOL CORPORATION, 2000 North M-63, Benton

Harbor, MI 49022-2692, United States of America.

Inventors

VICTOR WARREN CUTHBERT - U.S.A. JOSEPH HERBERT ZAHRN, - U.S.A. VONDA KAY JOHNSTON - U.S.A.

Application for Patent Number

783/del/1995

filed on


28/04/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office , New Delhi Branch - 110 008

(Claims

09)

An automatic washer, comprising .- an imporforate tub: - a perforate wash basket disposed within said tub being rotatable about a horizontal axis: - a motor drivingly connected with said wash basket for selectively driving said wash basket about said horizontal axis; wherein - a holding arm interconnected with said tub and moveably supported adjacent said basket, said holding arm having a catch portion: - said holding arm when actuated drives said catch portion towards said wash basket for selectively engaging said wash basket, positioning said wash basket relative to said tub.



37

188

190380

International Classification⁴

C03C 17/06

Title

003017700

iue :

"A MIRROR WITH NO COPPER LAYER AND A

PROCESS FOR MANUFACTURING THE SAME."

Applicant

GLAVERBEL S.A., a Belgian company, of Chaussee de la Hulpe, 166, B-1170 Brussels (Watermael-Boitsfort)-

Belgium.

Inventors

PIERRE LAROCHE – BELGIAN PIERRE BOULANGER– BELGIAN

CHRISTIAN DAUBY - BELGIAN

Application for Patent Number 839/Del/ 95 filed on 8th May 95. Convention date 12.5.1994/ 9409538.7/ U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 005.

(20 Claims)

A mirror with no copper layer comprising:

- (i) a vitreous substrate,
- (ii) at least one material selected from the group consisting of bismuth, chromium, gold, indium, nickel, palladium, plantinum, rhodium, ruthenium, titanium, vanadium and zinc at a surface of the said substrate,
- (iii) a silver coating layer on the surface of said substrate, said silver layer optionally comprising at least one material selected from the group consisting of tin, chromium, vanadium, titanium, iron, indium, copper and aluminium present at the surface of the silver coating layer and/or traces of silane; and
- (iv) at least one paint layer covering said silver coating layer.

(Complete Specification 24 Pages; Drawings Nil Sheets)

143 D4

190381

International Classification⁴

A61J - 1/00, B65D-81/32

Title

"A SELF-REHYDRATING CONTAINER-ADAPTED TO BE FOR PRODUCTION OF SOLUTIONS OR SUSPENSIONS SUBSTANTIALLY FREE OF UNDESIRABLE MICRO-

ORGANISMS."

Applicant

UCB, S.A., a Belgian company of avenue Louise 326,

B-1050 Bruxelles, Belgium.

Inventors

COLIN MARSHALL - U.K.

Application for Patent Number 653/Del/ 98filed on 16th March. 98. Convention date 17.3.1997/9705455.5/U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 008.

(16 Claims)

A self-rehydrating container adapted to be for the production of solutions or suspensions substantially free of undesirable micro-organism characterized in that said container comprises of at least one compartment having two opposite ends and consisting of two opposite walls, wherein said container is divided at least into two compartments – first compartment and second compartment and said compartments are interconnected by a seal member, preferably a non-permanent seal member which connects said opposite walls of said container having said two opposite ends.

(Complete Specification 13 Pages Drawings Nil Sheets)

 $32 F_2$

190382

International Classification⁴

A 61 K 31/43.

Title

"A METHOD TO PREPARE

CRYSTALLINE 6-AMINO PENICILLANIC

ACID(6-APA)".

Applicant

GIST-BROCADES BV, of

Wateringseweg 1, PO box 1, 2600 MA

Delft. The Netherlands.

Inventors

PIETER THEODORUS KERKHOF.

RIENK HENDRIK KUIPERS.

HUBERTUS GERARDUS MARIA-WALRAVEN-The Netherlands.

Application for Patent Number 1045/DEL/98 filed on 23.04.98

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, Delhi Branch, New Delhi – 110 008.

(09 Claims)

A method to prepare crystalline 6-amino penicillanic acid (6-APA)which method comprises:

(a) obtaining a fermentation broth or fluid containing fermentatively produced N-

substituted penicillin in a manner such as herein described;

(b) extracting the said broth or fluid of step (a) with an organic solvent such as herein described at a pH wherein said N-substituted penicillin is extracted into the said organic solvent to obtain an organic phase;

(c) extracting the organic phase obtained in step (b) with water in a manner such as herein described at a pH wherein an aqueous phase containing said N-substituted

penicillin is obtained;

(d) treating said aqueous phase of step (c) in a manner such as herein described, without prior isolation of the N-substituted penicillin in a crystalline form, with a penicillin acylase to convert the N-substituted penicillin to 6-APA to obtain a treated aqueous phase containing 6-APA and a side chain; and

(e) crystallizing the 6-APA from the treated aqueous phase of step (d) in a manner

such as herein described to prepare crystalline 6-amino penicillanic acid.

(Complete Specification 13 Pages Drawing NIL Sheets)

32 F

190383

International Classification

C07C 62/38

Title

"A PROCESS FOR THE PREPARATION OF 3

.. ISOCHROMÂNQNE."

Applicant

ZENECA LIMITED, a British company of 15

Stanhope Gate, London WIy 6 LN, England.

Inventors

HANNAH SALLIE ROBERTSON McCANN – BRITISH RAYMOND VINCENT HEAVON JONES – BRITISH

Application for Patent Number 1542/Del/ 98 filed on 5th June. 98., Convention date 11.6.1997,26.8.1997/9712166.9, 9718010.3/ U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 005.

(15 Claims)

A process for the preparation of 3isochromanone comprising reacting an o-xylene- α , $\dot{\alpha}$ -dihalide with carbon monoxide and water in the presence of a catalyst, characterized, in that the pH of the reaction is maintained between 7 and 11, wherein said reaction is carried out in the presence of an organic solvent, preferably in an inert organic solvent at a temperature of less than about 180° C.

(Complete Specification 15 Pages Drawings Nil Sheets)

55 D2

190384

International Classification⁴

A01N 37/02

Title

"AN IMPORVED PROCESS FOR THE PREPARATION OF HEMIACETAL, 4-HYDROXY - 6.6-DIMETHYL-3-OXADICYCLO-(3,1,0)-HEXAN-2-ONE FROM ENOL LACTONE OF (-) -I R-cis-2,2-DIMETHYL-3 (2'-OXOPROPYL) CYCLOPROPANE

CARBOXYLIC ACID. "

Applicant

MONTARI INDUSTRIES LTD., an Indian Company of 78. Nedhru Place, New Delhi - 110 019, INDIA.

Inventors

ALOK KHULLAR - INDIAN

INDER KUMAR PANDEY – INDIAN RAJEEV KUMAR SHARMA – INDIAN SUDHIR KUMAR SHARMA – INDIAN DHANANJAY SHRIVASTAVA – INDIAN

RAJARAM - INDIAN

SUNDARESAN MADHUSOODANAN-INDIAN

Application for Patent Number 1630/Del/98 filed on 12th June 1998. Complete left after Provisional on 12.2,99.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office Branch, New Delhi – 110 008.

(7 Claims)

A process for the preparation of Hemiacetal, 4-Hydroxy-6, 6-dimethyl-3-oxabicyclo-(3,1,0)-hexan-2-one of formula 1 comprising:

- dissolving Cy-Enol lactone in an organic solvent, as herein described,

- subjecting the said solution to ozonolysis at =10°C to -15°C, by conventional
- adding the said solution slowly to an aqueous, alcoholic or aqueous-alcoholic solution of an inorganic reducing agent as herein described under stirring, maintaining the temperature of the reaction mass at -5 to +20C,


stirring the above solution until the quenching process is complete,

- filtering off the inorganic salts,

- * removing the solvent at 40 to 45°C/200-10 mm Hg to obtain the crude product consisting primarily of the ether of Hemiacetal.
- hydrolyzing the ether of Hemiacetal with 0.5% aqueous oxalic acid at 25 to 30°C for 6 to 8 hrs to get pure Hemiacetal.

(Provisional Specification 4 Pages Drawing NII sheets.)
(Complete Specification 8 Pages Drawings 1 Sheets)

0.000



7

55 A, 32 F

190385

International Classification⁷

A 61 K 38/00, A 61 P 11/02, A 61 P 11/06, A 61P 37/08

Title

"A PROCESS FOR THE PREPARATION OF A COMPOSITION CONTAINING PEPTIDE AND CYCLODEXTRINE USEFUL AS THERAPEAUTIC

AGENT."

Applicant

COUNCIL OF SCIENTIFIC AND

INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-110001.

India (An Indian Registered Body, Incorporated under

Registration of Societies Act)

Inventors

ANIL KUMAR DWIVEDI PREM FRAKASH GUPTA SATYAWAN SINGH

ALL INDIAN

Application for Patent Number 3318/Del/98 filed on 0911.98.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 008.

(09 Claims)

A process for the preparation of composition containing peptide and cyclodextrine useful as therapeutic agent as herein described, which comprises of adding peptide and cyclodextrine in the ratio 1:1 to 1:5 by wt., in a protic solvent as herein described to prepare a solution, mixing the above said solution at a temperature in the range of 10 to 80 degree C for a period of 2 to 8 hrs. to make clear solution, removing the solvent by known methods as herein described to get free throwing peptide: cyclodextrine complex, washing the said complex with solvent methanol: chloroform in the ratio g 1:1 to 1:6 by vol. and drying, mixing the complex so obtained in a conventional vehicle as herein described to get the said composition.

(COMPLETE SPECIFICATION 09 SHEETS DRAWING SHEETS -NIL-)

83A₁

190386

International Classification⁴

A 23L 1/01

Title

"A PROCESS FOR THE PREPARATION OF

CALCIUM AND DIETARY FIBRE RICH

BISCUIT".

Applican

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of

1860).

Inventors

ANTHONYSAMY SELVARAJ.

PUNAROOR HARIDAS RAO-both Indian.

Application for Patent Number 2146/DEL/98 filed on 24.07.98

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, Delhi Branch, New Delhi – 110 008.

(09 Claims)

A process for preparation of calcium and dietary fibre rich biscuit which comprises grinding millets by conventional method such as herein described to a particle size 112-525 micron, sieving to remove coarser particles, regrinding to get fine powder such that of wheat flour, blending millet and wheat flour at a ratio ranging 10:90 to 30:70, adding to the 100 parts of said flour mixture 10-50 parts of fat, 20-50 parts of sweetener, leavening chemicals (acid and alkaline ingredients) 0.58-1.9 parts, salt to taste, colour improver 1-5 parts, flavour improvers 1-5 parts and emulsifier 0.25-2.0 parts, all of the kind such as herein described, adding water to form dough, shaping to desired shape and baking by conventional method to obtain the desired calcium and fibre rich biscuit.

(Complete Specification 29 Pages Drawing NIL Sheet)

55E4.

190387

International Classification⁴

A 61 K 31/00.

Title

"A CONVENIENT METHOD FOR THE

LARGE-SCALE ISOLATION OF

GRACINIA ACID".

Applicant

Department of Science and Technology, a Government of India Department, located at Technology Bhavan, New Mehrauli

Road, New Delhi-110 016, India.

Inventors

IBRAHIM IBNU SAUD.

PUTHIAPARAMPIL TOM THOMAS.

BEENA THOMAS-all Indian.

Application for Patent Number 2248/DEL/98 filed on 03.08.98.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, Delhi Branch, New Delhi – 110 008.

(10 Claims)

A process for the isolation of Garcinia acid from the fresh or dried rinds of the fruits of Garcinia indica, Garcinia cambogia, Garcinia atroviridis, comprising the steps of, in sequence :

- a) subjecting the rinds to extraction to form an extract.
- b) Adding a solvent to the extract to remove pectin and form a filtrate
- c) Converting the filtrate to form an alicali salt
- d) Neutralizing the alicali salt with an acid, followed by evaporation, to form a concentrate
- e) Purifying said concentrate using a solvent to remove inorganic matter as impurities, to form a second filtrate
- f) Concentrating the second filtrate to yield a crude Garcinia acid
- g) Recrystallizing the crude to form pure crystals of Gracinia acid.

(Complete Specification Pages 11 Drawing 02 Sheet)

Ia: R = H 1b: R = CH Ic: R = C₂H₅

 $la: R = CH_2C_6H_5$

55E4

190388

International Classification4

A 61 K 31/00.

Title

"A METHOD FOR PRODUCING

MULTILAMELLAR COALESCENCE

VESICLES (MLCV_s)".

Applicant

BIOMIRA USA INC., of 1002 Eastpark

Boulevard, Cranbury, New Jersey 08512,

United State of America.

Inventors

LAWRENCE BONI.

MICHAEL BATENJANY. STELLA GEVANTMAKHER. MIRCEA POPESCU-all U.S.

Application for Patent Number 2930/DEL/98 filed on 05.10.98.

Convention date: -60/060,606; 01.10.97; USA.


Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office, Delhi Branch, New Delhi – 110 008.

(09 Claims)

A method for producing multilamellar coalescence vesicles (MLCV,) containing a biologically active compound as hereindescribed, wherein said method is performed without the use of an organic solvent, a freeze-thawing step or a dehydration step, said method comprising:

- a. hydrating at least one powdered lipid in an aqueous buffer at a temperature above the phase transition temperature of the highest melting lipid to form multilamellar vesicles (MLVs);
- b. reducing the size of the MLVs to 20-400 nm to produce small unilamellar vesicles (SUVs) or large unilamellar vesicles (LUVs) or a mixture thereof and if desired, sterile filtering the SUVs LUVs or combination thereof, and
- c. incubating the SUVs, LUVs or mixture thereof with at least one biologically active compound of the kind hereindescribed, in an aqueous solution under sufficient conditions such as hereindescribed to form MLCVs containing said at least one biologically active compound.

(Complete Specification Pages 19 Drawing 05 Sheet),



32 F2 IX (1)

190389

International Classification7

C07D 501 /22

Title

"PROCESS FOR PREPARING CRYSTALLINE

CEFADROXIL,

HEMIHYDRATE FROM

CEFADROXIL

DIMETHYLFORMAMIDE

SOLVATE "

Appueant

RANBAXY LABORATORES LTD., A Company

incorporated under the Companies Act, 1956 of 19,

Nehru Place, New Delhi - 110019. INDIA.

Inventors

YATENDRA KUMAR - INDIAN

SHAILENDRA KUMAR SINGH - INDIAN

Application for Patent Number 969/Del/99 filed on 14th July 1999.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office Branch, New Delhi – 110 008.

(5 Claims)

An improved method for preparing crystalline cefadroxil hemihydrate of formula II

which comprises slurrying cefadroxil dimethyl formamide solvate of Formula I,

with a mixture of a lower alkanol having one to six carbon atoms and water, at a temperature in the range of about 40°C to 50°C, and isolating the crystalline cefadroxil hemihydrate from the reaction mixture.

(Complete Specification 5 Pages Drawings 2 Sheets)

34A.

190390

International Classification⁴

C08L 1/08

Title

"A COMPOSITION BASED ON

CELLULOSE FORMATE".

Applicant |

MICHELIN RECHERCHE ET TECHNIQUE

S.A of Route Louis Braille 10 et 12, CH-1763 Granges-Pacot, Switzerland.

Inventors

PHILIPPE ESNAULT.

RIMA HUSTON.

JEAN-PAUL MERALDI-all Switzerland.

Ĉ.

Application for Patent Number 952/DEL/25 filed on 25.05.95.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office, Delhi Branch, New Delhi – 110 008.

(11 Claims)

A composition based on cellulose formate and a solvent system for this formate wherein the concentration of cellulose formate is at least equal to 4% by weight, characterised by the following features:

- a) the solvent system is formed from at least one constituent (I) which is an aprotic solvent for cellulose formate and of at least one constituent (II) which is a non-solvent for cellulose formate, the amount of said non-solvent, or of the totality of said non-solvents, being at least equal to 10% by weight and at most equal to 40% by weight of the total weight of the solvent system;
- at ambient temperature and upto the temperatre noted Trass nerein before defined, the composition is an elastic, thermoreversible gel;
- c) at a temperature at least equal to the gel melting temperature noted $T_{\rm f}$ the composition is a spinnable solution.

(Complete Specification Pages 33 Drawing 01 Sheet)

143 D (1) XL (5)

190391

INT. CL.

B 65 B 9/00 9/02

TITLE

PACKAGING APPARATUS.

APPLICANT

HINDUSTAN LEVER ETD. HINDUSTAN LEVER HOUSE,

165/166 BACKBAY RECLAMATION

MUMBAI-400 020,

MAHARASHTRA, INDIA. AN INDIAN COMPANY.,

INVENTORS

1. PHILIP GORDON HADDOW.

2. GRAHAM LEONARD SHIRLEY.

APPLICATION NO.

526 BOM 1997

FILED ON:

08-09-1997

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI 13.

09 CLAIMS

Packing apparatus for dispensing a quantity of articles to an open-topped container having a main body and flaps for closure of the container open top after filling said main body, comprising:

conveyor means for progressing the container along a travel path;

a container filling means being disposed above said travel path, said filling means being a receiver for the articles, having an exit opening from the receiver and at least one tamping device dispaceable in the receiver for directing articles in the

receiver through said opening; said exit opening facing said travel path for the registration of the container open top with the exit opening to transfer the articles from said receiver into the container;


said filling means further comprising a shutter for closing said exit opening and disposed in a plane between the exit opening and top of the container;

a rotary mounting for displacement of the shutter in said plane across the opening to open and close the opening;

said mounting being laterally offset from the travel path of the articles;

said shutter having a direction of rotation that displaces the shutter across said opening generally in the direction of travel of the container along said path.

Complete specification: 18 pages, Drawings: 03 Sheets



172 C₇

190392

INT. QL.

D01B - 1/00

TITLE

A PNEUMATIC LINT TRANSPORTATION SYSTEM

APPLICANT

AHMEDABAD TEXTILE INDUSTRY'S RESEARCH

ASSOCIATION, P.O. AMBAWADI VISTAR, AHMEDABAD 380 015, GUJARAT, INDIA.

INVENTORS

(1) DAMODARBHAI ISHWARBHAI PATEL

(2) RAMESHBHAI KANTILAL PATEL

(3) PIYUSH KUMAR HARSHADBHAI SHAH

(4) KIRTIKUMAR HARILAL PANCHAL

(5) VASANT MAHADEVRAO JOSHI

APPLICATION NO :


587 BOM 1997 FILED ON 06.10.1997

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, FATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

08 CLAIMS

pneumatic lint transportation system for transporting cotton fibres, comprising a series of entry mouth pieces (2), adapted to be connected to double roller gins, a tapered ducting (4) connected to each said entry mouth piece through which the cotton lint is caused to be passed and moved forward, a suction fan (8) for sucking the lint from the said tapered ducting, a stationary condensor (5) for separating air with micro-dust from cotton lint, said condensor (5) having a perforated sheet (6), of curvil-inear shape, and a rotating wiper (7) provided inside the perforated sheet (6), for stripping the lint from the said perforated sheet provided inside the condensor (5), a booster fan (11) for sucking the said lint, separated in the condensor, and blowing the same to the lint halls, and a cyclone separator (16) fitted in each hall and connected to said booster fan to separate air and the lint from each other

Comp.specin.: 09 pages Drawings :sheets



128 A

190393

INT. CL.

A 61 K-007/32, 7/00,/7/38

TITLE

ANTIPERSPIRANT COMPOSITION.

APPLICANT

HINDUSTAN LEVER LIMITED, KINDUSTAN , EVER HOUSE.

165/166 BACKBAY RECLAMATION, MUMBAI 400 020,

MAHARASHTRA, INDIA AN INDIAN COMPANY

INVENTORS

(1) CHRISTOPHER JOHN CARRUTHERS EDWARDS

(2) ISABELLE CLAIRE HELENE MARIE ESSER

APPLICATION NO:

634 BOM 1997 FILED ON 29.10.1997

Priority No. 9622580.0 dated 30.10.1996 of U.K.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

05 CLAIMS

An cosmetic antiperspirant stick composition suitable for topical application to human skin, comprising:

- from 1 to 35% by weight of an antiperspirant astringent;
- ii. from 5 to 70% by weight of a volatile silicone;
- iii. up to 40% by weight of a structurant; and
- iv. 0.1 to 20% by weight of a cross-linked or partially cross-linked nonemulsifying siloxane elastomer.

Drawings NII.

Comp.specn. 15 pages,

170

190394

INT. CL.

C 11 D-3/386, C 12 P - 1/00, C 12 N-9/08, D 06 M-16/00

TITLE

AN ENZYMATIC OXIDATION PROCESS

APPLICANT

HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE,

165/166 BACKBAY RECLAMATION, MUMBAI 400 020,

MAHARASHTRA, INDIA. AN INDIAN COMPANY

INVENTORS

(1) DANIEL CONVENTS

(2) RUDOLF WILLEM PIETER VAN DRUNEN

(3) CORNELIS THEODORUS VERRIPS

APPLICATION NO :

686 BOM 1997 FILED ON 25.11.1997

APPROPRIATE OFFICE FOR OFPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003) PATENT OFFICE BRANCH, MUMBAI - 13.

05 CLAIMS

An enzymatic oxidation process wherein a substance which is to be oxidized is reacted with (a) an enzyme exhibiting peroxidase activity and a source of hydrogen peroxide or an enzyme exhibiting oxidase activity on phenolic compounds and (b) a peptide which enhances the oxidation activity of the enzyme characterized in that the compound selectively binds the substance which is to be oxidized and the substance which is to be oxidized is selected from the group consisting of prophyrin derived structures, tannins, polyphenols, carotenoids, anthocyanins, maillard reaction products and textile dyes.

Comp.specn.: 19 pages

Drawings: NIL

IND. Cl

32 b

:

:

:

190395

INT. CL.

C 07 C 11/02

TITLE

AN IMPROVED PROCESS FOR

OLIGOMERISATION OF ALPHA-OLEFINS.

APPLICANT

INDIAN OIL CORPN. LTD., (A GOVT. OF INDIA

UNDERTAKING)G – 9, ALI YAVAR JUNG

MARG, BANDRA (EAST), MUMBAI – 400 051, & COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION

OF SOCIETIES ACT,1860, ANUSANDHAN BHAWAN, RAFI MARG, NEW DELHI-

110 001,INDIA.

INVENTORS

1) RAKESH SARIN

2) SABYASACHI SINHA RAY

3) DEEPAK KUMAR TUL1

4) MADAN MOHAN RAI. 5) SOBHAN GHOSH

6) AKHILESH KUMAR BATNAGAR.

7) SWAMINATHAN SIVARAM

8) THEKKE PANGIL MOHANDAS

9) DATTATRAYA HARIBHAU GHOLAP.

APPLICATION NO.:

703/BOM/97 FILED ON 5.12.97

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003) ,PATENT OFFICE BRANCH, MUMBAI - 13

12-CLAIMS.

1. An improved process for oligomerisation and co-oligomerisation of alpha olefins which comprises in the steps of oligomerisation of the olefins in presence of a supported aluminium chloride catalyst as herein described and an organoaluminum compound as a promoter at a temperature of 60 to 180°C and at a pressure of 0 to 2 bars for a period of 10 minutes to 3 hours, seprating the catalyst by filtration and subjecting the reaction product to the step of fraction distillation for the removal of the solvent, if necessary, further fractionating the oligomers to obtain poly (alpha olefins) in the desired carbon number range.

: 32 D

190396

INT. CL.

C 07 F 5/06

TITLE

A PROCESS FOR THE PREPARATION OF SUPPORTED ALUMINIUM CHLORIDE CATALYST CONTAINING

ORGANO ALUMINIUM COMPOUND.

APPLICANT

INDIAN OIL CORPORATION LIMITED, (A GOVT. OF INDIA UNDERTAKING), G-9, ALI YAVAR JUNG MARG,

MAHARASHTRA, BANDRA (EAST)
BOMBAY – 400 051, INDIA AND

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH,

ANUSANDHAN BHAWAN,

RAFI MARG, NEW DELHI - 110 001.

INVENTOR(S)

1. SABYASACHI SINHA RAY

2. RAKESH SARIN

3. DEEPAK KUMAR TULI 4. MADAN MOHAN RAI

5. SOBHAN GHOSH

6. AKILESH KUMAR BHATNAGAR

7. SWAMINATHAN SIVARAM 8. THEKKE PANGIL MOHANDAS

9. DATTATRAYA HARIBHAU GHOLAP

APPLICATION NO:

704/BOM/1997 FILED ON: 05.12.1997

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI – 13.

10 CLAIMS

A process for the preparation of an inert inorganic oxide supported metal halide organo aluminium compound catalyst comprising activating said support by heating to a temperature of 150-350°C, reacting said activated support with anhydrous aluminium chloride, adding a solution of aluminium alkyl to the reacted support, removing the solvent and then drying the reacted product.

Complete Specification: 08 Pages;

Drawings NIL Sheets.

143 D5 [XL (5)]

190397

INT. CL.

B 65 B-29/02

TITLE

APPARATUS FOR SHAPING A TRAVELLING WEB AND A

METHOD OF PRODUCING THE SAME AND AN INFUSION

PACKET MADE THEREFROM.

APPLICANT

HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE,

165/166 BACKBAY RECLAMATION, MUMBAI 400 020,

MAHARASHTRA, INDIA. AN INDIAN COMPANY

INVENTORS

(1) JAMES GOODWIN

(2) JAMES ROBERT STEMBRIDGE

APPLICATION NO :

722 BOM 1997 FILED ON 15.12.1997


APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

28 CLAIMS

Apparatus for shaping a traveling web into a tubular form in a form-fill process, comprising a fixed guide for the web, said guide defining a track for the web tapering in the direction of web travel, a former tube extending beyond the exit end of the guide in the direction of web travel, said tube having a longitudinal axis oblique to the guide and intersecting the guide track, means placing the web under tension to fold over the side margins of the web overlapping the side edges of the tapering guide track as the web travels along the guide so that the web transferring from the guide to the former tube has an open tubular form, said means for placing the web under tension comprising traction elements adjacent the former tube for gripping together opposed edges of said side margins of the web as they travel along the tube, said traction elements being driven to draw the web along the guide and onto the former tube.

Comps.specn. 28 [pages

Drawings 04 sheets



136 E [XIII]

190398

INT. CL.

: B 29 D 30/18

TITLE

PROCESS AND PLANT (MACHINARY) FOR

IMPROVED BEAD PRODUCT OF TYPE INDUSTRY.

APPLICANT

DASHARATH BABURAO CHAVAN

1/6 WAGHJAI BUILDING, JIMMI BAUG, KARPE WADI, KALYAN (EAST), DIST: THANE,

MAHARASHTRA, INDIA. AN INDIAN NATIONAL

INVENTOR(S)

IDEM

APPLICATION NO:

723/BOM/1997 FILED ON: 15.12.97

COMPLETE SPECIFICAITON AFTER PROVISIONAL SPECIFICATION FILED ON 19.06.98.


APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI – 13.

06 CLAIMS

A method of manufacturing improved rubber bead for tyre industry comprising the following steps:

- i) feeding multiplicity of steel wires side by side through a rubber extruder so as to get rubber coated steel wire strips,
- ii) the said rubber coated steel wires strip is provided with rubber extruder with triangular die arrangement for filling rubber compound from top and rubber coated flipper Fabric from the bottom manually or automatically during its plastic condition/hot sheet condition so as to grip the filler and the rubber coated flipper fabric without adhesive coating.
- iii) beading the said rubber coated steel wire strips with filler on top and rubber coated flipper coating at bottom on a circular wheel to give number of turns as required whereas the initial round is with rubber coated flipper fabric and last round with rubber filler on top.
- iv) flippering the sandwich bead by automatically bead removing flipper machine controlled through electronic sensor.

Fig-1



Provisional Specification: 41 Pages; Complete Specification: 44 Pages; Drawings 10 Sheets. Drawings 12 Sheets.

136 E [XIII]

190399

軍大戶方於學院。

200

INT. CL.

B 29 C 59/02

TITLE

A PROCESS FOR PRODUCING STAMPED DETERGENT

BARS.

APPLICANT

HINDUSTAN LEVER LTD.

HINDUSTAN LEVER HOUSE,

165/166 BACKBAY RECLAMATION

MAHARASHTRA, INDIA. AN INDIAN COMPANY.

INVENTORS

: 1: ARNOLD BROWN.

2. DEAN LAWRENCE ASHBAUGH.

3. PASQUALE MICHAEL BUZZEO.

4. DANIEL JOHN HEINZ.

5. EDWARD ROSS STORY.

6. EDWARD JOHN GIBLIN.

7. FREDERICK EDMUND STOCKER.

8. BRIAN EDMONDSON.

APPLICATION NO. :

753 BOM 1997

FILED ON: 26-12-1997

PRIORITY NO

: 08/774473

DATED:

30-12-1996 OF U.S.A

08/774472

08/774474

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI 13.

11 CLAIMS

A process for producing stamped detergent bar comprising the steps of:

(i) feeding a detergent bar composition to a stamping means having at least one porous die halves comprising a stamping surface;

(ii) stamping the composition using the at least one porous die halves to form a stamped detergent bar; and

(iii) releasing the stamped detergent bar from the stamping means by applying a release fluid through the porous die to the stamping surface.

Complete specification: 19 pages, Drawings: 03 Sheets

ATTENDED

56 B

190400

INT. CL.

C 10 G - 11/02

TITLE

A PROCESS FOR PREPARING FLUIDIZED CATALYTIC CRACKING (FCC) CATALYST SUITABLE FOR HYDRO-

CARBON CONVERSION

APPLICANT

INDIAN OIL CORPORATION LTD,(A GOVT.OF INDIA UNDER

TAKING) OF G-9,ALI YAVAR JUNG MARG, BANDRA (EAST), MUMBAI 400 051, MAHARASHTRA, INDIA.

INVENTORS

(1)SOBHAN GHOSH

(2) SATISH MAKHIJA

MOHAN PRABHU KUVETTU (3)

VENTACHALAM KRISHNAN (4)

(5) SANJAY KUMAR RAY

MANORANJAN SANTRA (6) RAM MOHAN THAKUR **(7)**

JAGDEV KUMAR DIXIT (8)

APPLICATION NO

73/BOM/1998 FILED ON 09.02.1998

COMPLETE SPECIFICATION FILED AFTER PROVISIONAL

SPECIFICATION ON: 12.05.1998

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

07 CLAIMS

A process for preparing fluidized catalytic cracking (FCC) catalyst suitable for hydrocarbon conversion comprising preparing an aqueous slurry of 10-40% by weight alumina, 5 to 50% by wt. aluminum depleted kaolin clay, 0 to 60% by wt. normal kaolin clay, 5 to 35% by wt. silicon enriched rare earth exchanged zeolite (NaHa ReY) having 84-90 wt. % silicon content, and pseudoboehmite alumina subjecting said slurry to the step of spray drying to obtain spherical particles and then subjecting the particles to a step of calcination

Prov.Specn: 18 pages Comp.speca.: 24 pages

Drawings: NIL Drawings: NIL Ind.Cl

10A

190401

Int.Cl4

F 42 B 3/16

Title

A SHOCK RESISTANT DETONATOR FOR AMPLIFYING AND

TRANSMISSION MEANS AND METHOD OF MANUFACTURE.

Applicant

THE ENSIGN-BICKFORD COMPANY, OF 660 HOPEMEADOW

STREET, SIMSBURY, CONNECTICUT 06070, U.S.A.

Inventor

1. ERNEST LAIRD GLADDEN.

2. THOMAS ALAN NADÉAU.

3. RAYMOND THOMAS OVERSTROM.

Application no.

233/CAL/91 FILED ON 20.3.1991.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

12 CLAIMS.

A shock resistant detonator (12, 28,32) for amplifying and transmitting an initiating signal comprising a tubular housing (13) having interior sidewalls which define an axially extending channel (14) therein, said housing having a closed end (16) and an open end (17) opposite said closed end (16); explosive material (20,22) received in said channel (14) and positioned against said closed end (16); and a barrier-type signal communicating surface (35,43,52) for communicating an initiating signal to said material (20), whereby said signal initiates said material (20) for amplifying and transmitting the signal, characterised in that a cushion element (11) is disposed within said channel (14) between said material and an end of a transmission means (25,30) in juxtaposition with said material (22) said element form sustaining substantially covering said material and having a pliable and shock absorbent surface facing said material and in contact therewith for retaining said material (22) against said closed end (16) - optionally comprising a delay element (27) for delayed transmission of the initiating signal.



190402

ınd.Cl

55 E₄

Int.Cl4

A 61 K 31/395, C 07 C 243/00

Title

PROCESS FOR PREPARING DIHYDRO-2,3

-BENZODIAZEPINE DERIVATIVES.

Applicant

ELI LILLY AND COMPANY. OF LILLY CORPORATE CENTER,

CITY OF INDIANAPOLIS, STATE OF INDIANA, U.S.A

Inventor

BENJAMIN ALAN ANDERSON.

- 2. MARVIN MARTIN HANSEN.
- JEFFREY THOMAS VICENZI 3.
- 4 DAVID LEE VARIE.
- MILTON JOSEPH. ZMIJEWSKI, JUNIOR

Application no. 1044/CAL/95 FILED ON 30.08.1995.


(Convention hos. 08/298,645 AND 08/413,036 FILED ON 31:08.94 AND ON 28.3.95 IN U.S.A.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules, 2003)

Patent Office Kolkata.

10 CLAIMS.

preparing a compound having the general formula:



hen R is hydrogen or a compound having the

forming a pharmaceutically acceptable salt;

b. asymmetrically reducing the compound of formula II to yield a compound having the formula !

c. reacting the compound of formula III with an arylaldehyde compound of formula Aryl.CHO to yield an isochroman compound having the formula !

d. reacting the compound of formula IV with an oxidizing agent to yield a compound of the formula :

e. reacting the compound of formula V with a hydrazide derivative of formula H NNHX to yield a compound of the formula 1

F. reacting the compound of formula VI with a (i) sulfonyl halide reagent and a base, to form an intermediate sulfonate; or (ii) by direct cyclization in a manner such as herein described to yield the compound of formula I.

Complete Specification: 43 pages.

Drawing: nil

Ind.C1

69 I

190403

Int.Cl4

H 01 H 73/00, 75/00, 83/00

Title

A CIRCUIT BREAKER.

Applicant

EATON CORPORATION, OF 1111 SUPERIOR AVENUE,

CLEVELAND, OHIO 44114, U.S.A

Inventor

1. JOSEPH CHARLES ENGEL.

2. RAYMOND WARREN MACKENZIE.

Application no.

754/CAL/96 FILED ON25.04.1996.

(Convention no. 471, 132 FILED ON 06.06.1995. IN U.S.A)

Appropriate office for opposition proceeding (Rule 4, Patent Rules, 2003)


Patent Office Kolkata.

26 CLAIMS.

A circuit breaker for interrupting current in an electrical system subject to an arcing current of undetermined amplitude which repetitively strikes said circuit breaker comprising:

Separable contact (11) which interrupt said current in said electrical system comprising of the said arcing current when open; and

Arcing fault detector (23) which is trip circuit, comprising pulse generating means (29) generating a pulse with an amplitude which is a direct function of said undetermined amplitude of said arcing current each time said arcing current strikes to produce a series of pulses, trip signal generating means (116,116') generating a trip signal as a function of an accumulated, time attenuated amplitude of said pulses, and means (13) opening said separable contacts in response to said trip signal



Complete Specification: 20 pages

Drawing: 5 sheets.

Ind.CI +

186 B.

190404

Int.Cl4

H 03 M - 7/30

Title

APPARATUS FOR DETERMINING A MOTION VECTOR.

Applicant

DAEWOO ELECTRONICS CO. LTD. OF 541, 5- GA,

NAMDAEMOON-RO; JUNG-GU, SEOUL, REPUBLIC OF KOREA

Inventor

SANG-HO KIM.

Application no.

1194/CAL/96 FILED ON 28.6.1996.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

3 CLAIMS.

An apparatus for determining a motion vector between a current frame and its reference frame of video signals, wherein the current frame is divided into a plurality of search blocks of an identical size and the reference frame comprises a corresponding number of search region, each search region further comprising a multiplicity of candidate blocks of said: identical size, which comprising:

A search region formation section (22), candidate block formation sections (24-1 to 24-n) and block matching sections (26-1 to 26-n) for motion-estimating a search block with respect to its corresponding search region to thereby generate and error function and a displacement vector for each of

the candidate blocks included in the corresponding search region, the displacement vector representing a displacement of pixels between the search block and said each of the candidate blocks;

A comparator (28) and multiplexer (29) for generating a multiple number of candidate motion vectors based on the error functions, wherein the candidate motion vectors represent displacement vectors of candidate blocks which are selected such that none of the error functions thereof is greater than an error functions for an unselected candidate block:

A motion compensation block (31) and difference generator (32-1 to 32-M) responsive to the candidate motion vectors, for providing error signals of said multiple number, each of the error

signals representing a difference of pixel data between the search block and each of the selected candidate blocks;

Transform blocks (34-1 to 34-M) for obtaining transform data consisting of a corresponding multiple number of sets of transform coefficients by transforming each of the error signals into a set of transform coefficients; and

A motion vector determining block (36-1 to 36-M, 38 and 39) for determining a motion vector for the search block based on the transform data.

Complete Specification: 16 pages. Drawing: 3 sheets.

177 D

190405

Int.Cl4

F 22 G 1/10, F 22 G 5/10, F 22 G 5/20

Title

A DEVICE FOR GENERATING SUPERHEATED STEAM FROM

SATURATED STEAM AND A STEAM POWER PLANT.

Applicant

SIMENS AKTIENGESELLSCHAFT

OF WITTELSBACHERPLATZ 2, 80333 MUNCHEN GERMANY

Inventor

WOLFGANG NEUBERJ.

Application no.

1799/CAL/96 FILED ON 11.10.1996.


(Convention no. 19538674.4 FILED ON 17.10.95 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

6 CLAIMS.

A device for generating superheated steam from saturated steam by means of a heat exchanger (44), said heat exchanger (44) having a primary side and a secondary side, said heat exchanger being connected on the primary side via a throttle member (42) to a saturated-steam reservoir for throttling a first tangential flow (t₁) of the saturated steam before it is superheated by said heat exchanger with a same partial flow (t₂) and the saturated steam before it is



Complete Specification: 9 pages.

Drawing: 1 sheets.

Ind.Cl

190 B

190406

Int.Cl4

H 02 K - 7/18

Title

APPARATUS FOR QUICKLY CONTROLLING THE OUTPUT OF

A POWER STATION FACILITY.

Applicant

SIMENS AKTIENGESELLSCHAFT

OF WITTELSBACHERPLATZ 2, D80333 MUNCHEN GERMANY

Inventor

1. DR. OLDRICH ZAVISKA.

2. DR. CHRISTIAN FRICKE.

3. DR. HERBERT FURUMOTO.

Application no.

1963/CAL/96 FILED ON 12.11.1996.


(Convention no. 19542433.6 FILED ON 14.11.1995 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

7 CLAIMS.

Apparatus for quickly controlling the output of a power station facility which has a turbo-generator set having a steam turbine (2,4,6) and a generator (8), energy stores present during the facility process being activatable in order to output generator set an additional characterised by a fuzzy-logic system (60) whose inputs (a to e) comprise the additional generator output (Ps) and the energy situation of the activatable stores, and whose outputs (g to j, l,o,q) specify the degree of activation of the individual energy stores.



Complete Specification: 13 pages.

Drawing: 2 sheets.

Ind.CI - 4 (14

32 E.

C 08 G - 63/02, 63/78, C07 C - 67/08

190407

1 CONTINUOUS PROCESS FOR PREPARING POLYESTER

PREPOLYMER

Applicant

E.I DU PONT DE NEMOURS AND COMPANY, OF STATE OF

DELAWARE, U.S.A.

Inventor

DAVID JAMES LOWE.

Application no.

2144/CAL/96 FILED ON 12.12.1996.

(Convention no.60/208,611 FILED ON 14.12.1995 IN USA)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003).

Patent Office Kolkata.


15 CLAIMS.

continuous process for preparing polyester prepolymer comprising the steps of:

- (a) esterifying a diacid, chosen from aliphatic or aromatic diacids having a molecular weight less than 300 with an diol, chosen from aliphatic and cycloaliphatic diols having a molecular weight less than 400, in an esterification reactor to form an esterified material having a carboxyl content of about 400 to about 1200 meq/kg and a degree of polymerization of about 2 to about 15:
- (b) incorporating diol into the esterified material by continuously feeding the esterified material to a diol-incorporation reactor wherein the pressure ranges from about 24.7 psia to 189.7 psia (170 kPa to 1310 kPa) and the temperature ranges from about 200°C to about 350°C and wherein the diol is fed to the diolincorporation reactor at a flowrate ranging from about 0.5% to about 15% of the flowrate of the esterified material, and allowing the diol and esterified material to react for at least 15 seconds in the diol-incorporation reactor to obtain a reaction product having a degree of polymerization ranging from about 2 to about 7 and a carboxyl content of about 25 to about 300 meq/kg lower than the esterified material entering the diolincorporation reactor;
- (c) continuously passing the reaction product through a heated, pressure-reducing device, thereby allowing diol and other volatile condensation products to flash off;
- (d) continuously passing the reaction product into a top portion of a colunn reactor containing about 2 to about 50 plates, while countercurrently and continuously feeding into a bottom portion of the column reactor a stream of predominantly inert

gas at a flow rate of about 0.02 to about 0.75 (kg inert gas)/kg bottoms product), wherein the minimum temperature of the inert gas as it enters the column reactor is greater than about 5°c above the freezing point of the prepolymer removed from the bottom of the column reactor and the flow rate of the reaction product is such that it has a residence time in the column reactor of at least about 2 minutes:

- (e) withdrawing in a manner such as herein described a gas stream from the top of the column reactor and removing water; diol, low-molecular-weight solids and degradation reaction products from the gas stream;
- (f) collecting in a manner such as herein described, from the bottom of the column reactor, polyester having a lower carboxyl content and a higher degree of polymerization than the esterified material from the esterification reaction, whereby the carboxyl content is in the range of about 25 to about 800 meq/kg lower than the esterified material entering the diolincorporation reactor and the degree of polymerization is in the range of about 10 to about 30.



Complete Specification: 22 pages. Drawing: 1 sheet.

206 G.

190408

Int.Cl4

: H 03 D - 5/00, 3K - 9/00

Title

Title

A SYSTEM FOR RECEIVING AND ADAPTIVELY PROCESSING

A VIDEO SIGNAL.

Applicant

THOMSON CONSUMER ELECTRONICS, INC. OF 10330 NORTH

MERIDIAN STREET, INDIANAPOLIS 46290-1024, USA

Inventor

JOHN SIDNEY STEWART.

Application no.

1168/CAL/96 FILED ON 24.6.1996.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 1972)

Patent Office Kolkata.


16 CLAIMS.

A system for receiving and adaptively processing a video signal encoded in one of a plurality of different formats suitable for satellite, terrestrial or cable transmission apparatus said system comprising:

An adaptive decoder for providing a first decoded output as a function of a code rate selected from a plurality of code rates;

An adaptive deinterleaver for deinterleaving said first decoded output in accordance with a deinterleaving function selected from a plurality of deinterleaving functions; and

An output signal processor for processing deinterleaved output data.



Complete Specification: 25 pages.

Drawing: 6 sheets.

14 C, 206 E

190409

Int.Cl4

H 01 L - 41/083 41/24, H 04 R - 17/00, C 04 B - 35/472

Title

A PROCESS FOR PRODUCING A PIEZOELECTRIC ACTUATOR

OF MONOLITHIC MULTIPLAYER DESIGN.

Applicant

SIMENS AKTIENGESELLSCHAFT

OF WITTELSBACHERPLATZ 2, 80333 MUNCHEN GERMANY

Inventor

1. DIETER CRAMER.

2. HANS HELLEBRAND

3. DR. KARL LUBITZ.

Application no.

515/KOL/97 FILED ON 21.03.1997.


(Convention no. 19615695.5 FILED ON 19.4.96 in GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

5 CLAIMS.

Process for producing a piezoelectric actuator of monolithic multi layer design characterized in that, to produce piezoceramic green films, the starting point is a stoichiometric piezoceramic powder of the lead zirconate titanate (PZT) type, to which a stoichiometric excess of a heterovalent rare earth metal A-=site dopant upto an overall content of 1 to 5



mol% and a stoichiometric excess of an additional 1-5 mol% of lead oxide are added, wherein electrode layers of a paste containing silver and palladium are applied to the green films, the said green films are stacked one another and then laminated such that an alternating sequence of green films and electrode layer in the stack results, the laminated stack is sintered under controlled sintering in an oxidizing atmospheric conditions such that excess lead oxide evaporates off and the hyperstoichiometric rare earth doping is compensated by inward diffusion of silver from the electrode layers into the piezoceramic layer, the sintering is carried out a maximum temperature of 1130°C in an oxidising atomosphere, and during the sintering a holding phase of 30 to 120 minutes at the maximum temperature is maintained to obtain stoichiometric piezoceramic layers (2) with homogenous silver doping.

Complete Specification: 15 pages.

Drawing: 1 sheets.

31 C

190410

Int.Cl4

H 01 C 7/02

Title

A METHOD OF MANUFACTURING A VARISTOR.

Applicant

MATSUSHITA ELECTRIC INDUSTRIAL CO. LTD, OF 1006

OAZA KADOMA, KADOMA-SHI, OSAKA 571, JAPAN.

Inventor

1. HIDEAKI TOKUNAGA.

2. MIHO HIGASHITANI.

3. YASUO WAKAHATA.

Application no.

988/CAL/97 FILED ON 28.5.97.

(Convention no.9120603 AND 8-139876 FILED ON 3.6.96 AND 12.5.97 IN JAPAN.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

6CLAIMS.

A method of manufacturing a varistor comprising:

A first step of obtaining a varistor element by forming material comprised of ZnO₃ a second step of forming at least two first electrodes at a specific spacing on a surface of the varistor element.



A third step of applying a first heat treat to the varistor element having said at least two first electrodes to sinster the varistor element, and

A fourth step of applying a second heat treatment at a temperature of 600°C to 950°C after placing Si compound powder on a surface of the sintered varistor element to form a high-resistance layer comprising Zn₂SiO₄ on the surface of the varistor element.

Complete Specification: 11 pages.

Drawing: 1 sheets.

ind.Cl.:

45 E

190411

Int Cl 4 :

B 31 D 1 / 04"

"ROLLED TISSUE PRODUCT CONTAINING DISCRETE OVERLAPPED TISSUE SHEETS"

APPLICANT(S):

KIMBERLY-CLARK WORLDWIDE

INCORPORATED
401 N.LAKE STREET

NEENAH, WISCONSIN 54956

USA

A US COMPANY

INVENTOR(S):

1. JANICA SUE BEHNKE;

2. SCOTT ALLEN BAUM;

3. RODNEY LAWRENCE ABBA.

Application No.

1010/MAS/95

filed on

08-Aug-95

and the property of the springs

Contraction of the second of the second

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.

34 CLAIMS

A tissue product comprising a roll of multiple, discrete, consecutive tissue sheets which overlap each other in the circumferential direction of the roll.

COMP.SPECN: 13 PAGES DRAWING: 5 SHEETS.

Ind.CI.

40 H, F

190412

Int CI 4

B 01 D 53 / 00 B 01 J 19 / 00

"AN APPARATUS FOR TREATING FLUE GASES"

APPLICANT(S):

EBARA CORPORATION 11-1 HANEDA ASAHI-CHO OHTA-KU, TOKYO

JAPAN

A JAPANESE BODY CORPORATE

INVENTOR(S):

1. MASAO NOMOTO; 2. KENJI FUJITA;

3. HIDEO HAYASHI.

Application No.

1045/MAS/95

filed on 16-Au

16-Aug-95

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4; PATENTS RULES, 2003) PATENT OFFICE, CHENNAL BRANCH.

6 CLAIMS

An apparatus for treating flue gases comprising a reactor (4) for treating flue gases such that the feed flue gas is mixed with ammonia and irradiated with electron beams to be freed of nitrogen oxides and/or sulfur oxides, characterized in that means (12) for adding ammonia within the reactor is provided at a position in the flow of the flue gas that is upstream of the center of the electron beams being provided within the reactor by a distance no more than 2.5 times the range of the electron beams.

COMP.SPECN: 13 PAGES

DRAWING: 7 SHEETS.

Ind.Cl.:

173 A

190413

Int Cl4:

B 05 B 1 / 00

"AN EJECTION NOZZLE"

APPLICANT(S):

APLICATOR SYSTEM AB
OF METALLVAGEN 6 435 33
MOLNLYCKE, SWEDEN
A SWEDISH COMPANY

INVENTOR(S):

1. KJELL SAND.

Application No.


1062/MAS/95

filed on 22-Aug-95

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.

9 CLAIMS

An ejection nozzle for transport of fibre thread pieces by means of compressed air, e.g. reinforcement material for manufacturing fibre reinforced plastic products, from a cutter to a moulding cavity, which nozzle is provided with a common flow duct for the compressed air and the fibre thread pieces, characterized in that the flow duct passes along at least one reflector surface (15) for the air flow, and that at least one opening (16) for evacuation of air to the surroundings is located along the flow duct.



COMP.SPECN: 9 PAGES DRAWING: 1 SHEET.

ind. di. :

125 B 1 XLI (8)

190414

Int CI

B 65 D 83, / 06 G 01 F 11 / 20

"A DEVICE FOR CONTINUOUSLY INCORPORATING PRECISELY METERED POWDERED MATERIAL SUCH AS CARBON BLACK INTO AN ELASTOMER"

APPLICANT(S):

SEDEPRO.

OF 230, RUE LECOURBE - 75015

PARIS FRANCE A FRENCH COMPANY

INVENTOR(S):

1. DANIEL LAURENT.

APPLICATION NO:

1183 MAS 95

filed on

12-Sep-95

Divisional to Patent Application No:507/MAS/91 Ante-dated to 3rd July, 1991

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4 , PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH. 2 CLAIMS

A device for continuously incorporating precisely metered powdered material such as carbon black into an elastomer comprising a mixing chamber (9), a metering device for granular/pulverulent products comprising product feed means; a rotor (2) having a circular plate (21) on to which the product is delivered by the feed means; means for rotatably driving the said rotor (2), the said plate being bordered by a cylindrical wall (22) bored with at least one channel (24), a cylinder (3) containing the rotor (2), adjusted with respect to the said cylindrical wall (22) so as to leave a slight clearance to permit the rotation of the rotor (2) inside the cylinder (3), said cylinder (3) comprising a port (5) disposed axially opposite the said channel or channels (24), a screen (4) which is fixed with respect to the cylinder (3) and disposed axially at the same level as the said port (5), radially inward of the cylindrical wall (22), and adjusted with respect to the latter so as to permit movement of the rotor (2), the said screen (4) extending angularly beyond both sides of the port (5) by an amount corresponding at least to the angular opening of the said channels and a transfer chamber (6) located down stream of the port (5), the said transfer chamber being in communication with the mixing chamber via a diverging passage and housing a slidable delivery piston.

COMP.SPECN: 10 PAGES DRAWING: 3 SHEETS.

Ind. Cl. :

134 D; 129 G

190415

HACH DYPA

2012 25 35 30 33

TO HAVE TO BE

int Cl 4 :

B 62 D - 1 / 16 B 21 K - 21 / 12

"A METHOD OF PRODUCING A ONE-PIECE

SHAFT AND YOKE MEMBER"

APPLICANT(S):

DANA CORPORATION

4500 DORR STREET

TOLEDO, OHIO

USA

A COMPANY INCORPORATED IN USA

INVENTOR(S):

1. VIRGINIA MCCLANAHAN, 2. JAMES A. DOGGAN.

Application No.

1545 MAS 95

ON

27-Nov-95

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS
(RULE 4 , PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.


6 CLAIMS

A method of producing a one-piece shaft and yoke member comprising the steps of: (a) providing a tube including a first portion, a second extending from said first portion, and a third portion extending from said second portion, said tube having a generally

circular cross sectional shape and defining a first outer diameter;

(b) subsequent to step(a), subjecting said second and third portions of said tube to a diameter reducing process such that said second and third portions of said tube define a second outer diameter that is smaller than said first outer diameter;

- (c) subsequent to step(b), subjecting said second portion of said tube to a diameter reducing process such that said second portion of said tube defines a third outer diameter that is smaller than said second outer diameter;
- (d) subsequent to step (c), forming a yoke on said first portion of said tube and a splined surface on said third portion of said tube to produce said one-piece shaft and yoke member.



COMP.SPECN:13 PAGES DRAWING: 4 SHEETS.

Ind. Cl. :

32 F 1

190416

· Int ©I 4 :

A 61 K 49 / 04 B 01 D 15 / 08

"A METHOD FOR PURIFICATION OF NONIONIC IODINATED OPACIFIER CONTRAST AGENTS"

APPLICANT(S)

BRACCO IMAGING SPA VIA E FOLLI, 50 MILANO ITALY

AN ITALIAN COMPANY

INVENTOR(S):

1. PIVA RODOLFO;

2. VISCARDI CARLO FELICE;

3. GAGNA MASSIMO.

APPLICATION NO:

350 MAS 97

filed on 20-Feb-97

CONVENTION NO:

MI96 A 000339

ON

23-Feb-96 ITALY

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.

13 CLAIMS

A method for purification of nonionic iodinated opacifier constrast agents containing up to 6 iodine atoms per molecule for x-rays, comprising the steps of:

- (a) loading the contrast agent solution on a chromatographic column containing a stationary hydrophobic phase;
- (b) eluting a first fraction, or group of fractions, containing the product and hydrophilic impurities;
- (c) eluting a second fraction, or group of fractions, containing the diluted, substantially pure contrast agent;
- (d) concentrating and simultaneously partially desalinating and purifying the first fraction, or group of fractions, in a tangential filtration system equipped with nanofiltration membranes with rejection of raffinose higher than 90% and rejection of sodium chloride less than 85%;
- (e) adding continuously, or in parts, the second fraction, or group of fractions, to the concentrated retentate derived from step (d) in the same tangential filtrations system to reunite the constant agent initially contained in the two fractions coming from steps (b) and (c) in to a single solution with reduced volume, containing the contrast agent and traces of ionic impurities and (f) completing deionization of the concentrated solution by passing it through one or more columns containing anionic and cationic ion exchange resins such as herein described to obtain the purified non-ionic, iodinated opacifier contrast agent.

COMP.SPECN: 35 PAG

35 PAGES | DRAWING: NIL SHEETS.

ind.Cl.:

32 F 2 b

190417

Int'Cl '

C 07 D 263 / 38

"AN IMPROVED PROCESS FOR THE

PREPARATION OF SUBSTITUTED OXAZOLIDINONE

USEFUL AS ANTIBACTERIAL AGENT"

APPLICANT(S):

Dr. REDDY'S RESEARCH FOUNDATION, AN INDIAN COMPANY HAVING ITS REGISTERED OFFICE AT 7-1-27.

AMEERPET HYDERABAD-500 016,

A.P., INDIA

INVENTOR(S):

1. BRAJ BHUSHAN LOHRAY:

2. SUNDARABABU BASKRAN.

Application No.

2434/MAS/98

filed on

29-Oct-98

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.

24 CLAIMS

We claim:

1. An improved process for the preparation of oxazolidinone of the formula (I).

$$A = \left(\begin{array}{c} O \\ V \end{array}\right) = \left(\begin{array}{c} O \\ V \end{array}\right) \left(\begin{array}{c} O \\ X \end{array}\right)$$

where X represents CH₂OH group; A represents alkyl, aryl, aralkyl, cycloalkyl, heteroaryl, heterocyclyl, acyl, alkoxycarbonyl, aryloxycarbonyl, alkoxy, acyloxy group unsubstituted or substituted by hydroxy, nitro, cyano, alkyl, aryl, alkoxy, acyl, acyloxy groups as herein described; Y represents hydrogen or halogen atom, which comprises:

(i) reacting a compound of formula (III)

where A and Y are as defined above with a compound of formula (IV)

$$\begin{array}{c}
P^2O
\end{array}$$
(IV)

where R represents oxygen atom or a group selected from,

groups and may be the same or different and are independently selected from Bn, R^1Si , pmethoxyben2yl, p-methoxyphenyl, or P^1 and P^2 together form

$$R^1$$
 (CH₂)_n, wherein R^1 represents (C₁-C₃)alkyl group and n represents an integer in the range of 3 to 6 in the presence of Lewis acid and a solvent at a temperature in the range of -78 °C to 200 °C to yield a compound of formula (V) as herein defined.

where A, Y, P¹ and P² are as defined above,

(ii) converting the resulting compound of formula (V) where all symbols are as defined earlier to a compound of formula (VI)

$$A \longrightarrow \bigcap_{|P|} \bigcap_{|P|}$$

where all symbols are as defined earlier using a suitable carbonylating agent in a basic medium, as herein described,

(iii) removing the protecting groups P¹ and P² in the compound of formula (VI) using conventional deprotecting reagents to obtain compound of formula (VII)

where all symbols are as defined earlier,

(iv) dxidative cleaving by conventional methods the compound of formula (VII) to a compound of formula (VIII)

where all symbols are as defined above by oxidative cleavage by conventional methods,

- (v) reducing the compound of formula (VIII) to a compound of formula (I) where X represents CH₂OH group and all other symbols are as defined earlier using conventional carbonyl reducing agents and
- (vi). isolating compound of formula (I) by conventional methods.

 (Compl. Specn.: 27 Pages Drawings: Nil Sheets)

Ind. Cl. :

154 D

190418

Int Cl 4 :

B41 F 31 / 00

"A CONTAINER FOR CONTAINING PRINTING LIQUID

FOR SUPPLYING TO AN INK JET HEAD"

APPLICANT(S):

CANON KABUSHIKI KAISHA,

OF 3-30-2 SHIMOMARUKO, OHTA-KU,

TOKYO, JAPAN,

A JAPANESE COMPANY;

INVENTOR(S):

APPLICATION NO :

1. NORIBUMI KOITABASHI;

2. MASAMI IKEDA;

3. SADAYUKI SUGAMA;

4. NAOHITO ASAI;

5. HIROMITSU HIRABAYASHI;

6. TSUTOMU ABE;

7/ HIROSHI SATO;

B. SHIGEYASU NAGOSHI;

9. EIICHIRO SHIMIZU;

10. MASAHIKO HIGUMA;

11.YUJI AKIYAMA;

12. HITOSHI SUGIMOTO;

13. MIYUKI MATSUBARA;

14. SHINICHI SATO;

15. FUMIHIRO GOTOH:

16. MASAYA UETSUKI.

233 MAS 99

filed on 24-Feb-99

Divisional to Patent Application No:685/MAS/93 Ante-dated to 28th Sept. 1993

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4 , PATENTS RULES, 2003) PATENT OFFICE, CHENNAI BRANCH.

21 CLAIMS

A container for containing printing liquid for supplying to an ink jet head for an ink jet recording apparatus, the container comprising; a first chamber containing negative pressure producing material and having an air vent communicating with ambient air and a supply port for supplying printing liquid to ink jet head, the negative pressure producing material comprising at least one of a material made of fibers and a porous material having continuous pores, wherein the negative pressure producing material has a plurality of regions having different structural properties so that the plurality of regions differ in capillary force; and a second chamber providing a printing liquid reservoir for the first chamber, said container further having a wall separating said first chamber and said second chamber, said wall being spaced apart from a bottom of said container to define a communication port through which said second chamber communicates with said first chamber; said second chamber being generally sealed from ambient air except through the communication port, wherein plurality of regions of the negative pressure producing material are disposed so that the capillary force provided by the negative pressure producing material decreases in a direction perpendicular to and towards said wall at least in an area adjacent to the part of the communication port which is uppermost when the container is in use.

COMP. SPECN: 111 PAGES DRAWING: 45 SHEETS.

Ind.Class - 128-F

190419

Int.Cl. 4 - A 61 M 5/30

"A CARTRIDGE FOR USE IN CONJUNCTION WITH AN ACTUATOR TO FORM A NEEDLE-LESS INJECTOR"

Applicant: WESTON MEDICAL LIMITED, a British Co., of 2a Hales Barn Workshops, New Street, Stradbroke, Suffolk, IP21 5JG, England.

Inventor: THORNLEA, (ENGLAND)

Application No. 969/MAS/99; dated 4th October, 1999.

Convention date: 31st July, 1993;
 (No. 9315915.0; Great Britain)

Divisional to Patent Application No. 710/MAS/94; Ante-dated to 29th July, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 2003) Patent Office, Chennai Br..

6 Claims

A cartridge for use in conjunction with an actuator to form a needle-less injector, comprising a body which is of glass having an outlet for discharging a liquid therethrough and a piston slidably mounted in the body, said piston being made of a material such as a plastic material selected from polytetrafluoroethylene, tetrafluoroethylene-hexaflurorpropylene copolymer, tetrafluoroethylene-ethylene copolymer, polychlorotrifluoroethylene, poly(vinylidene fluoride), tetrafluoroethylene-perfluoro (propyl vinyl ether) copolymers, and hexafluoroisobutylene-vinylidene fluoride copolymer, which is substantially non-resilient when sujected to a slowly acting force and highly resilient when subjected to a rapdily acting force. FIG.8h

F/G.8a

42

10

43

443

(Com. - 32 pages; Drwgs. - 7 sheets)

Ba. Virtsyl

Surface Comment

Ind. Cl. :

54 & 185 E

190420

Int Cl 4 :

A 23 F 5 / 00 A 23 L 1/234

"A METHOD OF MANUFACTURING A WHITENED COFFEE CONCENTRATE"

APPLICANT(S):

SOCIETE DES PRODUITS NESTLE S A

A SWISS BODY CORPORATE

P O BOX 353 1800 VEVEY SWITZERLAND

INVENTOR(\$):

1. CEVALLOS AGUSTIN;

2. CHMIEL OLIVER;

3. MUNZ-SCHAERER DANIIELA DORIS;

4. KNOBLICH CRISTIN; 5. BODENSTAB STEFAN; 6. KUSLYS MARTINAS.

APPLICATION NO:

261 MAS 00

filed on

5-Apr-00

CONVENTION NO:

99108164.7 ON

26-Apr-99

EUROPE

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003) PATENT OFFICE, CHENNAI BRANCH.

6 CLAIMS

A method of manufacturing a whitened coffee concentrate, the method comprising the step of stabilising the said concentrate by incorporating a coffee aroma in such whitened coffee concentrate, the stabilised concentrate having a solids concentration above about 25 % by weight.

COMP.SPECN: 1 5 PAGES DRAWING: NIL SHEETS

: 32 F 3(b) 190421

INT. CL

C 12 P_7/46

TITLE

A METHOD FOR PRODUCTION OF SUCCINIC ACID.

APPLICANT

APPLIED CARBOCHEMICALS, INC. 11601 WILSHIRE BLVD., SUITE 500, LOS ANGELES, CALIFORNIA 90025. U.S.A. AND MICHIGAN STATE

UNIVERSITY BOARD OF TRUSTEES, 238 HANNAH ADMINISTRATION

BLDG., EAST LANSING MICHIGAN 48824, U.S.A.

INVENTORS

1. KRIS A. BERGLUND.

2. SANJAY YEDUR.

3. DILUM D. DUNUWILA.

APPLICATION NO.

521 BOM 1998

FILED ON: 17-08-1998

PRIORITY NO

60/056,013

DATED:

18+08-1997

100 20

09/134,061

13\08-1998**OF U.S.A.**

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES . 2003) TPATENT OFFICE BRANCH, MUMBAI 13.



11 CLAIMS

A method for production of succinic acid, comprising the steps of:

fermenting a carbohydrate in a fermentation broth with a micro organism which produces succinic acid, in a fermenter:

adding an effective amount of a base component to the fermentation broth during fermentation to maintain a suitably neutral pH for production of succinic acid by the micro organism;

drawing off a portion of the fermentation broth containing succinate and other ions from the fermenter;

combining in a crystallizer, the ions from the drawn off broth with a source of sulfate ions and ammonium ions at an effectively low pH to produce crystalline succinic acid and ammonium sulfate:

cracking the ammonium sulfate to produce at least ammonia and ammonium bisulfate; and

reusing at least a portion of the ammonia in the succinic acid production method and feeding at least a portion of the ammonium bisulfate to the crystallizer.

Complete specification: 24 pages,

Drawings: 03 Sheets

64 B1

190422

INT. CL.

C 06 - 005/04

TITLE

SIGNAL TRANSMISSION FUSE AND METHOD OF MAKING

THE SAME.

APPLICANT

THE ENSIGN-BICKFORD COMPANY, 660 HOPMEADOW

STREET, SIMSBURY, CONNECTICUT 06070, UNITED STATES

OF AMERICA. AN AMERICAN COMPANY.

INVENTORS

(1) NICKOLAY LLIYCH RABOTINSKY

(2) VLADIMIR VASILIEVITCH FURNE

(3) URIY GENNADIEVITCH PECHENEV

(4) IGOR VASILIEVITCH NIKITIN

(5) IRINA GENADIEVNA BELJANKINA

(6) ERNEST L. GLADDEN

APPLICATION NO

526 BOM 1998 FILED ON 18.08.1998

Priority No. 08/920, 516 dated 29.08.1997 of U.S.A.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003) PATENT OFFICE BRANCH, MUMBAI - 13.


31 CLAIMS

A signal transmission fuse comprising:

a tube having longitudinal axis, a tube all defining a tube outer surface and a tube inner surface, the tube inner surface defining a bore extending through the tube; and

a support tape having a first side and an opposite second side, the first side having thereon a reactive coating comprising a reactive material and a binder, the binder being present in the reactive coating in an amount by weight less than the weight of the reactive material but sufficient to cause the reactive coating to adhere to the first side of the support tape more strongly than it would if the binder were absent;

wherein the support tape is disposed within and extends along the bore of the tube with the second side of the support tape facing the tube inner surface, and an open portion of the bore extending through the tube adjacent to the reactive coating.



Comp.specn. 29 pages

Drawings: 03 sheets

174 G [LII (4)]

190423

INT. CL.

F 16 F- 15/10

TITLE

VIBRATION DAMPER FOR THE CAMSHAFT OF A

PISTON ENGINE.

APPLICANT

LUK LAMELLEN UND KUPPLUNGSBAU BETEILIGUNGS KG

OF 77813 BUHL/BADEN, GERMANY, GERMAN COMPANY.

INVENTORS

(1) WOLFGANG HASS

(2) DR.RUBEN SCHMITT

(3) FRIEDRICH GERHART

(4) DR. WOLFGANG REIK

(5) STEFFEN LEHMANN

(6) WILLI RUDER

APPLICATION NO :

540/BOM/ 1998 FILED ON 25.08.1998


Priority Nos. 197 39 374.8 dated 09.09.1997 of Germany.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

12 CLAIMS

A Vibration Damper for a crankshaft of piston engine rotatably journalled in a housing comprises a rotary input element and at least one rotary inertia-enhancing mass, said input element and said at least one mass being rotatable relative to each other and said damping means further comprising energy storing resilient means interposed between said input element and said at least one mass to oppose rotation of said input element and said at least one mass relative to each other.

Comp.specn: 51 pages Drawings:07 sheets



IND, CL.

122

190424

INT. CL.

B 01 D-21/26

TITLE

METHOD AND APPARATUS FOR CONTROLLABLY CONDUCTING A SOLUTION, OBTAINED FROM LIQUID-LIQUID EXTRACTION OF TWO SOLUTIONS AND MIXED

INTO DISPERSION, TO A WIDE SETTLER

APPLICANT

OUTOKUMPU OYJ, AFINNISH PUBLIC LIMITED COMPANY

RIIHITONTUNTIE 7, FIN-02200 ESPOO, FINLAND.

INVENTORS

(I) BROR NYMAN

(2) LAUNO LILJA

(3) STIG-ERIK HULTHOLM

(4) JUHANI LYYRA

(5) RAIMO KUUSISTO

(6) PETRI TAIPALE

(7) TIMO SAARENPAA

APPLICATION NO :

543 BOM 1998 FILED ON 25.08.1998

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13.

33 CLAIMS

An apparatus for receiving a dispersion of a liquid-liquid extraction, the apparatus comprising:


a wide settler having a front wall and two side walls,

an essentially continuous dividing wall structure extending across the settler to the side walls thereof and substantially dividing the settler into an inlet space, between the front wall and the dividing wall structure, and a settling space, the dividing wall structure having an upper edge and there being an upper slot between the upper edge of the dividing wall structure and the settler to allow the dispersion to pass from the inlet space to the settling space, and

an uptake shaft extending to the settler from below for delivering the dispersion to the inlet space.

whereby the dispersion delivered to the inlet space through the uptake shaft passes from the inlet space into the settling space through said upper slot.

Comp.specn.: 19 pages Drawings:08 sheets



CL. :

170 D

190425

INT. CL.

C 11 D - 3/00, 11/00

TITLE

BLEACHING COMPOSITIONS

APPLICANT

HINDUSTAN LEVER LIMITED, HINDUSTAN LEVER HOUSE.

165/166 BACKBAY RECLAMATION, MUMBAI 400 020,

MAHARASHTRA, INDIA. AN INDIAN COMPANY

INVENTORS

(1) OLAF CORNELIS PETRUS BEERS

(2) BERNARD LUCAS FERINGA

(3) MICHIEL CAROLUS MARIA GRIBNAU

(4) RONALD HAGE

(5) ROELANT MATHIJS HERMANT

(6) ROBERTUS EVERARDUS KALMEIJER

(7) JEAN HYPOLITES KOEK

(8) CHRISTIAAN LAMERS

(9) JOHANNES GERHARDUS ROELFES

(10) STEPHEN WILLIAMS RUSSELL

(11) ROBIN STEFAN TWISKER

APPLICATION NO :

624/BOM/ 1998 FILED ON 28.09.1998

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003) PATENT OFFICE BRANCH, MUMBAI - 13.

10 CLAIMS

A bleaching composition comprising a peroxy bleaching compound and an oxidation catalyst, said oxidation catalyst comprising an Fe-complex having formula (A):

[LfeX_n]²Y_q

(A)

or pre3cursors thereof, in which

Fe is iron in the II, III, IV or V oxidation state;

X represents a coordinating species such as H₂O, ROH. NR₃, RCN, OH⁻, OOH⁻, RS⁻,RO⁻, RCOO⁻, OCN⁻, SCN⁻, N₃⁻, CN-, F⁻, C1⁻, Br⁻, I⁻, O², NO₃⁻, NO₂⁻, SO₄²-, SO₃²-, PO₄³- or aromatic N donor such as pyridines, pyrazines, pyrazoles, imidazoles, benzimidazoles, pyrimidines, triazoles and thiazoles with R being H2 optionally substituted alkyl or optionally substituted aryl;

n is an integer number ranging from 0-3;

Y is a counter ion, the type of which is dependent on the change of the complex;

z deonotes the charge of the complex and is an integer which can be positive zero or negative, if z is positive, Y is an anion such as F⁻, C1⁻, BR⁻, I⁻, NO₃⁻, BPh₄⁻, C10₄⁻, BF₄⁻, PF₆⁻, RSO₃⁻, RSO₄⁻, SO₄²-, CF₃SO₃⁻ or RCQO⁻; if z is negative, Y is a common cation such as an alkali metal, alkaline earth metal or (alkyl) ammonium cation;

$$\begin{array}{c|cccc}
R2 & R4 \\
R1 & C & N \\
\hline
R_3 & R_5
\end{array}$$
(B)

which contains at least five nitrogen atoms and in which the substituent groups R₁-R₅ are selected from hydrogen, hydroxy, halogen, halogen, nitroso, formyl, carboxyl and esters and salts thereof, carbamoyl, sulfo and esters and salts hereof, sulfamoyl, nitro, amino C₀-C₂₀-alkyl-hydroxy, C₀-C₂₀-alkyl-halogen, C₀-C₂₀-alkyl-nitroso, C₀-C₂₀-alkyl-formyl, C₀-C₂₀-alkyl-carboxyl, and esters and salts thereof, C₀-C₂₀-alkyl-carbamoyl, C₀-C₂₀-alkyl-sulfamoyl, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-sulfamoyl, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-alkyl, C₀-C₂₀-alkyl-amino, C₀-C₂₀-alkyl-alkyl, C₀-C₂₀-alkyl-alkyl, C₀-C₂₀-alkyl, alkyl, C₀-C₂-alkyl, alkoxy, carbonyl-C₀-C₆-alkoxy, and aryl C₀-C₆-alkyl,

provided that R₁ does not represent hydrogen.

Comp.specn. 29 pages

Drawings: Nil

IND, CL.

455 F1 [XXIII]

190426

INT. CL.

E 04 C - 1/40

TITLE

A METHOD OF MAKING A PLANAR PRESSING SURFACE FOR PRODUCING DECORATIVE LAMINATE FROM RESIN

IMPREGNATED PAPER

APPLICANT

PREMARK RWP HOLDINGS, INC.OF 300 MARKET STREET,

WILMINGTON, DELAWARE 19801, U.S.A. A AMERICAN

COMPANY.

INVENTORS

(1) MUYUAN M.MA

(2) JAY T. OLIVER

APPLICATION NO:

689/BOM/1998 FILED ON 28.10.1998

Priority No. 09/001, 146 dated 30.12.1997 of U.S.A.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS RULE 4, PATENTS RULES 2003) PATENT OFFICE BRANCH, MUMBAI-13.

10 CLAIMS

A method of making a planar pressing surface for producing decorative laminate from resin impregnated paper, comprising:

imparting a desired finish on a planar pressing surface; removing contaminants from the planar surface; and

coating the planar surface with diborides, selected from the group consisting of hafnium diboride, molybdenum diboride, tantalum diboride titantium diboride, tungsten diboride, vanadium diboride, or zirconium diboride or mixtures thereof in a planar magnetron suputter coating system to the Vickers hardness of at least 2000,

Wherein the coating step is performed by causing said planar surface and sputtering head of the planar magnetron sputter coating system to move relative to one another at a scanning speed sufficient to provide a thermal gradient in the planar pressing surface of 50° F or less.

Comp.specn . 21 pages

Drawings: Nil

190427 64 A : IND. CL. G 11 003/90 : INT. CL.

A DEVICE FOR DETECTING DEFECTS SUCH AS TITLE SCRATCHES AND CRACKS ON AN ELECTRICALLY

CONDUCTIVE SURFACE.

DEPARTMENTOF ATOMIC ENERGY. APPLICANT

ANUSHAKTI BHAVAN,

CHATRPATI SHIVAJI MAHARAJ MARG,

MUMBAI - 400 039.

MAHARASHTRA, INDIA,

A GOVERNMENT OF INDIA BODY.

1. PKALYANASUNDRAM. INVENTORS

2. KV KASIVISWANATHAN.

3. T JAYAKUMAR. 4. BALDEV RAJ.


02-12-1998 FILED ON: 779 BOM 1998 APPLICATION NO.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI 13.

04 CLAIMS

A device for detecting defects such as scratches and cracks on an electrically conductive surface comprising an eddy current probe unit with differential eddy current coils (C1, C2) having a narrow gap of less than 10 µm between the poles of each of the said coils, the said probe anit being provided with a pair of centering discs (D1, D2) and a drivable handle (II) on one of the centering discs (D1), which is connected to a stepper motor through a stepper motor controller (SMC) and a stepper motor interface (SMI), an eddy current detecting means (ECDM) being connected to the said probe unit for producing analogue signals corresponding to the surface defects, an analogue to digital converter (ADC) for converting the analogue signals received from the said eddy current detecting means (ECDM) to digital signal and the output from the analogue to digital converter is fed to a computer (PC).

Complete specification: 10 pages, Drawings: 02 Sheets



: 20 B

190428

INT. CL.

: B 42 F 001/10

TITLE

: PARTOGRAM.

APPLICANT

DR. (MRS.) NEELAM BHARDWAJ.

402C MAESTROS,

WANOWARIE, SALUNKHE VIHAR ROAD,

PUNE - 411 040.

MAHARASHTRA, INDIA.

INVENTORS

1DEM

APPLICATION NO.

I/BOM/1999

FILED ON: 01-01-1999

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003). PATENT OFFICE BRANCH, MUMBAI 13.

02 CLAIMS

A partogram comprising: an outer disc, top of which is graduated like a clock showing twelve hours and intervals of ten minutes; an inner disc adopted to set the time to indicate beginning of labour, relatively small rotatable fitted to the center of the said outer disc having four arrows shown in different colours, first arrow indicating beginning of the labour, second arrow indicating alert time, after eight hours are from first arrow; third arrow indicating transfer to primary health center and fourth arrow indicating transfer to district hospital of a pregnant woman, per vaginum examination marked after four hours from first arrow, foetal heart test at every hour from first arrow and half an hour there after from the second arrow and two contraction check within ten minutes.

Complete specification: 05 pages,

Drawings: 01 Sheets

: 83 A2 [XIV (5)]

190429

INT. CL.

: A 23 G, 9/00

TITLE

A PROCESS FOR THE PREPARATION OF A WATER

ICE PRODUCT.

APPLICANT

HINDUSTAN LEVER LIMITED

HINDUSTAN LEVER HOUSE, 165/166, BACKBAY RECLAMATION, MUMBAI-400 020. MAHARASHTRA,

INDIA, AN INDIAN COMPANY.

INVENTORS

(1) DOUGLAS JAMES BARNES

(2) ADRIAN DANIEL

(3) VIJAY ARJUN S'AWANT

APPLICATION NO.:

23/BOM/1999

FILED ON 11.01.1999

PRIORITY NO. 9801966.4 DATED 29.01.1998 OF U.K.

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES, 2003), PATENT OFFICE BRANCH, MUMBAI-400 013.

08 CLAIMS

A process for preparation of a water ice product, comprising the steps;

- (i) aeration of a water ice composition with an aerating gas which contains at least 50% by volume of a water soluble gas such as herein described;
- (ii) freezing in a freezer such that the residence time in the freezer is approximately 2.5 to 10 minutes; and
- (iii) two-stage hardening such as herein described.

Comp.specn, 20 pages

Drgs. 01 Sheets

IND. CI

107 C

190430

INT. CL.

F 01 C 001/02

TITLE

MUFFLERS.

APPLICANT

KIRLOSKAR COPELAND LIMITED

DADHE RUIKAR HOUSE, 2007, TILAK ROAD,

PUNE-411 030. MAHARASHTRA, INDIA.

AN INDIAN COMPANY

INVENTOR:

I) BHALCHANDRA KALE.

2) RAJA KUPPURATHINAM.

APPLICATION NO.:

32/BOM/99 FILED ON 13.1.99

APPROPRIATE OFFICE FOR OPPOSITION PROCEEDINGS (RULE 4, PATENTS RULES 2003), PATENT OFFICE BRANCH, MUMBAI - 13

05-CLAIMS.

A compressor discharge reactive muffler comprising:

a shell defining a generally cylindrical sound attenuation chamber having a longitudinal axis, said chamber having an inlet opening disposed at a lower end of said shell and an outlet opening disposed at an upper end of said shell, in the operative configuration of the muffler as installed in a compressor,


a single piece tube disposed within said attenuation chamber and having a central passage defined along a central axis, an outlet end, and an inlet end, said inlet end sealingly connected to said inlet opening for receiving gas entering said muffler, said outlet end sealingly connected to said outlet opening for discharging said gas from said muffler, said tube being straight with said central axis of said tube extending generally parallel to said longitudinal axis of said shell;

means defining a slot formation through the wall of said tube on said tube disposed within said attenuation chamber said slot formation spaced from the said inlet and the said outlet openings in accordance with the following relationship;

 $0.15 \le L 1/L3 \le 0.5$: and $7 \le L1/L2 \le 9$ where L3 is the length of the tube within the inner space of the attenuation chamber, L2 is the length of the slot formation and L1 is the distance between downstream end of the tube in the attenuation chamber and the beginning of the slot formation; and

means defining an opening through the wall of said tube on said tube disposed within said attenuation chamber.

Complete Specification 22 pages; Drawings 13 sheets.



32C.

190431

International Classification⁴

C07C 121/00.

Title

"AN IMPROVED PROCESS FOR THE PREPARATION OF CYANOPYRIDINES".

Applicant

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of

1860).

Inventors

SHIVANAND JANARDAN KULKARNI.

REVUR RAMACHANDRA RAO. MACHIRAJU SUBRAHMANYAM.

SURESH FARSINAVIS. PANJA KANTA RAO.

ALLA VENKAT RAMA RAO-all Indian.

Kind of Application

PROVISIONAL/COMPLETE.

Application for Patent Number 955/DEL/95 filed on 25.05.95 Complete left after Provisional specification filed on 23.08.96.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, Delhi Branch, New Delhi – 110 008.

(04 Claims)

An improved process for the preparation of cyanopyridines which comprises passing a feed consisting of 3-picoline or 4-picoline ammonia in a molar ratio ranging from 1:1 to 1:20 water and air/oxygen ranging from 30 cc per min. to 100 cc per min. over a vanadium-silico-alumino-phosphate (VSAPO) catalyst prepared by the process such as herein described at a temperature in the range of 300-450°C and weight hourly space velocity of liquid feed products in the range of 0.25 to 1.0 per hour, recovering the cyanopyridines by conventional methods.

32C.

190432

International Classification⁴

C07C 121/00.

Title

"AN IMPROVED PROCESS FOR THE PREPARATION OF CYANOPYRIDINES".

Applicant

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of

1860).

Inventors

SHIVANAND JANARDAN KULKARNI.

REVUR RAMACHANDRA RAO. MACHIRAJU SUBRAHMANYAM.

SURESH FARSINAVIS. PANJA KANTA RAO.

ALLA VENKAT RAMA RAO-all Indian.

Application for Patent Number 956/DEL/95 filed on 25.05.95 Complete left after Provisional specification filed on 23.08.96.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office, Delhi Branch, New Delhi – 110 008.

(03 Claims)

1. An improved process for the preparation of cyanopyridines which comprises passing a feed consisting of
3-picoline or 4-picolines in a molar ratio of 1:1
ammonia to 1:20 water and air / oxygen in the range of
30 cc per minute to 100 cc per minute over a crystalline, porous silica alumino phosphate (SAPO) catalyst
prepared by the process such as herein described at a
temperature in the range of 300-450 C and weight hourly
space velocity of liquid feed products in the range of
0.25 to 1.0 per hour recovering by conventional methods to obtain cyanopyridines.

(Provisional specification 04 Pages Drawing NIL Sheet)
(Complete Specification 08 Pages Drawing NIL Sheet)

136 F

190433

International Classification4

B 29 C

Title

"APPARATUS FOR PROVIDING A VACUUM IN A

SEGMENTED TIRE MOLD"

Applicant

THE GOODYEAR TIRE & RUBBER COMPANY, of the State of Ohio, United States of America, having our principal place of business and a post office address at 1144 East Market Street,

Akron, Ohio 44316-0001, United States of America.

Inventors

VERONIQUE MORIS- HERBEUVAL - BELGIUM RAYMOND - MERX - LUXEMBOURG

KLAUS - SCHMITT - GERMAN HELMUT - DERNBACH - GERMAN CRAIG DAVID MILLER - U.S.A. BERNARD BYRON JACOBS - U.S.A.

Kind of Application

COMPLETE

Application for Patent Number


1169/del/1995 filed on

23/06/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office , New Delhi Branch - 110 008.

(Claims 13)

Apparatus for providing a vacuum in a segmented tire mold having an upper sidewall assembly and a lower sidewall assembly, a plurality of radially moveable tread mold segments operable with said upper sidewall assembly and said lower sidewall assembly to define a tire mold cavity in the closed position of said tire mold, a conical actuating ring assembly surrounding said mold segments and slidably engagable with said mold segments to provide radial movement of said mold segments into engagement with said upper sidewall assembly and said lower sidewall assembly, said apparatus characterized by: (a) a first sealing means between said actuating ring assembly and said lower sidewall assembly; (b) a second sealing means between said actuating ring assembly and said upper sidewall assembly; (c) said first sealing means and said second sealing means being operative to seal a space defined by said actuating ring assembly, said upper sidewall assembly, said lower sidewall assembly and an associated tire in said tire mold cavity; said space being sealed while said tread mold segments are spaced from said associated tire; and (d) means for communicating said vacuum to said space for removing gases from said tire mold cavity upon closing of said mold.



Complete Specification

No of Pages

21

Drawings Sheets

14

24 F/ 24 B, 134 D

190434

International diassification4

F 16 D 65/14, F 16 D 65/22

Title

"A Drum Brake"

Applicant

Alliedsignal Europe Services Techniques, of 126 Rue de.

Stalingrad, 93700 Drancy, France.

Inventors

JEAN CHARLES MALIGNE FRANCE

Kind of Application

COMPLETE

Application for Patent Number

1905/del/1995

filed on


17/10/1995

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office , New Delhi Branch - 110 008

Claims

09.)

A drum brake having a carrier plate (10) on which there are slidably mounted two shoes 14) each one including a web (12a, 14a) and a rim section (12b, 14b) of which the face opposite the drum (20) receives a friction lining (16,18) capable of being brought into frictional endagement against an internal face of the drum (20) by a hydraulic actuation device (22) acting on a first end of the webs (12a, 14a) of the shoes (12, 14), a variable-length strut (40) which, in interaction with a tension spring (30), determines the separation of the shoes (12, 14) and which is located in the vicinity of the hydraulic actuation device (22), a second end of the webs (12a, 14a) of the shoes (12, 14) bearing, when the drum brake is at rest or hydraulically acutated, on a bearing piece (28) integral with the carrier plate (10), a mechanical actuation device (60, 70) for bringing the friction linings (16, 18) into frictional engagement against the internal face of the drum (20) and the webs (12a, 14a) of the shoes (12, 14) away from the bearing piece (28) by means of a force-transmission device (70) mounted on the web (14a) of a first shoe (14) and bearing, when the drum brake is mechanically actuated, on the web (12b [sic]) of a second shoe (12) by means, on the one hand, of the varicble-length strut(40) and, on the other hand, of a means (32) for joining the two shoes (12, 14) together, characterized in that a brace (100) is located on the web (14a) of the first shoe (14) and includes an active part (114) interposed retractably between the first end of the web (14a) of the first shoe (14) and one end (79) of the force-transmission device (70).



Complete Specification

No of Pages

17

Drawings Sheets

03

32F₁; 55E₄.

190435

International Classification⁴

A 61K 31/00

Title

"AN IMPROVED PROCESS FOR THE PREPARATION OF α-BROMO PHENYL

ACETIC ACID".

Applicant

COUNCIL OF SCIENTIFIC AND

INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-100 001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of

1860).

Inventors

ARAVIND BAPURAO LANDGE.

VISHWANIYANT GOPAL NAIK-BOTH INDIAN

Application for Patent Number 1354/DEL/96 filed on 20.06.96.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)

Patent Office, Delhi Branch, New Delhi – 110 008.

(06 Claims)

An improved process for the preparation of α -bromophenylacetic acid which comprises of slowly adding bromine at a rate such as here in described to phenylacetic acid, with red phosphorus in presence of an initiator such as benzyl peroxide, cumene hydroperoxide, AIBN or devices for irradiation using UV, visible rays providing free radical at 70- 125°C for 2 to 5 hrs with constant stirring, stopping the addition of bromine and further stirring the reaction mixture for 1 to 2 hrs, cooling the reaction mixture to room temperature, pouring this mixture into ice cold water to precipitate α -bromophenylacetic acid, separating the precipitate by filtration, washing with water and drying the precipitate to yield α -bromophenylacetic acid.

(Complete Specification 09 Pages Drawing NIL Sheet)

83A,.

190436

International Classification

A 23L 1/29

Title

"A PROCESS FOR THE PREPARATION OF ENTERALFOOD, USEFUL AS FOOD FOR PATIENTS AT HYPERCATABOLIC STATE ESPECIALLY THE THERMALLY INJURED

PATIENTS".

Applicant

COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFIMARG, NEW DELHI-100 001, INDIA, AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION OF SOCIETIES ACT

(ACT XXI OF 1860).

Inventors

NAGAPPA GURUSIDDAPPA MALLESHI.

MEERA CHAKRAVARTY-ALL INDIAN.

Application for Patent Number 1355/DEL/96 filed on 20.06.96.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office, Delhi Branch, New Delhi—1 0 008.

(03 Claims)

A process for the preparation of enteral food useful as a food for patients at hypercatabolic state especially the thermally injured patients, which comprises:

- Soaking viable seeds of cereals preferably barley, paddy (rough rice), wheat and finger millet (minor cereal) in excess water separately for a period ranging from 12—30 hr,
- ii) Germinating the said soaked seeds separately for a period ranging from 1—4 days by known methods,
- iii) Drying the germinated cereals separately either in sun or in mechanical dryer by known methods,
- iv) Removing the rootlets of dried cereal sprouts separately by known methods,

- v) Kilning the resultant green malts separately in the temperature range of 50—70°C for a period in the range of 30—60 min,
- brown rice malt and malted cereals with 2—7% additional water and tempering for 5—20 minutes separately and milling the individual malted cereals separately in abrassive, comminuting, friction, roller, attrition or alike mills alone or in combination and sieving off through 80—120 mesh sieve to prepare cereal malt flours.
- vii) Preparing edible flour from amaranth seeds by processing substantially by known methods so that most of the nutrients of the seeds remain in the product,
- viii) Toasting defatted soy flour at a temperature in the range of 70—90°C, for 15—20 min,
- ix) Homo genising together the Yolk and the white from fresh avian eggs preferably from hen, for a period ranging from 5—15 sec.
- x) Preparing curd (yogurt) by known methods containing 2—4x10° cfu of Lactic acid bacteria per ml curd using bovine milk cultured with known strains of pure Lactic acid bacteria,
- Blending malt flours in the range of 15—30% obtained from different cereals in step (vi) separately or mixture of them, edible amaranth seed flour in the range of 5—15% obtained in step (vii), soya flour in the range of 5—25% obtained in step (viii), mashed egg in the range of 15-20% obtained in step (ix), pasteurized fresh milk (0.5—25%), sucrose (5—10%), fish oil (5—10%), soya oil (5—10%), edible gum (0.5-3%) and glycerin (0.5-2%),
- (xii) Mixing the resultant blend with potable water to prepare a 25—35% solid contents slurry, heating the slurry at a temperature ranging 55-65° C by raising the temperature at the rate of 2-3°C per min, maintaining the slurry at that temperature for 5-20 min. further, raising the temperature to boiling, bailing for 5-10 rain and cooling to ambient temperature,
- (xiii) Adding the curd obtained in step (x), and also the premix of vitamins and minerals to the slurry,
- (xiv) Homogenising the mixture by known methods and spray drying the slurry at 160-190°C air temperature and 60—90°C material temperature, to get the desired product.

(Complete Specification Pages 28 Drawing NIL Sheets)

Indian Classification

55E4

190437

International Classification⁴

A 61K 31/00, A61K 35/78.

Title

"A PROCESS FOR THE PREPARATION OF A CHOLESTEROL LOWERING

SUBSTANCE (ALLICIN)".

Applicant

NATIONAL RESEARCH DEVELOPMENT CORPORATION (A Government of India Enterprise) of 20-22, Zamroodpur Community Centre, Kailash colony Extension, New Delhi-

110 048. INDIA.

Inventors

POTHAPRAGADA SURYANARAYAN

MURTHY.

RATTI RATNAKAR-Both Indian.

Application for Patent Number 981/DEL/97 filed on 15.04.97.

Complete specification left after Provisional specification filed on 01.05.98

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003)
Patent Office Delhi Branch, New Delhi – 110 008.

(05 Claims)

A process for the preparation of cholesterol lowering substance (allicin) from garlic comprising removing the outer cover from fresh garlic cloves, mixing said cloves with distilled ethanol in the ratio of 1:2 respectively, subjecting said mixture to the step of homogenization at a temperature of 4-6 C and leaving the same for overnight, filtering the slurry so obtained and extracting the residue again subjecting the combined extracts to the steps centrifugation and filtration, concentrating the extract so obtained in vaccuo and subjecting the residual layer step of extraction with chloroform again and the drying the combined chloroform extract over again, anhydrous sodium sulfate and concentrating the same, in vaccuo to get oily layer of said substance (allicin).

(Provisional specification 03 Pages Drawing NIL Sheet)
(Complete Specification 07 Pages Drawing NIL Sheet)

Indian Classification

40 F

190438

International Classification4

C07B 43/02

Title

"A PROCESS FOR THE NITRATION OF AN AROMATIC

OR HETEROAROMATIC COMPOUND."

Applicant

SYNGENTA LIMITED (formerly known as ZENECA

LIMITED), European Regional Centre, Priestley Road, Surrey Research Park, Guildford, Surry GU2 7YH,

England.

Inventors

IAN JEFFREY GRASSHAM PRIESTLEY - U.K.

JAMES PETER MUXWORTHY- U.K.
JOHN HEATHCOTE ATHERTON - U.K.

MARTIN LENNON - U.K.

STEPHEN MARTIN BROWN - U.K.

Application for Patent Number 3109/Del/ 97 filed on 28th Oct. 97. Convention date 1.11.1996; 28.7.1997/ 9622784.8; 9715846.3/ U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi – 110 005.

(12 Claims)

A process for the nitration of an aromatic or heteroaromatic compound, of the kind such as herein described, with a nitrating agent comprising a mixture of nitric and sulphuric acids containing 30 to 45% nitric acid, and optionally, in the presence of acetic anhydride, characterized in that the nitration is performed in a solvent comprising at least 50% v/v of a C_1 - C_6 alkyl ester of a C_1 - C_4 carboxylic acid.

(Complete Specification 18 Pages; Drawings Nil Sheets)

Indian Classification

55 E

190439

International Classification⁴.

A61K 35/78

Title

"A PROCESS FOR THE PREPARATION OF A HERBAL COMPOSITION FOR USE FOR THE TREATMENT OF

RHEUMATOID ARTHRITIS."

Applicant

DINESH BOTHRA, an Indian National of 630,

Maruti Mane Block, Asiad Village Complex, New

Delhi-110 049, INDIA.

Inventors

GOVIND PRASAD DUBEY - INDIAN

ARUNA AGARWAL – INDIAN

App: Secon for Patent Number 619/Del/ 98 filed on 11th March 98. Compared left after provisional on 9.6.99

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 2003) Patent Office Branch, New Delhi - 110 008.

(9 Claims)

A process for the preparation of a herbal composition for use for the treatment of rheumatdid arthritis comprising mixing:-

- 25 to 250 mg organic extract of Vitex nigundo (Nirgundi) plants **i**)
- 25 to 250 mg organi extract of Pluchea lanceolata (Rasna) plants ii)
- 25 to 250 mg organic extract of Sida cordifolia (Bala) plants iii)
- 50-300 mg organic extract of Tinospora cordifolia (Guduchi) plants iv)
- 50-300 mg organic extract of Commiphora mukul (Guggulu) plants v)
- 50-30 mg organic extract of Withania somnifera (Ashwagandha) and/or the vi) remainder being optionally a known conventional additives to every 500 mg of the said composition.

(Provisional Specification 6 Pages; Drawings Nil Sheets) (Complete Specification 11 Pages; Drawings Nil Sheets)

PART 111-SEC. 21 190440 206E Ind CL G 06F 15/10 Int. Cl.4 "A SYSTEM FOR TRANSLATING A FIRST PROGRAM CODE TO A SECOND Title PROGRAM CODE". DIGITAL EQUIPMENT CORPORATION, a corporation organised under the laws of the Applicant : State of massachusetts, United States of America, of 146 Main Street, Maynord, Massachusetts 01745, United States of America. 1. SCOTT G. ROBINSON-U.S.A., 2. RICHARD LEK SITES-U.S.A. 3. RICHARD Inventor(s) THOMAS WITEK-U.S.A.

Application for Patent No. 686/Del/91 Filed on 30.07.91.

Appropriate Office for Opposition proceedings Rule 4, (Patents Rules 2003) Patent Office Branch, New Delhi-110005.

Claim 1

A system for translating a first program code to a second program code, said system comprising:

a first computer system having a first processor for translating the first program code to the second program code and a first memory system coupled to said first processor;

means for translating each successive instruction in the first code to second code instructions;

means for organising the second code instructions for each first code instruction into a granular instruction sequence having in order at least two groups, a first group including these second code instructions that do instruction work other than state up-date and can be aborted after execution without risking a state error, and a second group having all memory and register state update instructions including any special write instruction required to implement the first code instruction being translated;

a second computer system for executing the second code generated as output by said first computer system, said second computer system having said second architecture and having a second processor and a memory and register state including a second memory system coupled to said second processor;

means for determing during second code execution the occurrence of each event intervening that ally or possibly creates or conflict with memory atomicity of said first special write instruction or the occur rch


conflicting write to said first memory location by said other processor if it is coupled to said me means for aborting for a rotry any granular second code instruction sequence to pr tion state-atomicity and first code instruction granularity if an asynchr quence execution before all of the first group instructions have been excuted or, if

been executed, before the execution of any second group instruction that

thereby enabling subsequent asynchronous event processing; 15-167 G1/2003

means for aborting for a rotry until successful execution is completed said first special instruction subsequence in any granular second code instruction sequence that includes said first subsequence of a conflicting write is made by said other processor before completion of execution of said first subsequence; or if said first subsequent is a single write instruction including multiple steps and if a conflicting write is detected to have been made by said other processor before completion of execution of said first subsequence.

means for aborting any granular second code instruction sequence that includes first subsequence for a rotry said first subsequence is single write instruction and if an asynchronous event interrupt occurs during attempted execution of said first subsequence; and means for delaying the processing of an asynchronous event interrupt and completing any granular second code instruction sequence being execute A) if said first or second subsequence is included in the granular instruction sequence and if the asynchronous event interrupt occurs at most after a first write during execution of said first or second instruction subsequence or B) if the asynchronous event occurs after execution of all state update instructions in said second group that are subject to possible exception.



(Complete Specification 40 Pages

Alshonon drough son &

Drawing Sheets 7)


Ind.Cl	•	206 C 190441
Int.Cl ⁴		G 01 S 13/68
Title	:	RADAR APPARATUS PROVIDED WITH AN ANTENNA.
Applicant	:	THALES NEDERLAND B.V OF ZUIDELIJKE HAVENWEG
		40, 7550-GD, HENGELO, THE NETHERLANDS.
Inventor		1. ANTONIUS JOHANNES MARIA WITHAG.
		2. PETER JAN COOL.
		3. HENK FISCHER.
Application	no.	810/CAL/1993 FILED ON 23.12.1993.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

9 CLAIMS.

Radar apparatus provided with an antenna (1) for connecting to a substantially non-recoiling part of a gun barrel (4) of a gun (2) equipped with servo motors (5,6), a radar transmission device (10), a radar reception device (11), a radar data processor and servo control means (12), for generating control signals for the servo motors (5,6) such that in a first operational mode the apparatus is fit for automatically tracking a target, characterized in that the



antenna (1) is Cassegrain antenna provided with a parabolic reflector (8) and a flat mirror (9), the parabolic reflector (8) being provided with polarization-dependent reflection means and the flat mirror (9) with polarization-twisting reflection means, and a feedhorn (7) which is centrally positioned in a aperture of the flat mirror (9) for transmitting and receiving radar radiation via the parabolic reflector (8) and the flat mirror (9), and that the flat mirror (9) is controlled with actuators (13), for generating in a second operational mode an angular offset between a gun (2) centre line and a line of sight of antenna (1).

Complete Specification: 12 pages. Drawing: 2 sheets.

206 K

190442

Int.Cl4.

H 03 G - 3/20

Title

APPARATUS FOR CONTROLLING THE CONVERSION GAIN

OF A DOWN CONVERTER.

Applicant

THOMSON CONSUMER ELECTRONICS, INC. OF 10330 NORTH

MERIDIAN STREET, INDIANAPOLIS, INDIANA 46290-1024

UNITED STATES OF AMERICA.

Inventor

MAX WARD MUTERSPAUGH.

Application no.

1816/CAL/96 FILED ON 14.10,1996.

(Convention no.005837 AND 624302 FILED ON 23.10.1995 AND ON 29.3.96 IN U.S.A.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

16 CLAIMS.

Apparatus for controlling the conversion gain of down converter comprising:

An outdoor unit (100, 200) of a receiving system for converting the frequency band of RF signals received from an antenna to a lower frequency band and having an output (126) for coupling the converted RF signals to an indoor unit (202) having a tuner (203) and a demodulator (220) and coupled to the output (126) of said down converter via a coaxial cable (222):



A gain control signal generator (146) responsive to said converted RF signals for producing a gain control signal;

Means (106) disposed within said down converter and coupled to said gain control signal generator (146) for controlling the conversion gain of said down converter in response to said gain control signal.

Complete Specification: 17 pages.

Drawing: 3 sheets.

7 12

Ind.Cl

186 B

190443

Int.Cl4

G 06 K - 9/48

Title

APPARATUS FOR ENCODING A VIDEO SIGNAL OF A

CONTOUR OF AN OBJECT.

Applicant

DAEWOO ELECTRONICS CORPORATION, OF 686

AHYEON-DONG, MAPO-GU, SEOUL, KOREA.

Inventor

JIN-HUN KIM.

Application no.

1971/CAL/96 FILED ON 14.11.1996.

(Convention no. 96-40891 FILED ON 19.9.1996 in SOUTH KOREA.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)


Patent Office Kolkata.

9 CLAIMS.

An apparatus for encoding a video signal of a contour of an object wherein the apparatus compresses the video signal of a current contour of the object with respect to a previous contour thereof, which comprises:

Polygonal approximation block (201) for determining a plurality of first vertex points on the current contour;

Vertex mapping block (220) for providing, based on the first vertex points, second vertex points of said plurality on the previous contour wherein each second vertex point corresponds to one of the first vertex points;



First and second N-point sampling blocks (210 and 230) for approximating the current and the previous contours by a first and second sets of line segments, respectively, wherein each line segment of the first set is formed by joining two of the first vertex points positioned adjacent each other on the current contour and each line segment of the second set is formed by connecting two of the second vertex points disposed neighbouring each other along the previous contour and generating a first set of errors between a current contour segment and a line segment of the first set which are defined by two adjacent first vertex points and a second set of errors between a previous contour segment and a line segment of the second set which are determined by two second vertex points corresponding to said two adjacent first vertex points;

Substractor (235) for calculating a difference between the first and the second sets of

errors;

T & Q block (240) and statistical coder (245) for encoding the difference to produce

encoded data;

Contour reconstruction block (260) for reconstructing the current counter based on the encoded data to produce a reconstructed current contour; and

Memory (270) for storing the reconstructed current contour as a previous contour for a subsequent contour.

Complete Specification: 16 pages. Drawing: 3 sheets.

187 H

190444

Int.Cl4

: H 04 N 7/13

Title

11 04 14 7/13

AN APPARATUS FOR PADDING AN INPUT VIDEO SIGNAL FOR

SHAPE ADAPTIVE DISCRETE COSINE TRANSFORM.

Applicant

DAEWOO ELECTRONICS CORPORATION, OF 686

AHYEON-DONG, MAPO-GU, SEOUL, KOREA.

Inventor

SANG-HOON LEE.

Application no.

23/CAL/97 FILED ON 06.01.1997.

Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

2 CLAIMS.


An apparatus for padding an input video signal for shape adaptive discrete cosine transform, the input video signal being divided into a multiplicity of image blocks of an identical size of N X N pixels, N being a positive integer, which comprises:

A boundary block detection unit (100) for detecting an image block containing object and background pixels;

A block scanning unit (210) for finding a padding pixel by scanning the image block containing the object and the background pixel the padding pixel representing a background pixel located among the object pixels on a same row or column in the image block;

A block compensation unit (220) for computing a substitute pixel value based on the pixel values of the object pixels and for replacing the padding pixel with the substitute pixel value to thereby produce a padded image block having a compensated object region, the compensated object region containing the object pixel values and the substitute pixel value; and

a SA-DCT unit (300) for transforming the padded image block to a set of SA-DCT coefficients.



Complete Specification: 18 pages. Drawing: 3 sheets.

146 D 1.

190445

Int.Cl4

G 02 B 6/24

Title

A1* - ---4

:

OPTICAL FIBER CONNECTOR PROTECTING SUPPORTER

Applicant

SAMSUNG ELECTRONICS CO. LTD. OF 416, MAETAN-DONG

PALDAL-GU, SUWON-CITY, KYUNGKI-DO KOREA.

Inventor

HAK-SUK KIM.

Application no.

25/CAL/97 FILED ON 06.11.1997

(Convention no. 1598/1996 FILED ON 25.1.196 IN KOREA.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

2 CLAIMS.

An optical fiber connector protecting supporting having a function of protecting the connector of optical fiber, the supporting comprising:

A hook-shaped fixing pin (20) located on the bottom of the supporter (14) and for absorbing vibrations during one of a mechanical splicing operation and fusion splicing operation;



A pair of mechanical splicer holding recesses (16) positioned at opposite inner ends of the supporter (14) and for securing the mechanical splicer (26) during the mechanical splicing operation;

A pair of thermally shrinking tube holding recesses (18) positioned at opposite outer ends of the supporter (14) and for securing the thermally shrinking tube (24) during said fusion splicing operation; and

A pair of optical fiber guides (10) located at opposite outermost ends of the supporter (14) and each having a recess (12) for securing the optical fiber (22), the supporter (14) capable of using both the mechanical splicer (26) and thermally shrinking tube (24).

Complete Specification: 9 pages.

Drawing: 3 sheets.

186 B.

190446

Int.Cl4

H 03 M - 7/30

Title

A DATA COMPRESSING APPARATUS.

Applicant

HITACHI, LTD., OF 6, KANDA SURUGADAI 4-CHOME,

CHIYODA-KU, TOKYO, JAPAN.

Inventor

1. SEIICHI DOMYO.

2. HIROSHI YOSHIURA.

3. YOSHIAKI HATTORI.

4. YUTAKA OTSU.

5. HIROMASA MURAKAMI.

A. plication no.

136/CAL/97 FILED ON 24.10.1997.

(C. ention no. 08-015012 FILED ON 31.01.1996 IN JAPAN.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

5 CLAIMS.

A data compressing apparatus, in which input data (201) is decomposed into input bit strings (202), for conducting a string retrieval through a first dynamic dictionary control unit (230) with a dynamic dictionary (231) for converting input data from the input section including a first bit string into a second bit string according to a predetermined rule, the second bit string smaller in length than the first bit string, said data compressing apparatus comprising:

a second static dictionary control unit (240)
with a static dictionary (241) for converting the input data
into a third bit string smaller in length than the second bit
string according to a table in which a bit string of each
candidate input data beforehand fixedly corresponds to a
bit string smaller in length than the bit string of the
candidate input data;



said second dictionary (241) configured by beforehand defining in a fixed manner bit strings as input candidates and indices thereof:

- means (242) for generating the second dictionary;
- means (244) for referring to the contents of the second dictionary;
- decision means (243) for deciding whether or not a bit string is required to be registered to the first dictionary, thereby registering the input bit string to the first dictionary according to a result from the decision means (243);
- a compression control unit (220) for converting the input data into a bit string smaller in length than the bit string of the input data by the first and second data compressing sections; and
 - an output means (251) for outputting the bit string converted by said compression control unit.

Complete Specification: 50 pages.

Drawing: 16 sheets.

gap a complete state and

48 A₄

190447

Int.Cl4

G 02 B 6/00, H 02 G 15/10

Title

A MANAGEMENT-CAPABLE SPLICE CASSIETTE FOR

TELCOMMUNICATION AND DATA TRANSMISSION

APPLICATIONS.

PPLICATIONS.

Applicant

KRONE GMBH, OF BEESKOWDAMM,

3-11 NO. 14167 BERLIN, GERMANY.

Inventor

1. VOLKER ROSELER.

2. CLEMENS ROGGE.

3. KLAUS KLEIN.

Application no.

195/CAL/97 FILED ON 03.02.1997.


(Convention no. 19611770.4 FILED ON 14.3.96 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules2003)

Patent Office Kolkata.

9 CLAIMS.

A management-capable splice cassette (1) for telecommunication and data transmission applications for receiving carrier shells (2) for two glass fibres (17) each, comprising a carrier housing (3) with cable connection means (4), a carrier (5) connected to housing (3), carrier shells (2) being connected to said carrier (5) in a rotatable manner, characterized in that, each of said carrier shells (2) being disposed in at least two adjacent receiving portions (6) and stacked upon each other, each of said carrier shells (2) being rotatably supported and movable into a latch position (7) with a latch device (8) provided at a carrier shell side.



Complete Specification: 8 pages.

Drawing: 5 sheets.

136 E26

190448

Int.Cl4

A 46 B 3/02

Title

.

. 12

METHOD FOR THE MANUFACTURE OF BRUSHES.

Applicant

CORONET-WERKE GMBH, OF POSTFACH 1180, D-69479

WALD-MICHELBACH, GERMANY.

Inventor

GEORG WEIHRAUCH.

Application no.

643/CAL/1997 FILED ON 15.4.1997

(Convention no. 19616112.6 FILED ON 23.4.1996 IN GERMANY.)


Appropriate office for opposition proceeding (Rule 4, Patent Rules 2003)

Patent Office Kolkata.

10 CLAIMS.

A method for the manufacture of brushes with a bristle carrier and a facing of individual, vertical plastic bristles, the method comprising the steps of:

a) Introducing each individual bristle at fastening sided ends therof through respective holes of a template said holes having a hole diameter slightly larger than a bristle diameter said template having a hole pattern corresponding to positioning of the bristles within the bristle facing the bristles projecting, in spaced apart relationship corresponding to a hole pattern of said template, through and past an exit side of said template by a substantially same amount;



- b) Fixing each individual bristle with respect to axial and radial displacement within said template;
- c) Submerging following step b), each individual bristle projecting past exit side of said template into a bed of liquid curable material to immerse said fastening sided ends of the bristles in said liquid bed such that said liquid flows around ends of the bristles and;
- d) Curing said liquid bed.

Complete Specification: 15 pages.

Drawing: 5 sheets.

26 & 189

190449

Int.Cl4

A 46 B 9/04

Title

BRUSH FOR GINGIVAL MASSAGE AND CLEANING TEETH

AND METHOD FOR THE MANUFACTURE OF THE BRISTLES

OF SUCH A BRUSH.

Applicant

CORONET-WERKE GMBH, OF POSTFACH 1180, D-69479

WALD-MICHELBACH, GERMANY.

Inventor

WEIHRAUCH GEORG.

Application ho.

652/CAL/97 FILED ON 16.04.1997.


(Convention no. 19615098.1 FILED ON 17.04.1996 IN GERMANY.)

Appropriate office for opposition proceeding (Rule 4, Patent Rules2003)

Patent Office Kolkata.

16 CLAIMS.

Brush for gingival message and cleaning teeth, comprising a bristle carrier with handle and on the bristle carrier individual or bundlewise fixed plastic bristles, characterized in that the bristle (3) are waved transversely to their axis, accompanied by the formation of distinct, stud-like wave tops (5) with wave length I to 10 times the bristle diameter, preferably 1 to 5 times.



omplete Specification: 12 pages.

Drawing: 3 sheets.

108

190450

Int.Cl4

C 21 C 7/00

Title

A PROCESS FOR MANUFACTURING FORMABLE QUALITY

COLD ROLLED STEEL OF HIGH TENSILE AND YIELD

STRENGTH.

Applicant

STEEL AUTHORITY OF INDIA LIMITED, OF ISPAT BHAWAN,

LODI ROAD, NEW DELHI - 110 003, INDIA.

Inventor

1. SAROJ KUMAR PAUL.

2. AMAR KUMAR DE.

Application no.2204/CAL/97 FILED ON 24.11.1997.

Appropriate office for opposition proceeding (Rule 4, Patent Rules2003)


Patent Office Kolkata.

8 CLAIMS.

A process for manufacturing formable quality cold rolled steel of high tensile and yield strength and closed bend, which is particularly suitable for use in the construction of industrial storage bin and automobile component parts, comprising the following steps :-

- (i) making the 'heat' in a basic oxygen furnace by blowing oxygen of minimum purity 99.2% into the furnace;
- (ii) adding the required quantity of medium carbon Fe-Mn, high carbon Fe-Mn, Fe-Si, Fe-Nb and aluminium to the molten heat in the ladle during tapping to produce steel of required chemical composition;
 - (iii) teaming the heat into ingots;
- (iv) soaking the ingots in reheating furnaces at 1300°C and rolling the soaked ingots into slabs of required dimensions in a slab rolling mill with hot scarfing during rolling followed by cold scarfing manually to remove the defects found in the surface thereof;
- (v) soaking the slabs in reheating furnaces at 1270-1290°C and hot rolling of the soaked slabs into rolled coils of thickness 2.8-4.0 mm in a hot strip mill;
- (v1) cooling the hot rolled coils to ambient temperature in natural air followed by pickling and side-edge trimming of the cooled coils;
- (vii) cold rolling the coils in a tandem mill to reduce the thickness thereof to the required extent;

- (viii) annealing the cold rolled coils in a batch annealing furnace having a protective gas atmosphere following a given samealing cycle;
- (ix) temper rolling of the annealed cold rolled coils
 by 1% in a skin pass mill; and
- (x) shearing the coils into sheets of required lengths in a sheet shearing line; characterised in that (a) the chemical composition of the steel produced is (by weight %): C-0.09 to 0.12, Mn-0.80 to 1.00, Si-0.05 max, P-0.05 max, S-0.025 max, Al-0.03 to 0.07. Hb-0.03 to 0.05 and Fe-the balance; (b) hot rolling of the soaked slabs into hot rolled coils in a hot strip mill is performed at a finishing temperature of 840-870°C and coiling temperature of 620-650°C; (c) the thickness of hot rolled coils is reduced in the range of 50-65% by cold rolling of the same; and (d) the annealing cycle followed for annealing the cold rolled coils comprises raising the temperature of the coils from ambient temperature to 550°C in 8 hours. retaining the temperature of the same at 550°C for 8 hours. raising the temperature of the same from 550°C to 635°C in 3.5 hours, retaining the temperature of the same at 635°C for 13 hours and cooling the same in a furnace at a rate of 34°C per hour.



RESTORATION P ROCEEDINGS

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 180734 granted to 1) Pierre Uingemach, 2) Roland Turan, 3) Raymond Lucet for an invention relating to device for injecting corrosion and deposit inhibiting agents in a well.

The Patent consed on the 26.02.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 181128 granted to Avarampalayam Gopalswaminaidu Govindarajulu for an invention relating to a device for cleaning industrial machineries such as textile and jute mill machineries.

The Patent ceased on the 16.11.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 183522,granted to Phillips Petroleum Company for an invention relating to a process for polymerizing Olefins.

The Patent ceased on the 05.09.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 183696 granted to Vivimed Labs Limited for an invention relating to a process for the synthesis of the facteriostat 2,4,4-trichloro-z' hydroxydiphenyl ether (triclosam) from 2,4-dichlorophenol.

The Patent ceased on the 03.10.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 183765 granted to SKF Engineering & Research Centre B.V. for an invention relating to a lubricating grease composition and a method for its preparation.

The Patent ceased on the 08.09.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Palents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 184250 granted to Eli Lilly & Co. for an invention relating to a process for preparing a naphthyl compound.

The Patent ceased on the 25. 08.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 28.09.02.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 185005 granted to Alejandro Stein for an invention relating to an end connector for wall structure.

The Pa ceased on the 14.10.01 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was not. in the Gazette of India, Part III. Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 185818 granted to Lexmark International, Inc. for an invention relating to a printer.

The Patent deased on the 14. 04.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolk at a 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 185593 granted to Central Electronics Ltd. for an invention relating to a solar powered battery charger.

The Patent deased on the 09.02.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 185893 granted to Imperial Chemical Industries, PLC. for an invention relating to working fluid composition for use in a heat transfer device.

The Patent ceased on the 23.04.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 185895 granted to Central Electric Company for an invention relating for turbine.

The Patent ceased on the 24 04.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 186225 granted to Molex Incorporated for an invention relating to edge card connector with alignment means.

The Patent ceased on the 20.06.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 14.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 186441 granted to Sandip Sureka and Jotindra Sureka for an invention relating to a method for producing galvanized Steel Tube.

The Patent ceased on the 16.08.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 186789 granted to Anurag Ateel Gupta & Others for an invention relating to an improved process for the production of N,N-dimethyl-N-(3,5-di-tert-butyl-4-hydroxybenzyl) amine.

The Patent ceased on the 29.10.02 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 08.02.03.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th and 7th floor, 234/4, Acharya Jagadish Chandra Bose Road, Kolkata 700 020 on or before the 21.08.03 under Rule 69 of the Patents Rules, 2003. A written statement, in triplicate, setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Patents Sealed on 25.06.2003 (Mumbai Branch)

188385 18849\$ 188495 189009 189013 189019 189020 189024 189028 189071 189072 189073 189074 189078 189079 189091 189092 189094 189097 189100 189102 189106 189107 189108 189109

PATENT SEALED ON 27-06-2003

188315 18839\$\psi\$ 188391 188392 188395 188396 188397 188399 188402 188403 188404 188405 188406 188408 18841\$\psi\$ 188411 188412 188413 188417 188418 188419 188421 188422 188423 188424 188425 188426 188427 188428 188429 188430

KOL-NIL, DEL-06, MUM-08, CHEN-17

REGISTRATION OF DESIGNS

The following designs have been registered. They are open for public inspection (Colour combination if any, is not shown in the representation)

The dates shown in the following each entry is the date of registration.

No.190382. NILKAMAL CRATES & BINS OF 77/78, NILKAMAL HOUSE ROAD NO. 13/14, M.I.D.C ANDHERI EAST MUMBAI-400093, MAHARASHTRA, INDIA. "CRATE" 8 ^{TII} NOVEMBER 2003.	
·	
No.190406. RECKITT BENCKISER (UK) LIMITED, A BRITISH COMPANY, OF 103-105 BATH ROAD, SLOUGH, BERKSHIRE, SLI 3UH, UNITED KINGDOM. "AIIR FRESHNER DEVICE" 14 TH MAY 2002 (RECIPROCITY, U.K.)	
	COST COST
	BATH ROAD, SLOUGH, BERKSHIRE, SL1 3UH, UNITED KINGDOM. "AIIR FRESHNER

Page No.2.

Class.	13-03	No.190408. GERARD INDUSTRIES PTY LTD., OI 12 PARK TERRACE, BOWDEN, SOUTH AUSTRALIA 5007, AUSTRALIA. "A SWITCH HOUSING" 23 RD MAY 2002 (RECIPROCITY AUSTRALIA).	
Class.	24-02	No.190412 M/S. RAJ VIJAY CORPORATION (UNIT-II), AT E-6, FOUNDRY NAGAR, AGRA (U.P.) "URINE BAG HANGER" 12 NOVEMBER 2002.	
Class.	07-02.	No.190413. M/S. SURYA GASES (P) LTD. SARAFA BAZAR, LASHKAR GWALIOR INDIA. "GAS STOVES" 12 NOVEMBER 2002.	
Class.	07-02	No.190414. M/S. SURYA GASES (P) LTD. SARAFA BAZAR, LASHKAR GWALIOR INDIA. "GAS STOVES" 12 NOVEMBER 2002.	
Class.	09-02	No.190442. M/S. RANGOLI PLASTIC PVT. LTD. OF R. NO. 3, RAGHUNATH YADAV CHAWL, DR. R.P. ROAD, OPP: 26 RAM GOPAL INDL. ESTATE, MULUND (W), MUMBAI-400080, MAHARASHTRA, INDIA. "DRUM" 15 NOVEMBER 2002	

Page No.3.

Class.	13-03	No.190478. GERARD INDUSTRIES PTY LTD., OF 12 PARK TERRACE, BOWDEN, SOUTH AUSTRALIA 5007, AUSTRALIA. "AN ELECTRICAL SWITCH BRIDGE MEMBER" 23 RD MAY 2002 (RECIPROCITY, AUSTRALIA).	
Class.	03-99	No.190400. JAYESH HARKISANDAS KANANI, 105, M.H. JAVERIAN BUILDING, NEXT TO SEJAL KAJAL APARTMENTS, RAM MANDIR ROAD, GOREGAON (W), MUMBAI-400164. "COLLAPSHIBLE TUMBLER" 21" November 2002.	
Class.	09-03	No.19839. ASHOK KUMAR GUPTA HUF, OF 641, LLT. KANPUR, UTTAR PRADESH, 208016, "CIGARETTE PACK CUM SLIMATH" 25 TH NOVEMBER 2002.	•
Class.	10-02	No.190561. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Class.	09-01	No.190562. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "CONTAINER" 27 NOVEMBER 2002	

Page No.4.

Class.	09-01	No.190564. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "CONTAINER" 27 NOVEMBER 2002	
Class.	09-01	No.190565. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "CONTAINER" 27 NOVEMBER 2002	
Class.	09-01	No.190566. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "BOTTLE" 27 NOVEMBER 2002	
Class.	09-01	No.190568. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "CONTAINER" 27 ROVEMBER 2002	
Class.		No.190569. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "CONTAINER" 27 NOVEMBER 2002	

Page No.5.

Class.	10-02	No.190570. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Class.	10-02	No.190571. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27. NOVEMBER 2002	
Class.	10-02	No.190572. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA! PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Class.	10-02	No.190573. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Class.	10-02	No.190574. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	

Page No.6

Class.	19-92	No.190575. AJANTA INDIA LIMITED, AJANTA HNDUSTRIAL ESTATE, OPP: REWA PARK, KAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Class.	10-02	No.190576. AJANTA INDIA LIMITED, AJANTA INDUSTRIAL ESTATE, OPP: REWA PARK, RAJKOT HIGHWAY, MORBI-363641, STATE OF GUJARAT, INDIA. "WATCH" 27 NOVEMBER 2002	
Cinss.	14-42	No.190577. PETER SEGERHAMMER OF PAGERVIKSVAGEN 47, S-168 39, BROMMA, SWEDEN. "PRINTER SCREEN" 21 ⁵⁷ MAY 2002 (RECIPROCITY, SWEDEN)	
Class.	69-65	No. 196595. M/S. UNIQUE INDUSTRIES (INDIA) C-10, FOCAL POINT JALANDHAR, PUNJAB, INDIA. "BENCH VICE" 29 TH NOVEMBER 2002.	
Class.	99-63	No. 198598. THE TINPLATE CO. OF INDIA LTD. OF 4, BANKSHALL STREET, KOLKATA-760001, "TIN CANS". 29 NOVEMBER 2002.	

Page No.7.

Class.	19-06	No.190600. FLAIR WRITING AIDS OF 30A, DEVEN INDUSTRIAL ESTATE, LB. PATEL ROAD, GOREGAON (E), MUMBAI-400063, MAHARASHTRA, INDIA. "PEN" 2 DECEMBER 2062.	
Class.	19-06	No.190601. FLAIR WRITING AIDS OF 30A, DEVEN INDUSTRIAL ESTATE, LB. PATEL ROAD, GOREGAON (E), MUMBAI-400063, MAHARASHTRA, INDIA. "PEN" 2 DECEMBER 2002.	
Class.	03-01	No.190602. FLAIR PENS LTD. OF 63 B/C, GOVT. INDUSTRIAL ESTATE, CHARKOP, KANDIVILI (W), MUMBAI-400067, MAHARASHTRA, INDIA. "PEN CASE" 2 DECEMBER 2002	
Class.	19-06	No.190630. ARCHIES LTD. A-17, NARAINA INDUSTRIAL AREA, NEW DELHI-110028, INDIA. "PENCIL BOX" 3 DECEMBER 2002.	
Class	12-11	No.190735. BAGGA CYCLE INDUSTRIES OF GOBINDPURA MARKET, GILL ROAD MILLER GANJ, LUDHIANA-141003, (PUNJAB) INDIA. "BI-CYCLE PEDAL" 16 DECEMBER 2002.	

Page No.-8.

Class	. 07-03	No.190636. M/S. SHELTRON EXPORTS (HUF), C-9/2, 1S FLOOR, WAZIRPUR INDUSTRIAL AREA, NEW DELHI-110052, INDIA. "TRIPPLE SPOON REST" 3 RD DECEMBER 2002.	
Class.	13-03	No.190744.M/S. TRANS MODULAR (INDIA) OF 127/B, ASHIRWAD INDUSTRIAL ESTATE, RAM MANDIR ROAD, GOREGAON (W), MUMBAI-400104, MAHARASHTRA, INDIA. "MINI SWITCH TYPE DIMMER" 17 DECEMBER 2002.	
Class.	07-03	No.190637. M/S. SHELTRON EXPORTS (HUF), C-9/2, 1S FLOOR, WAZIRPUR INDUSTRIAL AREA, NEW DELHI-110052, INDIA. "TWIN SPOON REST" 3 RD DECEMBER 2002.	
Class.	28-03	No.190639. CRYSTAL PLASTICS & METALLIZING PVT. LTD. OF SHANGHI HOUSE; PALKHI GALLI, OFF VEER SAVARKAR MARG, PRABHADEVI, MUMBAI-400025, STATE OF MAHARASHTRA, INDIA. "COMB" 3 DECEMBER 2002	
Class.	28-03	No.190640. CRYSTAL PLASTICS & METALLIZING PVT. LTD. OF SHANGHI HOUSE, PALKHI GALLI, OFF VEER SAVARKAR MARG, PRABHADEVI, MUMBAI-400025, STATE OF MAHARASHTRA, INDIA. "COMB" 3 DECEMBER 2002	

Page No.9.

	:		
Class	19-06	No.190698. LINC PEN & PLASTICS LTD., AN INDIAN COMPANY INCORPORATED UNDER THE COMPANIES ACT,1956, AND HAVING ITS PLACE OF BUSINESS AT 3, ALIPORE ROAD, 1 ST FLOOR, KOLKATA: -700 027, INDIA, "PEN" 10 DECEMBER 2002	
Class.	19-06	No.190699. LINC PEN & PLASTICS LTD., AN INDIAN COMPANY INCORPORATED UNDER THE COMPANIES ACT,1956, AND HAVING ITS PLACE OF BUSINESS AT 3, ALIPORE ROAD, 1 ST FLOOR, KOLKATA: -700 027, INDIA, "PEN" 10 DECEMBER 2002	
Class	12-11	No.190708. VISHIVKARMA INDUSTRIES (P) LTD. 2497, GILL ROAD, LUDHIANA-141003, (PUNJAB), INDIA. "BI-CYCLE BRAKE CHIMTI" 11 DECEMBER 2002	
Class	12-11	No.190713. VISHIVKARMA INDUSTRIES (P) LTD. 2497, GILL ROAD, LUDHIANA-141003, (PUNJAB), INDIA. "BI-CYCLE BRAKE LEVER" 12 DECEMBER 2002	
Class	09-01	No.190714. HINDUSTAN LEVER LIMITED, OF HINDUSTAN LEVER HOUSE, 165/166, BACKBAY RECLAMATION, MUMBAI-400020. "BOTTLE WITH CAP" 12 DECEMBER 2002	**

Page No.10.

Class	04-02	No.190715. HINDUSTAN LEVER LIMITED, OF HINDUSTAN LEVER HOUSE, 165/166, BACKBAY RECLAMATION, MUMBAI-400020. "TOOTHBRUSH" 21 JUNE 2002 (RECIPROCITY, U.K.)	
Class	21-02	No.190727 M/S. HILTON FITNESS SYSTEMS OF 27/3291, CHAKALAKAL ROAD, PERUMANOOR, KOCHI, KERALA STATE, INDIA. "INVERSION THERAPY MACHINES (ABB & BLACK TRAINERS). 9 DECEMBER 2002	

H. C. BAKSHI
Controller General of Patents Designs & Trademarks

प्रबन्धक, भारत सरकार मुद्रणालय, फरीदाबाद द्वारा मुद्रित एवं प्रकाशन नियंत्रक, दिल्ली द्वारा प्रकाशित, 2003 PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARICABAD, AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 2003